Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file contact.html

Checker Input
Show source outline image report
Options
Check by file upload ✔ Elegir archivo No se eligióngún archivo
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
2. Error Attribute [v-if] not allowed on element [li] at this point.

From line 47, column 5; to line 47, column 76

[uto">\(\therefore\) \(\therefore\) Attributes for element li:

Global attributes

If the element is not a child of an ul or menu element: value — Ordinal value of the list item
```

4. Error Attribute v-bind: href not allowed on element a at this point.

From line 48, column 6; to line 48, column 51

https://validator.w3.org/nu/#file 1/10

```
Error Attribute v-if not allowed on element i at this point.

From line 50, column 5; to line 50, column 74

</ra>

<a href="tel://li>
<a
```

```
7. Warning Attribute v-bind:href is not serializable as XML 1.0.

From line 51, column 6; to line 51, column 51

em">

class="nav-link">{{ ele}
```

```
8. Error Attribute v-bind:href not allowed on element a at this point.

From line 51, column 6; to line 51, column 51

em">

class="nav-link">{{ ele}

Attributes for element a:
```

https://validator.w3.org/nu/#file 2/10

9.

10.

11.

```
Global attributes
   <u>href</u> — Address of the <u>hyperlink</u>
   <u>target</u> — <u>Browsing context</u> for <u>hyperlink</u> <u>navigation</u>
   download — Whether to download the resource instead of navigating to it, and its file name if
   so
   ping — URLs to ping
   <u>rel</u> — Relationship between the location in the document containing the <u>hyperlink</u> and the
   destination resource
   hreflang — Language of the linked resource
   type — Hint for the type of the referenced resource
   <u>referrer policy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element
Warning Attribute @submit.prevent is not serializable as XML 1.0.
From line 98, column 6; to line 98, column 75
                               <form class="contact-form" id="contact"</pre>
@submit.prevent="processForm">←
Error Attribute @submit.prevent not allowed on element form at this
point.
From line 98, column 6; to line 98, column 75
                               <form class="contact-form" id="contact"</pre>
    @submit.prevent="processForm">\leftrightarrow
Attributes for element form:
   Global attributes
   accept-charset — Character encodings to use for form submission
   <u>action</u> — <u>URL</u> to use for <u>form submission</u>
   autocomplete — Default setting for autofill feature for controls in the form
   enctype — Entry list encoding type to use for form submission
   method — Variant to use for form submission
   <u>name</u> — Name of form to use in the <u>document.forms</u> API
   <u>novalidate</u> — Bypass form control validation for <u>form submission</u>
   target — Browsing context for form submission
   <u>rel</u>
Error Attribute v-model not allowed on element input at this point.
From line 101, column 8; to line 101, column 107
">←
                                                  <input type="text" name="name" v-</pre>
           _____
model="name" class="form-control" placeholder="Tu Nombre" required>←
Attributes for element input:
   Global attributes
                       when type is file
   <u>accept</u>
```

https://validator.w3.org/nu/#file 3/10

alt when type is <u>image</u>

autocomplete when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, range, or color

autofocus

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

<u>disabled</u>

form

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

<u>height</u> when type is <u>image</u>

<u>list</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>,

datetime-local, number, range, or color

<u>max</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

maxlength when type is text, search, url, tel, email, or password

<u>min</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

multiple when type is email or file

name

<u>pattern</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

placeholder when type is text, search, url, tel, email, password, or number

<u>readonly</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>,

time, datetime-local, or number

required when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, checkbox, radio, or file

<u>size</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

<u>src</u> when type is <u>image</u>

step when type is date, month, week, time, datetime-local, number, or

<u>range</u>

<u>type</u>

<u>value</u> when type is not <u>file</u> or <u>image</u>

<u>width</u> when type is <u>image</u>

12. Error Attribute v-model not allowed on element input at this point.

From line 105, column 8; to line 105, column 117

https://validator.w3.org/nu/#file 4/10

v-model="lastname" class="form-control" placeholder="Tu Apellido" required>↔

Attributes for element input:

Global attributes

accept when type is <u>file</u>
alt when type is <u>image</u>

autocomplete when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, range, or color

<u>autofocus</u>

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

disabled

form

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

<u>height</u> when type is <u>image</u>

<u>list</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>,

datetime-local, number, range, or color

max when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

maxlength when type is text, search, url, tel, email, or password

min when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

multiple when type is email or file

name

<u>pattern</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

placeholder when type is text, search, url, tel, email, password, or number

<u>readonly</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>,

time, datetime-local, or number

required when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, checkbox, radio, or file

<u>size</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

<u>src</u> when type is <u>image</u>

<u>step</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

<u>type</u>

<u>value</u> when type is not <u>file</u> or <u>image</u>

width when type is image

13. Error Attribute v-model not allowed on element input at this point.

From line 109, column 8; to line 110, column 72

"> \leftarrow <input type="tel" name="phone" v-

 $\verb|model="phone" class="form-control" pattern="[+593]?[0-9]{10}| ``e'' |$

placeholder="Tu Celular" title="Teléfono de 10 dígitos" required>↔

Attributes for element input:

Global attributes

accept when type is <u>file</u>
alt when type is <u>image</u>

autocomplete when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, range, or color

<u>autofocus</u>

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

<u>disabled</u>

form

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

<u>height</u> when type is <u>image</u>

<u>list</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>,

datetime-local, number, range, or color

max when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

maxlength when type is text, search, url, tel, email, or password

min when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

<u>multiple</u> when type is <u>email</u> or <u>file</u>

<u>name</u>

<u>pattern</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

placeholder when type is text, search, url, tel, email, password, or number

<u>readonly</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>,

time, datetime-local, or number

required when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, checkbox, radio, or file

<u>size</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

src when type is <u>image</u>

step when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

<u>type</u>

<u>value</u> when type is not <u>file</u> or <u>image</u>

width when type is image

14. Error Attribute v-model not allowed on element input at this point.

From line 114, column 8; to line 114, column 109

"> \leftarrow <input type="email" name="email" v-

model="email" class="form-control" placeholder="Tu Email" required> \leftrightarrow

Attributes for element input:

Global attributes

accept when type is file
alt when type is image

autocomplete when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, number, range, or color

autofocus

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

<u>disabled</u>

<u>form</u>

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or image

<u>formtarget</u> when type is <u>submit</u> or <u>image</u>

<u>height</u> when type is <u>image</u>

<u>list</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>,

datetime-local, number, range, or color

<u>max</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

range

<u>maxlength</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

min when type is date, month, week, time, datetime-local, number, or

<u>range</u>

<u>multiple</u> when type is <u>email</u> or <u>file</u>

<u>name</u>

<u>pattern</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

placeholder when type is text, search, url, tel, email, password, or number

readonly when type is text, search, url, tel, email, password, date, month, week,

time, datetime-local, or number

required when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, checkbox, radio, or file

size when type is text, search, url, tel, email, or password

src when type is image

step when type is date, month, week, time, datetime-local, number, or range

type

value when type is not file or image

15. Error Attribute v-model not allowed on element input at this point.

when type is image

From line 122, column 8; to line 122, column 83

">↩ <input type="date" name="date" v-

model="date" class="form-control" required>↩

Attributes for element input:

Global attributes

<u>width</u>

<u>accept</u> when type is <u>file</u>

alt when type is <u>image</u>

<u>autocomplete</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>,

time, datetime-local, number, range, or color

<u>autofocus</u>

<u>checked</u> when type is <u>checkbox</u> or <u>radio</u>

<u>dirname</u> when type is <u>text</u> or <u>search</u>

<u>disabled</u>

<u>form</u>

formactionwhen type is submit or imageformenctypewhen type is submit or imageformmethodwhen type is submit or imageformnovalidatewhen type is submit or imageformtargetwhen type is submit or image

<u>height</u> when type is <u>image</u>

<u>list</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>,

datetime-local, number, range, or color

<u>max</u> when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

<u>maxlength</u> when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>

min when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or

<u>range</u>

multiple when type is email or file

```
name
pattern
                      when type is text, search, url, tel, email, or password
                      when type is text, search, url, tel, email, password, or number
placeholder
<u>readonly</u>
                      when type is text, search, url, tel, email, password, date, month, week,
                      time, datetime-local, or number
required
                      when type is text, search, url, tel, email, password, date, month, week,
                      time, datetime-local, number, checkbox, radio, or file
                      when type is text, search, url, tel, email, or password
size
                      when type is image
src
<u>step</u>
                      when type is date, month, week, time, datetime-local, number, or
                      <u>range</u>
<u>type</u>
                      when type is not file or image
<u>value</u>
<u>width</u>
                      when type is image
```

Warning The date input type is not supported in all browsers. Please be 16. sure to test, and consider using a polyfill.

```
From line 122, column 8; to line 122, column 83
```

```
">←
                                             <input type="date" name="date" v-</pre>
model="date" class="form-control" required>↩
```

```
Error Attribute v-model not allowed on element textarea at this point.
17.
```

```
From line 126, column 8; to line 126, column 121
```

```
<textarea name="message" v-
model="message" cols="30" rows="7" class="form-control" placeholder="Mensaje"
required></text
```

Attributes for element textarea:

Global attributes

'>←

autocomplete — Hint for form autofill feature

<u>cols</u> — Maximum number of characters per line

<u>dirname</u> — Name of form control to use for sending the element's <u>directionality</u> in <u>form</u> submission

disabled — Whether the form control is disabled

form — Associates the element with a form element

maxlength — Maximum length of value

minlength — Minimum length of value

name — Name of the element to use for form submission and in the form.elements API

<u>placeholder</u> — User-visible label to be placed within the form control

<u>readonly</u> — Whether to allow the value to be edited by the user

<u>required</u> — Whether the control is required for <u>form submission</u>

https://validator.w3.org/nu/#file

<u>rows</u> — Number of lines to show
 <u>wrap</u> — How the value of the form control is to be wrapped for <u>form submission</u>

18. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

From line 118, column 8; to line 118, column 35

">← <label for="fecha" class="">Fecha

Document checking completed.

Used the HTML parser.

Total execution time 77 milliseconds.

About this checker • Report an issue • Version: 20.7.23

https://validator.w3.org/nu/#file 10/10