

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for productos.html

Checker Input

Show ☒ source ☒ outline ☒ image report

Options...

Check by file upload ▼ Seleccionar archivo No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Attribute `v-for` not allowed on element `li` at this point.
 From line 57, column 6; to line 57, column 77

```
to"><
                                     <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item"><
```

 Attributes for element `li`:
[Global attributes](#)
 If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item
- Error** Attribute `v-if` not allowed on element `li` at this point.
 From line 57, column 6; to line 57, column 77

```
to"><
                                     <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item"><
```

 Attributes for element `li`:
[Global attributes](#)
 If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item
- Warning** Attribute `v-bind:href` is not serializable as XML 1.0.
 From line 58, column 7; to line 58, column 52

```
m"><
                                     <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```
- Error** Attribute `v-bind:href` not allowed on element `a` at this point.
 From line 58, column 7; to line 58, column 52

```
m"><
.....
class="nav-link">{{ ele
.....
<a v-bind:href="elem.enlace"
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

5. **Error** Attribute `v-for` not allowed on element `li` at this point.

[From line 60, column 6; to line 60, column 75](#)

```
/li><
.....
<li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item"><
.....
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

6. **Error** Attribute `v-if` not allowed on element `li` at this point.

[From line 60, column 6; to line 60, column 75](#)

```
/li><
.....
<li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item"><
.....
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

7. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

[From line 61, column 7; to line 61, column 52](#)

```
m"><
.....
class="nav-link">{{ ele
.....
<a v-bind:href="elem.enlace"
```

8. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

[From line 61, column 7; to line 61, column 52](#)

```
m"><
.....
class="nav-link">{{ ele
.....
<a v-bind:href="elem.enlace"
```

Attributes for element [a](#):

[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so[ping](#) — [URLs](#) to ping[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource[hreflang](#) — Language of the linked resource[type](#) — Hint for the type of the referenced resource[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

9. **Error** Attribute `v-for` not allowed on element `div` at this point.

[From line 103, column 5; to line 103, column 84](#)

```
b-2">↵                                <div v-for="elemento in resultados"
class="col-sm-4 d-flex align-items-stretch">↵
```

Attributes for element [div](#):[Global attributes](#)

10. **Warning** Attribute `:style` is not serializable as XML 1.0.

[From line 105, column 7; to line 105, column 89](#)

```
4">↵                                <div class="img" :style="{
backgroundImage: 'url(img/' + elemento.archivo + ')' }"></div>
```

11. **Error** Attribute `:style` not allowed on element `div` at this point.

[From line 105, column 7; to line 105, column 89](#)

```
4">↵                                <div class="img" :style="{
backgroundImage: 'url(img/' + elemento.archivo + ')' }"></div>
```

Attributes for element [div](#):[Global attributes](#)

Document checking completed.

Image report*No images in the document.***Source**

1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. ↵
4. <head>↵
5. <title>My Sweet Moon-Home</title>↵
6. <meta charset="utf-8">↵

```

7.      <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
8.  ↵
9.      <link href="https://fonts.googleapis.com/css?
family=Open+Sans:300,400,600,700&display=swap" rel="stylesheet">↵
10.  ↵
11.     <link href="https://fonts.googleapis.com/css?
family=Prata&display=swap" rel="stylesheet">↵
12.  ↵
13.     <link rel="stylesheet" href="css/open-iconic-bootstrap.min.css">↵
14.     <link rel="stylesheet" href="css/animate.css">↵
15.  ↵
16.     <link rel="stylesheet" href="css/owl.carousel.min.css">↵
17.     <link rel="stylesheet" href="css/owl.theme.default.min.css">↵
18.     <link rel="stylesheet" href="css/magnific-popup.css">↵
19.  ↵
20.     <link rel="stylesheet" href="css/aos.css">↵
21.  ↵
22.     <link rel="stylesheet" href="css/ionicons.min.css">↵
23.  ↵
24.     <link rel="stylesheet" href="css/bootstrap-datepicker.css">↵
25.     <link rel="stylesheet" href="css/jquery.timepicker.css">↵
26.  ↵
27.  ↵
28.     <link rel="stylesheet" href="css/flaticon.css">↵
29.     <link rel="stylesheet" href="css/icomoon.css">↵
30.     <link rel="stylesheet" href="css/style.css">↵
31.  ↵
32.  ↵
33.     <link rel="stylesheet" href="font-awesome-4.7.0/css/font-
awesome.min.css">↵
34.  ↵
35.     <link rel="stylesheet" href="css/productos.css">↵
36.  ↵
37.     <script src="js/modoUsuario.js"></script>↵
38.  ↵
39.     <link rel="stylesheet" href="css/introjs.css">↵
40.     <link rel="stylesheet" href="css/introjs-rtl.css">↵
41.  ↵
42. </head>↵
43.  ↵
44. <body>↵
45.     <nav class="navbar navbar-expand-lg navbar-dark ftco_navbar bg-dark
ftco-navbar-light ftco-navbar-light-2"↵
46.         id="ftco-navbar">↵
47.         <div class="container">↵
48.             <a class="navbar-brand" href="index.html">↵
49.                 <span class="flaticon-lotus"></span>My Sweet
Moon</a>↵
50.                 <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#ftco-nav"↵
51.                     aria-controls="ftco-nav" aria-expanded="false"
aria-label="Toggle navigation">↵
52.                     <span class="oi oi-menu"></span> Menu↵
53.                 </button>↵
54.                 ↵
55.                 <div class="collapse navbar-collapse" id="ftco-nav">↵
56.                     <ul id="navbar" class="navbar-nav ml-auto">↵
57.                         <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item">↵
58.                             <a v-bind:href="elem.enlace"
class="nav-link">{{ elem.texto }}</a>↵
59.                         </li>↵
60.                         <li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
61.                             <a v-bind:href="elem.enlace"
class="nav-link">{{ elem.texto }}</a>↵
62.                         </li>↵
63.                     </ul>↵
64.                 </div>↵
65.  ↵

```

```

66.         </div><↵
67.     </nav><↵
68.     <!-- END nav --><↵
69. <↵
70.     <section class="hero-wrap hero-wrap-2" style="background-image:
url('img/portada1.png');"<↵
71.         > <↵
72.         <div class="container"><↵
73.             <div class="row no-gutters slider-text js-fullheight
align-items-center justify-content-center"><↵
74.                 <div class="col-md-9 ftco-animate text-
center"><↵
75.                     <h1 class="mb-3 bread">Productos</h1><↵
76.                     <p class="breadcrumbs"> <span>Tenemos
una amplia gama para ofrecer</span></p><↵
77.                         </div><↵
78.                 </div><↵
79.             </div><↵
80.         </section><↵
81. <↵
82.     <section class="ftco-section seccion_busqueda"><↵
83.         <div class="container-fluid px-sm-4"><↵
84.             <div class="row justify-content-center mb-4 pb-2 "><↵
85.                 <div id="pas1" class="col-md-12 heading-
section ftco-animate text-center"><↵
86.                     <h3 class="subheading">Busqueda</h3><↵
87.                     <h4 class="mb-1">Ingresa el nombre de
un producto</h4><↵
88.                     <br><↵
89.                     <div class="row justify-content-center
mb-5 pb-3"><↵
90.                         <div class="col-md-4 heading-
section ftco-animate text-center"><↵
91.                             <div class="input-
group"><↵
92.                                 <input
type="text" class="form-control" aria-label="Busqueda"><↵
93.                                 id="busquedaTexto" placeholder="Nombre"><↵
94.                                     <button
id="buscarBoton" class="input-group-text"> <i class="fa fa-search"><↵
95.                                     aria-hidden="true"></i></button><↵
96.                                     </div><↵
97.                                 </div><↵
98.                             </div><↵
99.                         </div><↵
100.                     </div><↵
101. <↵
102.                 <div id="productosResultado" class="row justify-
content-center mb-4 pb-2"><↵
103.                     <div v-for="elemento in resultados"
class="col-sm-4 d-flex align-items-stretch"><↵
104.                         <div class="offer-deal text-center px-
2 px-sm-4"><↵
105.                             <div class="img" :style="{
backgroundImage: 'url(img/' + elemento.archivo + ')></div><↵
106.                             <div class="text mt-4"><↵
107.                                 <h3 class="mb-4">{{
elemento.nombre }}</h3><↵
108.                                 <p class="mb-5">{{
elemento.description }}.</p><↵
109.                             </div><↵
110.                         </div><↵
111.                     </div><↵
112.                 </div><↵
113.             </div><↵
114.         </section><↵
115. <↵
116.     <footer id="footer" class="ftco-footer ftco-section"><↵
117. </footer><↵

```

```

118. ↵
119.         <!-- loader -->↵
120.         <div id="ftco-loader" class="show fullscreen"><svg class="circular"
width="48px" height="48px">↵
121.             <circle class="path-bg" cx="24" cy="24" r="22"
fill="none" stroke-width="4" stroke="#eeeeee" />↵
122.             <circle class="path" cx="24" cy="24" r="22"
fill="none" stroke-width="4" stroke-miterlimit="10"↵
123.                 stroke="#F96D00" /></svg></div>↵
124. ↵
125. ↵
126.         <script src="js/jquery.min.js"></script>↵
127.         <script src="js/vue.js"></script>↵
128.         <script src="js/general.js"></script>↵
129.         ↵
130.         <script src="js/productos.js"></script>↵
131. ↵
132.         <script src="js/jquery-migrate-3.0.1.min.js"></script>↵
133.         <script src="js/popper.min.js"></script>↵
134.         <script src="js/bootstrap.min.js"></script>↵
135.         <script src="js/jquery.easing.1.3.js"></script>↵
136.         <script src="js/jquery.waypoints.min.js"></script>↵
137.         <script src="js/jquery.stellar.min.js"></script>↵
138.         <script src="js/owl.carousel.min.js"></script>↵
139.         <script src="js/jquery.magnific-popup.min.js"></script>↵
140.         <script src="js/aos.js"></script>↵
141.         <script src="js/jquery.animateNumber.min.js"></script>↵
142.         <script src="js/bootstrap-datepicker.js"></script>↵
143.         <script src="js/jquery.timepicker.min.js"></script>↵
144.         <script src="js/scrollax.min.js"></script>↵
145. ↵
146.         <script src="js/main.js"></script>↵
147. ↵
148.         <script src="js/intro.js"></script>↵
149.         <script src="js/guiaProductos.js"></script>↵
150. </body>↵
151. ↵
152. </html>

```

Heading-level outline

```

<h1> Productos
  <h2> [missing]
    <h3> Busqueda
      <h4> Ingrese el nombre de un producto
    <h3> {{ elemento.nombre }}

```

Structural outline

```

└─ [body element with no heading]
   └─ [nav element with no heading]
      └─ Productos
         └─ Busqueda
            └─ Ingrese el nombre de un producto
               └─ {{ elemento.nombre }}

```

Used the HTML parser.

Total execution time 16 milliseconds.

