

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for recursos.html

Checker Input

Show ☒ source ☒ outline ☒ image report

Options...

Check by file upload No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Attribute `v-for` not allowed on element `li` at this point.
[From line 50, column 6; to line 50, column 77](#)

```
to"><-----<li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item"><-----
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item
- Error** Attribute `v-if` not allowed on element `li` at this point.
[From line 50, column 6; to line 50, column 77](#)

```
to"><-----<li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item"><-----
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item
- Warning** Attribute `v-bind:href` is not serializable as XML 1.0.
[From line 51, column 7; to line 51, column 52](#)

```
m"><-----<a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```
- Error** Attribute `v-bind:href` not allowed on element `a` at this point.
[From line 51, column 7; to line 51, column 52](#)

```
m">↵
class="nav-link">{{ ele
<a v-bind:href="elem.enlace"
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

5. **Error** Attribute `v-for` not allowed on element `li` at this point.

[From line 53, column 6; to line 53, column 75](#)

```
/li>↵
<li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

6. **Error** Attribute `v-if` not allowed on element `li` at this point.

[From line 53, column 6; to line 53, column 75](#)

```
/li>↵
<li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

7. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

[From line 54, column 7; to line 54, column 52](#)

```
m">↵
class="nav-link">{{ ele
<a v-bind:href="elem.enlace"
```

8. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

[From line 54, column 7; to line 54, column 52](#)

```
m">↵
class="nav-link">{{ ele
<a v-bind:href="elem.enlace"
```

Attributes for element [a](#):

[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so[ping](#) — [URLs](#) to ping[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource[hreflang](#) — Language of the linked resource[type](#) — Hint for the type of the referenced resource[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

9. **Error** Attribute `v-for` not allowed on element `div` at this point.

[From line 197, column 17; to line 197, column 119](#)

```
<div id="recursos" v-for="elemento in resultados" class="col-md-4
col-sm-6 justify-content-center p-2">
```

Attributes for element `div`:[Global attributes](#)

10. **Error** Attribute `v-if` not allowed on element `div` at this point.

[From line 198, column 21; to line 198, column 123](#)

```
<div class="card justify-content-center" style="width: 100%;
height: 100%;" v-if="tipo == 'productos'">
```

Attributes for element `div`:[Global attributes](#)

11. **Error** Attribute `v-if` not allowed on element `div` at this point.

[From line 204, column 21; to line 204, column 123](#)

```
<div class="card justify-content-center" style="width: 100%;
height: 100%;" v-if="tipo == 'contactos'">
```

Attributes for element `div`:[Global attributes](#)

Document checking completed.

Image report

The `img` elements of the page are shown below categorized by their type of textual alternative. Please review that the images in each group match that group's definition.

Images with textual alternative

The following images have textual alternatives. Please review that the textual alternatives make sense considering the purpose of the image in the context of the page and that phrases like "Image of ..." are avoided.

Note that iconic images that are redundant with text next to them or purely decorative should have alt="" instead.

Image	Textual alternative	Location
Not resolvable	cake	From line 156, column 33; to line 157, column 70
Not resolvable	cake	From line 172, column 33; to line 173, column 74

Source

```

1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. ↵
4. <head>↵
5.     <title>MySweetMoon-Rekursos</title>↵
6.     <link rel="icon" href="img/logo.png">↵
7.     <meta charset="utf-8">↵
8.     <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
9. ↵
10.    <link href="https://fonts.googleapis.com/css?
family=Open+Sans:300,400,600,700&display=swap" rel="stylesheet">↵
11. ↵
12.    <link href="https://fonts.googleapis.com/css?family=Prata&display=swap"
rel="stylesheet">↵
13. ↵
14.    <link rel="stylesheet" href="css/open-iconic-bootstrap.min.css">↵
15.    <link rel="stylesheet" href="css/animate.css">↵
16. ↵
17.    <link rel="stylesheet" href="css/owl.carousel.min.css">↵
18.    <link rel="stylesheet" href="css/owl.theme.default.min.css">↵
19.    <link rel="stylesheet" href="css/magnific-popup.css">↵
20. ↵
21.    <link rel="stylesheet" href="css/aos.css">↵
22. ↵
23.    <link rel="stylesheet" href="css/ionicons.min.css">↵
24. ↵
25.    <link rel="stylesheet" href="css/bootstrap-datepicker.css">↵
26.    <link rel="stylesheet" href="css/jquery.timepicker.css">↵
27. ↵
28. ↵
29.    <link rel="stylesheet" href="css/flaticon.css">↵
30.    <link rel="stylesheet" href="css/icomoon.css">↵
31.    <link rel="stylesheet" href="css/style.css">↵
32. ↵
33.    <link rel="stylesheet" href="css/general.css">↵
34. ↵
35.    <script src="js/modoUsuario.js"></script>↵
36. </head>↵
37. ↵
38. <body>↵
39.     <nav class="navbar navbar-expand-lg navbar-dark ftco_navbar bg-dark ftco-
navbar-light ftco-navbar-light-2"↵
40.         id="ftco-navbar">↵
41.         <div class="container">↵
42.             <a class="navbar-brand" href="index.html"><span class="flaticon-
lotus"></span>MySweetMoon</a>↵
43.             <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#ftco-nav"↵
44.                 aria-controls="ftco-nav" aria-expanded="false" aria-
label="Toggle navigation">↵
45.                 <span class="oi oi-menu"></span> Menu↵
46.             </button>↵
47.             ↵
48.             <div class="collapse navbar-collapse" id="ftco-nav">↵
49.                 <ul id="navbar" class="navbar-nav ml-auto">↵
50.                     <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item">↵
51.                         <a v-bind:href="elem.enlace"
class="nav-link">{{ elem.texto }}</a>↵
52.                     </li>↵

```

```

53. <li v-for="elem in enlacesAdmin" v-
    if="usuario == 1" class="nav-item"><
54. <a v-bind:href="elem.enlace"
    class="nav-link">{{ elem.texto }}</a><
55. </li><
56. </ul><
57. </div><
58. <
59. </div><
60. </nav><
61. <!-- END nav --><
62. <
63. <section class="hero-wrap hero-wrap-2" style="background-image:
    url('img/portada-proceso.jpg');"><
64. <div class="container"><
65. <div class="row no-gutters slider-text js-fullheight align-items-
    center justify-content-center"><
66. <div class="col-md-9 ftco-animate text-center"><
67. <h1 class="mb-3 bread">Panel de Control</h1><
68. <div class="row justify-content-center"><
69. <div class="col-md-7 mb-3"><
70. <p>Recursos de la página principal.</p><
71. </div><
72. </div><
73. </div><
74. </div><
75. </div><
76. </section><
77. <
78. <section class="ftco-section ftco-section-services bg-light"><
79. <div class="container-fluid px-md-5"><
80. <!--cards --><
81. <div class="row"><
82. <!-- Pedidos Realizados --><
83. <div class="col-xl-3 col-md-6 mb-4"><
84. <div class="card border-left-primary h-100 py-2"><
85. <div class="card-body"><
86. <div class="row no-gutters align-items-center"><
87. <div class="col mr-2"><
88. <div class="text-xs font-weight-bold text-primary
    text-uppercase mb-1">Pedidos (Semanal)</div><
89. <div class="h5 mb-0 font-weight-bold text-gray-
    800">15</div><
90. </div><
91. </div><
92. </div><
93. </div><
94. </div><
95. <
96. <!-- Cotizaciones (Semanal) --><
97. <div class="col-xl-3 col-md-6 mb-4"><
98. <div class="card border-left-secondary h-100 py-2"><
99. <div class="card-body"><
100. <div class="row no-gutters align-items-center"><
101. <div class="col mr-2"><
102. <div class="text-xs font-weight-bold text-secondary
    text-uppercase mb-1">Cotizaciones (Semanal)</div><
103. <div class="h5 mb-0 font-weight-bold text-gray-
    800">21</div><
104. </div><
105. </div><
106. </div><
107. </div><
108. </div><
109. <
110. <!-- Mensajes Respondidos --><
111. <div class="col-xl-3 col-md-6 mb-4"><
112. <div class="card border-left-info h-100 py-2"><
113. <div class="card-body"><
114. <div class="row no-gutters align-items-center"><
115. <div class="col mr-2"><

```

```

116.         <div class="text-xs font-weight-bold text-primary
text-uppercase mb-1">Pedidos Realizados</div>↵
117.         <div class="row no-gutters align-items-center">↵
118.             <div class="col-auto">↵
119.                 <div class="h5 mb-0 mr-3 font-weight-bold text-
gray-800">20%</div>↵
120.             </div>↵
121.             <div class="col">↵
122.                 <div class="progress progress-sm mr-2">↵
123.                     <div class="progress-bar bg-danger"
role="progressbar" style="width: 20%" aria-valuenow="20" aria-valuemin="0"
aria-valuemax="100"></div>↵
124.                 </div>↵
125.             </div>↵
126.         </div>↵
127.     </div>↵
128. </div>↵
129. </div>↵
130. </div>↵
131. </div>↵
132. ↵
133.     <!-- Mensajes Pendientes -->↵
134.     <div class="col-xl-3 col-md-6 mb-4">↵
135.         <div class="card border-left-secondary h-100 py-2">↵
136.             <div class="card-body">↵
137.                 <div class="row no-gutters align-items-center">↵
138.                     <div class="col mr-2">↵
139.                         <div class="text-xs font-weight-bold text-secondary
text-uppercase mb-1">Mensajes Pendientes</div>↵
140.                         <div class="h5 mb-0 font-weight-bold text-gray-
800">4</div>↵
141.                     </div>↵
142.                 </div>↵
143.             </div>↵
144.         </div>↵
145.     </div>↵
146. </div>↵
147. <!--END cards-->↵
148. ↵
149. <!--resources-->↵
150. <div class="row justify-content-center">↵
151.     <div class="col-md-6 col-lg-3 justify-content-center p-2">↵
152.         <div class="card justify-content-center">↵
153.             <div class="services text-center ftco-animate card-body">↵
154.                 <div class="d-flex justify-content-center align-items-
center">↵
155.                     <a href="#recursosResultado">↵
156.                         ↵
157.                         onclick="tipoConsulta('productos');" >↵
158.                     </a>↵
159.                 </div>↵
160.                 <div class="text mt-3">↵
161.                     <h3>Productos existentes</h3>↵
162.                     <p>Listado de productos existentes para la
venta</p>↵
163.                 </div>↵
164.             </div>↵
165.         </div>↵
166.     </div>↵
167.     <div class="col-md-6 col-lg-3 justify-content-center p-2">↵
168.         <div class="card justify-content-center">↵
169.             <div class="services text-center ftco-animate card-
body">↵
170.                 <div class="d-flex justify-content-center align-
items-center">↵
171.                     <a href="#recursosResultado">↵
172.                         ↵
173.                         onclick="tipoConsulta('contactos');" >↵
174.                     </a>↵

```

```

175.         </div><↵
176.         <div class="text mt-3"><↵
177.             <h3>Reportes de contacto</h3><↵
178.             <p>Revise los mensajes que los clientes
enviaron</p><↵
179.         </div><↵
180.     </div><↵
181. </div><↵
182. </div><↵
183. </div><↵
184. ↵
185.     <!--END resources--><↵
186. </div><↵
187. </section><↵
188. ↵
189. <section id="recursosResultado" class="ftco-section"><↵
190.     <div class="container-fluid px-sm-4"><↵
191.         <div class="row justify-content-center"><↵
192.             <div class="col-md-12 heading-section ftco-animate text-
center"><↵
193.                 <h3 class="subheading">Resultado</h3><↵
194.             </div><↵
195.             ↵
196.             ↵
197.             <div id="recursos" v-for="elemento in resultados" class="col-
md-4 col-sm-6 justify-content-center p-2"><↵
198.                 <div class="card justify-content-center" style="width:
100%; height: 100%;" v-if="tipo == 'productos'"><↵
199.                     <div class="card-body"><↵
200.                         <h5 class="card-title">PRODUCTO: {{
elemento.nombre}}</h5><↵
201.                         <p class="card-text">{{elemento.description}}</p><↵
202.                     </div><↵
203.                 </div><↵
204.                 <div class="card justify-content-center" style="width:
100%; height: 100%;" v-if="tipo == 'contactos'"><↵
205.                     <div class="card-body"><↵
206.                         <h5 class="card-title">CLIENTE: {{ elemento.nombre}}
{{elemento.apellido}}</h5><↵
207.                         <p class="card-text">CORREO: {{elemento.correo}}
</p><↵
208.                         <p class="card-text">MENSAJE: {{elemento.mensaje}}
</p><↵
209.                     </div><↵
210.                 </div> ↵
211.             </div><↵
212.         </div><↵
213.     </div><↵
214. </section><↵
215. ↵
216. ↵
217.     <!-- loader --><↵
218.     <div id="ftco-loader" class="show fullscreen"><svg class="circular"
width="48px" height="48px"><↵
219.         <circle class="path-bg" cx="24" cy="24" r="22" fill="none" stroke-
width="4" stroke="#eeeeee" /><↵
220.         <circle class="path" cx="24" cy="24" r="22" fill="none" stroke-
width="4" stroke="stroke="#F96D00" /></svg></div><↵
221.     </div><↵
222.     ↵
223.     <script src="js/jquery.min.js"></script><↵
224.     <script src="js/vue.js"></script><↵
225.     <script src="js/general.js"></script><↵
226.     ↵
227.     <script src="js/jquery-migrate-3.0.1.min.js"></script><↵
228.     <script src="js/popper.min.js"></script><↵
229.     <script src="js/bootstrap.min.js"></script><↵
230.     <script src="js/jquery.easing.1.3.js"></script><↵
231.     <script src="js/jquery.waypoints.min.js"></script><↵
232.     <script src="js/jquery.stellar.min.js"></script><↵
233.     <script src="js/owl.carousel.min.js"></script><↵

```

```
234. <script src="js/jquery.magnific-popup.min.js"></script>↵
235. <script src="js/aos.js"></script>↵
236. <script src="js/jquery.animateNumber.min.js"></script>↵
237. <script src="js/bootstrap-datepicker.js"></script>↵
238. <script src="js/jquery.timepicker.min.js"></script>↵
239. <script src="js/scrollax.min.js"></script>↵
240. ↵
241. <script src="js/main.js"></script>↵
242. ↵
243. <script src="js/recursos.js"></script>↵
244. </body>↵
245. ↵
246. </html>
```

Heading-level outline

<h1> Panel de Control

<h2> [missing]

<h3> Productos existentes

<h3> Reportes de contacto

<h3> Resultado

<h4> [missing]

<h5> PRODUCTO: {{ elemento.nombre }}

<h5> CLIENTE: {{ elemento.nombre }} {{elemento.apellido}}

Structural outline

- └ [body element with no heading]
 - └ [nav element with no heading]
 - └ **Panel de Control**
 - └ **Productos existentes**
 - └ **Reportes de contacto**
 - └ **Resultado**
 - └ **PRODUCTO: {{ elemento.nombre }}**
 - └ **CLIENTE: {{ elemento.nombre }} {{elemento.apellido}}**

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.7.23