

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contact.html

### Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by   No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Attribute `v-for` not allowed on element `li` at this point.  
From line 47, column 5; to line 47, column 76  

```
uto"><li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-item"><
```

  
Attributes for element `li`:  
[Global attributes](#)  
If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item
- Error** Attribute `v-if` not allowed on element `li` at this point.  
From line 47, column 5; to line 47, column 76  

```
uto"><li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-item"><
```

  
Attributes for element `li`:  
[Global attributes](#)  
If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item
- Warning** Attribute `v-bind:href` is not serializable as XML 1.0.  
From line 48, column 6; to line 48, column 51  

```
em"><a v-bind:href="elem.enlace" class="nav-link">{{ ele
```
- Error** Attribute `v-bind:href` not allowed on element `a` at this point.  
From line 48, column 6; to line 48, column 51

```
em"><
class="nav-link">{{ ele
<a v-bind:href="elem.enlace"
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

5. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 50, column 5; to line 50, column 74

```
</li><
<li v-for="elem in enlacesAdmin" v-if="usuario
== 1" class="nav-item"><
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

6. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 50, column 5; to line 50, column 74

```
</li><
<li v-for="elem in enlacesAdmin" v-if="usuario
== 1" class="nav-item"><
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

7. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 51, column 6; to line 51, column 51

```
em"><
class="nav-link">{{ ele
<a v-bind:href="elem.enlace"
```

8. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 51, column 6; to line 51, column 51

```
em"><
class="nav-link">{{ ele
<a v-bind:href="elem.enlace"
```

Attributes for element [a](#):

[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so[ping](#) — [URLs](#) to ping[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource[hreflang](#) — Language of the linked resource[type](#) — Hint for the type of the referenced resource[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element9. **Warning** Attribute `@submit.prevent` is not serializable as XML 1.0.

From line 98, column 6; to line 98, column 75

```
te">↵                                <form class="contact-form" id="contact"
@submit.prevent="processForm">↵
```

10. **Error** Attribute `@submit.prevent` not allowed on element `form` at this point.

From line 98, column 6; to line 98, column 75

```
te">↵                                <form class="contact-form" id="contact"
@submit.prevent="processForm">↵
```

Attributes for element [form](#):[Global attributes](#)[accept-charset](#) — Character encodings to use for [form submission](#)[action](#) — [URL](#) to use for [form submission](#)[autocomplete](#) — Default setting for autofill feature for controls in the form[enctype](#) — Entry list encoding type to use for [form submission](#)[method](#) — Variant to use for [form submission](#)[name](#) — Name of form to use in the [document.forms](#) API[novalidate](#) — Bypass form control validation for [form submission](#)[target](#) — [Browsing context](#) for [form submission](#)[rel](#)11. **Error** Attribute `v-model` not allowed on element `input` at this point.

From line 101, column 8; to line 101, column 107

```
">↵                                <input type="text" name="name" v-
model="name" class="form-control" placeholder="Tu Nombre" required>↵
```

Attributes for element [input](#):[Global attributes](#)[accept](#) when type is [file](#)

<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

12. **Error** Attribute `v-model` not allowed on element `input` at this point.

From line 105, column 8; to line 105, column 117

```
"><
<input type="text" name="lastname"
v-model="lastname" class="form-control" placeholder="Tu Apellido" required><
```

Attributes for element [input](#):

#### [Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>

[width](#)when type is [image](#)13. **Error** Attribute `v-model` not allowed on element `input` at this point.

From line 109, column 8; to line 110, column 72

```

">
<input type="tel" name="phone" v-
model="phone" class="form-control" pattern="[+593]?[0-9]{10}"
placeholder="Tu Celular" title="Teléfono de 10 dígitos" required>

```

Attributes for element `input`:[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>

<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

14. **Error** Attribute `v-model` not allowed on element `input` at this point.

From line 114, column 8; to line 114, column 109

```
"><input type="email" name="email" v-model="email" class="form-control" placeholder="Tu Email" required><
```

Attributes for element `input`:

[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> ,

<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

15. **Error** Attribute `v-model` not allowed on element `input` at this point.

From line 122, column 8; to line 122, column 83

```
"><
                                <input type="date" name="date" v-
model="date" class="form-control" required><
```

Attributes for element `input`:

[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>





[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

### Document checking completed.

Used the HTML parser.

Total execution time 55 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 20.7.23