

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for procesos.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 46, column 13; to line 46, column 84

```
<li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-  
item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

2. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 46, column 13; to line 46, column 84

```
<li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-  
item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

3. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 47, column 15; to line 47, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

4. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 47, column 15; to line 47, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

Attributes for element `a`:

[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so[ping](#) — [URLs](#) to ping[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource[hreflang](#) — Language of the linked resource[type](#) — Hint for the type of the referenced resource[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element5. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 49, column 13; to line 49, column 82

```
<li v-for="elem in enlasesAdmin" v-if="usuario == 1" class="nav-item"><
```

Attributes for element `li`:[Global attributes](#)If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item6. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 49, column 13; to line 49, column 82

```
<li v-for="elem in enlasesAdmin" v-if="usuario == 1" class="nav-item"><
```

Attributes for element `li`:[Global attributes](#)If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item7. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 50, column 15; to line 50, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

8. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 50, column 15; to line 50, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

Attributes for element `a`:[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

9. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 82, column 19; to line 82, column 106

```
<button type="button" class="step-trigger" id="btn_size"
onclick="asignarPaso('size');">
```

10. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 91, column 19; to line 91, column 107

```
<button type="button" class="step-trigger" id="btn_mass"
onclick="asignarPaso('mass');">
```

11. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 100, column 19; to line 100, column 112

```
<button type="button" class="step-trigger" id="btn_relleno"
onclick="asignarPaso('relleno');">
```

12. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 109, column 19; to line 109, column 111

```
<button type="button" class="step-trigger" id="btn_cover"
onclick="asignarPaso('cubierta');">
```

13. **Error** The element `button` must not appear as a descendant of the `a` element.

From line 118, column 19; to line 118, column 110

```
<button type="button" class="step-trigger" id="btn_toping"
onclick="asignarPaso('toping');">
```

14. **Error** Attribute `v-for` not allowed on element `div` at this point.

From line 132, column 11; to line 132, column 116

```
<div v-for="elemento in resultados" class="card col-md-3 col-sm-6
m-1" style="width: 100%; height: 100%;">
```

Attributes for element [div](#):

[Global attributes](#)

15. **Error** Attribute `v-if` not allowed on element `div` at this point.

From line 133, column 13; to line 133, column 57

```
<div class="card-body" v-if="tipo == 'size'">↵
```

Attributes for element [div](#):

[Global attributes](#)

16. **Error** Attribute `v-if` not allowed on element `div` at this point.

From line 136, column 13; to line 136, column 57

```
<div class="card-body" v-if="tipo == 'mass'">↵
```

Attributes for element [div](#):

[Global attributes](#)

17. **Error** Attribute `v-if` not allowed on element `div` at this point.

From line 139, column 13; to line 139, column 60

```
<div class="card-body" v-if="tipo == 'relleno'">↵
```

Attributes for element [div](#):

[Global attributes](#)

18. **Error** Attribute `v-if` not allowed on element `div` at this point.

From line 142, column 13; to line 142, column 61

```
<div class="card-body" v-if="tipo == 'cubierta'">↵
```

Attributes for element [div](#):

[Global attributes](#)

19. **Error** Attribute `v-if` not allowed on element `div` at this point.

From line 145, column 13; to line 145, column 59

```
<div class="card-body" v-if="tipo == 'toping'">↵
```

Attributes for element [div](#):

[Global attributes](#)

Document checking completed.

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.7.23

