

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for index.html

Checker Input

Show ☒ source ☒ outline ☒ image report

Options...

Check by file upload No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Attribute `v-for` not allowed on element `li` at this point.

[From line 57, column 6; to line 57, column 77](#)

```
to"><
.....
<li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

- Error** Attribute `v-if` not allowed on element `li` at this point.

[From line 57, column 6; to line 57, column 77](#)

```
to"><
.....
<li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

- Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

[From line 58, column 7; to line 58, column 52](#)

```
m"><
.....
<a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

- Error** Attribute `v-bind:href` not allowed on element `a` at this point.

[From line 58, column 7; to line 58, column 52](#)

```
m">↵                                <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

5. **Error** Attribute `v-for` not allowed on element `li` at this point.

[From line 60, column 6; to line 60, column 75](#)

```
/li>↵                                <li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

6. **Error** Attribute `v-if` not allowed on element `li` at this point.

[From line 60, column 6; to line 60, column 75](#)

```
/li>↵                                <li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
```

Attributes for element [li](#):

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

7. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

[From line 61, column 7; to line 61, column 52](#)

```
m">↵                                <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

8. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

[From line 61, column 7; to line 61, column 52](#)

```
m">↵                                <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

Attributes for element [a](#):

Global attributeshref — Address of the hyperlinktarget — Browsing context for hyperlink navigationdownload — Whether to download the resource instead of navigating to it, and its file name if soping — URLs to pingrel — Relationship between the location in the document containing the hyperlink and the destination resourcehreflang — Language of the linked resourcetype — Hint for the type of the referenced resourcereferrerpolicy — Referrer policy for fetches initiated by the element

Document checking completed.

Image report

No images in the document.

Source

```

1. <!DOCTYPE html><↵
2. <html lang="en">↵
3. ↵
4. <head>↵
5.     <title>MySweetMoon-Home</title>↵
6.     <meta charset="utf-8">↵
7.     <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">↵
8.     <link rel="icon" href="img/logo.png">↵
9.     <link href="https://fonts.googleapis.com/css?
family=Open+Sans:300,400,600,700&display=swap" rel="stylesheet">↵
10. ↵
11.     <link href="https://fonts.googleapis.com/css?
family=Prata&display=swap" rel="stylesheet">↵
12. ↵
13.     <link rel="stylesheet" href="css/open-iconic-bootstrap.min.css">↵
14.     <link rel="stylesheet" href="css/animate.css">↵
15.     <link rel="stylesheet" href="css/introjs.css">↵
16.     <link rel="stylesheet" href="css/introjs-rtl.css">↵
17. ↵
18.     <link rel="stylesheet" href="css/owl.carousel.min.css">↵
19.     <link rel="stylesheet" href="css/owl.theme.default.min.css">↵
20.     <link rel="stylesheet" href="css/magnific-popup.css">↵
21. ↵
22.     <link rel="stylesheet" href="css/aos.css">↵
23. ↵
24.     <link rel="stylesheet" href="css/ionicons.min.css">↵
25. ↵
26.     <link rel="stylesheet" href="css/bootstrap-datepicker.css">↵
27.     <link rel="stylesheet" href="css/jquery.timepicker.css">↵
28. ↵
29. ↵
30.     <link rel="stylesheet" href="css/flaticon.css">↵
31.     <link rel="stylesheet" href="css/icomoon.css">↵
32.     <link rel="stylesheet" href="css/style.css">↵
33. ↵
34.     <link rel="stylesheet" href="font-awesome-4.7.0/css/font-
awesome.min.css">↵
35. ↵

```

```

36. <link rel="stylesheet" href="css/index.css"><
37. <
38. <script src="js/modoUsuario.js"></script><
39. <
40. </head><
41. <
42. <body><
43. <
44. <
45. <
46. <nav class="navbar navbar-expand-lg navbar-dark ftco_navbar bg-dark
ftco-navbar-light" id="ftco-navbar"><
47. <div class="container"><
48. <a class="navbar-brand" href="index.html"><
49. <span class="flaticon-lotus">
</span>MySweetMoon</a><
50. <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#ftco-nav">
51. <span class="oi oi-menu"></span> Menu<
52. </button><
53. <
54. <div class="collapse navbar-collapse" id="ftco-nav"><
55. <ul id="navbar" class="navbar-nav ml-auto"><
56. <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item"><
57. <a v-bind:href="elem.enlace"
class="nav-link">{{ elem.texto }}</a><
58. </li><
59. <li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item"><
60. <a v-bind:href="elem.enlace"
class="nav-link">{{ elem.texto }}</a><
61. </li><
62. </ul><
63. </div><
64. </div><
65. </div><
66. </nav><
67. <!-- END nav --><
68. <
69. <
70. <
71. <section class="hero-wrap js-fullheight" style="background-image:
url('img/portada.jpg');" ><
72. <div class="container"><
73. <div class="row no-gutters slider-text js-fullheight
align-items-center justify-content-center"><
74. <div class="col-md-10 ftco-animate text-
center"><
75. <div class="icon"><
76. <span class="flaticon-lotus">
</span><
77. </div><
78. <h1>Pastelería Creativa</h1><
79. <div class="row justify-content-
center"><
80. <div class="col-md-7 mb-3"><
81. <p>Traemos una
variedad de tortas de todas las formas y tamaños. Crea la torta de tus sueños
82. y fantasías
con nosotros.</p><
83. </div><
84. </div><
85. <p><
86. <a id="pas1"
href="http://127.0.0.1:8887/pricing.html" class="btn btn-primary p-3 px-5 py-4
mr-md-2">Crea tu torta</a><
87. <a id="pas2"
href="http://127.0.0.1:8887/contact.html" class="btn btn-outline-primary p-3
px-5 py-4 ml-md-2">Ponte en Contacto</a><

```

```
88.                                     </p><↵
89.                                     </div><↵
90.                                 </div><↵
91.                             </div><↵
92.                         </section><↵
93. ↵
94.         <section id="sectionOferta" class="ftco-section ftco-intro"
95.         style="background-image: url(img/portada.jpg);">↵
96.             <div class="container">↵
97.                 <div class="row justify-content-end">↵
98.                     <div class="col-md-6">↵
99.                         <div class="heading-section ftco-
100. animate">↵
101.                                     <h2 class="mb-4">Tenemos las
102. mejores ofertas del mercado</h2><↵
103.                                     </div><↵
104.                                     <p class="ftco-animate">Ademas
105. contamos con diferentes tipos de bocadillos y productos</p><↵
106.                                     <ul class="mt-5 do-list">↵
107.                                         <li class="ftco-animate"><a
108. href="#"><span↵
109. class="ion-ios-checkmark-circle mr-3"></span>Manjares</a></li><↵
110.                                         <li class="ftco-animate"><a
111. href="#"><span class="ion-ios-checkmark-circle mr-3"></span>Queso de↵
112.                                         3 leches</a>
113. </li><↵
114.                                         <li class="ftco-animate"><a
115. href="#"><span class="ion-ios-checkmark-circle mr-3"></span>Helado a↵
116.                                         la paila</a>
117. </li><↵
118.                                         <li class="ftco-animate"><a
119. href="#"><span class="ion-ios-checkmark-circle mr-3"></span>Entre↵
120.                                         muchas más</a>
121. </li><↵
122.                                     </ul><↵
123.                                 </div><↵
124.                             </div><↵
125.                         </div><↵
126.                     </section><↵
127. ↵
128.         <footer id="footer" class="ftco-footer ftco-section"></footer><↵
129. ↵
130.         <!-- loader -->↵
131.         <div id="ftco-loader" class="show fullscreen"><svg class="circular"
132. width="48px" height="48px">↵
133.             <circle class="path-bg" cx="24" cy="24" r="22"
134. fill="none" stroke-width="4" stroke="#eeeeee" />↵
135.             <circle class="path" cx="24" cy="24" r="22"
136. fill="none" stroke-width="4" stroke-miterlimit="10"↵
137. stroke="#F96D00" /></svg></div><↵
138.         ↵
139.         <script src="js/jquery.min.js"></script><↵
140.         <script src="js/vue.js"></script><↵
141.         <script src="js/general.js"></script><↵
142. ↵
143.         <script src="js/jquery-migrate-3.0.1.min.js"></script><↵
144.         <script src="js/popper.min.js"></script><↵
145.         <script src="js/bootstrap.min.js"></script><↵
146.         <script src="js/jquery.easing.1.3.js"></script><↵
147.         <script src="js/jquery.waypoints.min.js"></script><↵
148.         <script src="js/jquery.stellar.min.js"></script><↵
149.         <script src="js/owl.carousel.min.js"></script><↵
150.         <script src="js/jquery.magnific-popup.min.js"></script><↵
151.         <script src="js/aos.js"></script><↵
152.         <script src="js/jquery.animateNumber.min.js"></script><↵
153.         <script src="js/bootstrap-datepicker.js"></script><↵
154.         <script src="js/jquery.timepicker.min.js"></script><↵
155.         <script src="js/scrollax.min.js"></script><↵
156.         <script src="js/main.js"></script><↵
157. ↵
```

```
144.         <script src="js/index.js"></script>↵
145. ↵
146.     <script src="js/intro.js"></script>↵
147.     <script src="js/guiaIndex.js"></script>↵
148. ↵
149. </body>↵
150. ↵
151. </html>
```

Heading-level outline

<h1> Pastelería Creativa

<h2> Tenemos las mejores ofertas del mercado

Structural outline

- └ [body element with no heading]
 - └ [nav element with no heading]
 - └ **Pastelería Creativa**
 - └ **Tenemos las mejores ofertas del mercado**

Used the HTML parser.

Total execution time 16 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.7.23