First Name:	Last Name:
Student-No:	_ Section:
	Grade:

The remainder of this page has been left blank for your workings.

JEPS 10 NE

This page has been left blank for your workings.

JERS10AE

## **Indefinite Integrals**

- 1. 9 marks Each part is worth 3 marks. Please write your answers in the boxes.
  - (a) Calculate the indefinite integral  $I = \int x^2 e^{-3x^3} dx$ .

Answer:

ERSIO V

(b) Calculate the indefinite integral  $I = \int \frac{3x-2}{x^2+6x+8} dx$  for x > 0.

Answer:

(	c`	) (	A	Little	Harder	· (	alcui	late	the	inde	efinite	integral	$\int x^2$	$\frac{1}{2}\sin x$	r dx
(	· ·	, ,	$(\Lambda$	Little	maruer	). C	arcu.	late	une	mud	emme	miegrai	1 1	2111	uu.

Answer:

JERS10 PE

## Definite Integrals

- 2. 12 marks Each part is worth 4 marks. Please write your answers in the boxes.
  - (a) Calculate  $I = \int_0^{\pi/8} \tan^5(2x) \sec^2(2x) dx$ .

Answer:

(b) Calculate  $I = \int_1^e x^2 \ln x \, dx$ .

Answer:

(c) (A Little Harder): Calculate  $I = \int_0^1 x^3 \sqrt{1 - x^2} \, dx$ .

Answer:

JEPS 10 NE

## Riemann Sum, FTC, and Volumes

- 3. 12 marks Each part is worth 4 marks. Please write your answers in the boxes.
  - (a) Calculate the infinite sum

$$\lim_{n \to \infty} \sum_{i=1}^{n} \frac{2i}{n^2 (4 + i^2/n^2)}$$

by first writing it as a definite integral. Then, evaluate this integral.

Answer:



(b) For x > 0 define  $F(x) = \int_1^x t^{1/2} dt$  and  $g(x) = \sqrt{F(x^4)}$ . Calculate g'(2).

Answer:

(c) Write a definite integral, with specified limits of integration, for the volume obtained by revolving the bounded region between  $x = 2(y-2)^2$  and  $x = 6 - (y-2)^2$  about the vertical line x = -2. Do not evaluate the integral.

Answer:

JEPS 10 NE

4. (a) 2 marks Plot the finite area enclosed by  $y^2 = 2x$  and y = x - 4.

(b) 4 marks Write a definite integral with specific limits of integration that determines this area. **Do not evaluate the integral**.

This page has been left blank for your workings.

JERS10NE

- 5. A solid has as its base the region in the xy-plane between  $y=1-x^2/49$  and the x-axis. The cross-sections of the solid perpendicular to the x-axis are squares.
  - (a) 4 marks Write a definite integral that determines the volume of the solid.

2 mayla Evaluate the internal to find the w

(b) 2 marks Evaluate the integral to find the volume of the solid.

This page has been left blank for your workings.

JERS10NE