

The "vibe coding" mind virus explained...



The "vibe coding" mind vi...



youtu.be




0:00

0:27

1:00

1:31



VIBE—CODING

MIND VIRUS



ex-  OpenAI



A portrait of Andrej Karpathy, a man with short brown hair and a light beard, smiling. He is wearing a dark blue t-shirt. The background is a light gray with a pattern of dark, irregular, cell-like shapes, some containing smaller dark dots, resembling a microscopic view of cells or a stylized pattern.

ANDREJ KARPATHY





Andrej Karpathy ✓

@karpathy



There's a new kind of coding I call "vibe coding", where you fully give in to the vibes, embrace exponentials, and forget that the code even exists. It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard. I ask for the dumbest things like "decrease the padding on the sidebar by half" because I'm too lazy to find it. I "Accept All" always, I don't read the diffs anymore. When I get error messages I just copy paste them in with no comment, usually that fixes it. The code grows beyond my usual comprehension, I'd have to really read through it for a while. Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away. It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

4:17 PM · Feb 2, 2025 · **4.3M** Views





Andrej Karpathy ✓

@karpathy



There's a new kind of coding I call "vibe coding", where you **fully give in** to the vibes, **embrace exponentials**, and forget that the code even exists. It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard. I ask for the dumbest things like "decrease the padding on the sidebar by half" because I'm too lazy to find it. I "Accept All" always, I don't read the diffs anymore. When I get error messages I just copy paste them in with no comment, usually that fixes it. The code grows beyond my usual comprehension, I'd have to really read through it for a while. Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away. It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

4:17 PM · Feb 2, 2025 · **4.3M** Views





Andrej Karpathy ✓

@karpathy



There's a new kind of coding I call "vibe coding", where you **fully give in** to the vibes, **embrace exponentials**, and **forget that the code** even exists. It's possible because the LLMs (e.g. Cursor Composer w Sonnet) are getting too good. Also I just talk to Composer with SuperWhisper so I barely even touch the keyboard. I ask for the dumbest things like "decrease the padding on the sidebar by half" because I'm too lazy to find it. I "Accept All" always, I don't read the diffs anymore. When I get error messages I just copy paste them in with no comment, usually that fixes it. The code grows beyond my usual comprehension, I'd have to really read through it for a while. Sometimes the LLMs can't fix a bug so I just work around it or ask for random changes until it goes away. It's not too bad for throwaway weekend projects, but still quite amusing. I'm building a project or webapp, but it's not really coding - I just see stuff, say stuff, run stuff, and copy paste stuff, and it mostly works.

4:17 PM · Feb 2, 2025 · **4.3M** Views



APEX INDIE HACKER



at 0 knots, visibility 10 miles, temperature 15°C, dew point 10°C, altimeter 29.92. Runway 42 in use. Contact ground on 121.8.

175%

— +

Reset



fly.pieter.com

by @levelsio + Cursor + ThreeJS

A fun free-to-play MMO flight sim, 100% made with AI, without loading screens and GBs of updates every time you wanna play 😊

fart

T

Join the game

Promote your startup with its own in-game ad and reach 100,000+ people

Merch now available | Enter your AI-made game in the Vibe Jam

💡 Ideas + 🐛 Bugs

FPS: 60 | Time: 19:05

Players Online: 0

Health: 100%

Score: 0

Altitude: 27 ft

Speed: 34 kts

Vertical Speed: 0 ft/min

Missions:

- Shoot down all the balloons
- Shoot down other planes :D
- Fly to space

David Swift. 
@DaveySwift Follows you

@pattybuilds

Chatbase

fal

CHARGEBACKSTOP.COM

ARE YOU AS
LOSE WEIGHT



FPS: 60 | Time: 19:07

Players online: 6

Health: 100%

Score: 0

Altitude: 48 ft

Speed: 100 kts

Vertical Speed: 1586 ft/min

Missions:

- Shoot down all the balloons
- Shoot down other planes :D
- Fly to space

David Swift. 
DaveySwift Follows you

@pattybuilds

Chatbase

ARE YOU AS
LOSE WEIGH

CHARGEBACKSTOP.COM

MAGN

FPS: 57 | Time: 19:12

Players Online: 6

Health: 100%

Score: 0


Altitude: 755 ft

Speed: 143 kts

Vertical Speed: 9952 ft/min

Missions:

- Shoot down all the balloons
- Shoot down other planes :D
- Fly to space





@levelsio ✓

@levelsio Follows you

🇪🇺 @euacofficial

✈️ fly.pieter.com \$87K/m

📸 PhotoAI.com \$123K/m

🏠 InteriorAI.com \$35K/m

🌐 Nomads.com \$24K/m

🔗 RemoteOK.com \$32K/m

👤 levelsio.com \$12K/m



\$87K/M





ArkDev | HYTOPIA

@iamarkdev



...

Started playtesting our entry for @levelsio vibe coding game jam!

We built a Fortnite / CoD deathmatch game with a Minecraft aesthetic using the @HYTOPIAagg game engine, which is based on Three.js


Game was vibe coded using agentic Claude 3.5/3.7 with context of the HYTOPIA SDK





ArkDev | HYTOPIA

@iamarkdev



Started playtesting our entry for @levelsio vibe coding game jam!

We built a Fortnite / CoD deathmatch game with a Minecraft aesthetic using the @HYTOPIAagg game engine, which is based on Three.js

Game was vibe coded using agentic Claude 3.5/3.7 with context of the HYTOPIA SDK



Dabs
@DabsMalone




I decided to jump on the @threejs game development wave.

With the help of @cursor_ai and Claude Sonnet 3.7, this is what I achieved in 15 minutes

Implementing builders to collect resources currently

Fun




9:48 PM · Mar 15, 2025 · 77.5K Views





ArkDev | HYTOPIA

@iamarkdev



Started playtesting our entry for @levelsio vibe coding game jam!

We built a Fortnite / CoD deathmatch game with a Minecraft aesthetic using the @HYTOPIAagg game engine, which is based on Three.js

Game was vibe coded using agentic Claude 3.5/3.7 with context of the HYTOPIA SDK



Dabs
@DabsMalone



I decided to jump on the @threejs game development wave.

With the help of @cursor_ai and Claude Sonnet 3.7, this is what I achieved in 15 minutes

Implementing builders to collect resources currently

Fun



9:48 PM · Mar 15, 2025 · 77.5K Views



ArkDev | HYTOPIA

@iamarkdev



Started playtesting our entry for @levelsio vibe coding game jam!

We built a Fortnite / CoD deathmatch game with a Minecraft aesthetic using the @HYTOPIAagg game engine, which is based on Three.js

Game was vibe coded using agentic Claude 3.5/3.7 with context of the HYTOPIA SDK



Dabs
@DabsMalone




I decided to jump on the @threejs game development wave.

With the help of @cursor_ai and Claude Sonnet 3.7, this is what I achieved in 15 minutes

Implementing builders to collect resources currently

Fun




9:48 PM · Mar 15, 2025 · 77.5K Views



ArkDev | HYTOPIA

@iamarkdev



Started playtesting our entry for @levelsio vibe coding game jam!

We built a Fortnite / CoD deathmatch game with a Minecraft aesthetic using the @HYTOPIAagg game engine, which is based on Three.js

Game was vibe coded using agentic Claude 3.5/3.7 with context of the HYTOPIA SDK



Dabs
@DabsMalone



I decided to jump on the @threejs game development wave.

With the help of @cursor_ai and Claude Sonnet 3.7, this is what I achieved in 15 minutes

Implementing builders to collect resources currently

Fun



9:48 PM · Mar 15, 2025 · 77.5K Views

A man with dark, curly hair and glasses, wearing a dark suit and a light blue shirt, is speaking into a microphone. He is gesturing with his right hand. The background is a blue wall with the 'WORLD ECONOMIC FORUM' logo repeated in white. The text 'DARIO AMODEI' is overlaid in large, bold, white letters with a black outline.

DARIO AMODEI



A man with dark, curly hair and glasses is speaking at a microphone. He is wearing a dark suit jacket over a light blue shirt. The background is a blue wall with the 'WORLD ECONOMIC FORUM' logo repeated in white. The text is overlaid in a large, bold, white font with a black outline.


**“in 12 months,
nearly all code may be
generated by AI”**




WHEN
VIBE—CODING
GOES WRONG



WHEN VIBE-CODING GOES WRONG





bolt



A group of young men are gathered in a workshop-like setting, focused on coding. They are seated at a long wooden table with several laptops open. In the background, two men stand near a whiteboard with some handwritten notes. A large screen on the left displays green code on a black background. The room has a rustic feel with wooden pallets used as chairs and a rough wall. A large, bold text overlay is centered across the image.


CODING != PROGRAMMING






CODING != PROGRAMMING





A close-up photograph of a person's hands typing on a laptop keyboard. The person is wearing a dark blue long-sleeved shirt and a black wristwatch on their left wrist. The keyboard is black with white lettering on the keys. The background is blurred, showing a desk and a window with natural light. Overlaid on the image is the word "coding" in a large, bold, white font with a thick black outline.

coding

“writing code for computers”





OBSOLETE




A man with a grey beard and glasses is sitting at a wooden desk, looking at a laptop. He is wearing a dark blue long-sleeved shirt. In the background, there is a window with horizontal blinds. The text "pro·gram·ming" is overlaid on the image in a large, bold, white font with a black outline.

pro·gram·ming

“making computers do magic”





wonder

art



INGENUITY



INGENUITY

CREATIVITY



INGENUITY

CREATIVITY

INSTINCTS



200 LINES PER DAY



5 LINES PER DAY



5 LINES PER DAY



IQ LEVEL

200 LINES PER DAY



IQ LEVEL

5 LINES PER DAY



-200 LINES PER DAY




```
error(msg: string, ... args: Array<unknown>) {
```

```
  this.clearline(this.stderr):
```

[ts] Cannot invoke an expression whose type lacks a call signature. Type '{ (buffer: string | Buffer | Uint8Array, cb?: ((err?: Error | undefined) => void) | undefined): boolean; (str: string | Buffer | Uint8Array, encoding?: string | undefined, cb?: ((err?: Error | undefined) => void) | undefined): boolean; } | { ...; }' has no compatible call signatures. [2349]

```
  this.stderr.write(indent + '\n');
```

```
}
```




100% VIBES 0% SKILL



leo



@leojr94_



my saas was built with Cursor, zero hand written code

AI is no longer just an assistant, it's also the builder

Now, you can continue to whine about it or start building.

P.S. Yes, people pay for it

4:34 am · 15 Mar 2025 · **52.2K** Views





leo



@leojr94_



my saas was built with code

AI is no longer just a

Now, you can

P.S. Yes, p

4:34 am





leo

@leojr94_



guys, i'm under attack

ever since I started to share how I built my SaaS using Cursor

random thing are happening, maxed out usage on api keys, people bypassing the subscription, creating random shit on db

as you know, I'm not technical so this is taking me longer that usual to figure out

for now, I will stop sharing what I do publicly on X

there are just some weird ppl out there

9:04 am · 17 Mar 2025 · **53.6K** Views





leo

@leojr94_



guys, i'm under attack

ever since I started to share how I built my SaaS using Cursor

random thing are happening, **maxed out usage on api keys,** people
bypassing the subscription, creating random shit on db

as you know, I'm not technical so this is taking me longer that usual to
figure out

for now, I will stop sharing what I do publicly on X

there are just some weird ppl out there

9:04 am · 17 Mar 2025 · **53.6K** Views





leo



@leojr94_



guys, i'm under attack

ever since I started to share how I built my SaaS using Cursor

random thing are happening, maxed out usage on api keys, **people**
bypassing the subscription, creating random shit on db

as you know, I'm not technical so this is taking me longer that usual to figure out

for now, I will stop sharing what I do publicly on X

there are just some weird ppl out there

9:04 am · 17 Mar 2025 · **53.6K** Views





leo



@leojr94_



guys, i'm under attack

ever since I started to share how I built my SaaS using Cursor

random thing are happening, maxed out usage on api keys, people bypassing the subscription, **creating random shit on db**

as you know, I'm not technical so this is taking me longer that usual to figure out

for now, I will stop sharing what I do publicly on X

there are just some weird ppl out there

9:04 am · 17 Mar 2025 · **53.6K** Views





leo

@leojr94_



guys, i'm under attack

ever since I started to share how I built my SaaS using Cursor

random thing are happening, maxed out usage on api keys, people bypassing the subscription, creating random shit on db

as you know, I'm not technical so this is taking me longer that usual to figure out

for now, I will stop sharing what I do publicly on X

there are just some weird ppl out there

9:04 am · 17 Mar 2025 · **53.6K** Views





SHUT HER DOWN





WELCOME BACK "VIBE CODER"







bolt





From the Community



Analytics Dashboard

🔗 2.3K Forks

Welcome back
Login to your Acme Inc account

Email

Password [Forgot your password?](#)

Or continue with

Don't have an account? [Sign up](#)

By clicking continue, you agree to our [Terms of Service](#) and [Privacy Policy](#).



Two-column Login Card

🔗 3.4K Forks



I'm importing your StackBlitz project into Bolt. This may take a moment as I set everything up. Once it's ready, you'll be able to explore and interact with your code.

Importing StackBlitz Project


✓ Import `bolt-shadcn`

I've successfully imported your project. I'm ready to assist you with analyzing and improving your code.

Report Issue

How can Bolt help you today?

Code Preview



> src
📄 .gitignore
📄 components.j...
📄 eslint.config.js
📄 index.html
📄 package-lock...
📄 package.json
📄 postcss.conf...
📄 tailwind.conf...
📄 tsconfig.app.j...
📄 tsconfig.json
📄 tsconfig.node...
📄 vite.config.ts

📄 tsconfig.json

```
1 {  
2   "files": [],  
3   "references": [  
4     { "path": "./tsconfig.app.json" },  
5     { "path": "./tsconfig.node.json" }  
6   ],  
7   "compilerOptions": {  
8     "baseUrl": ".",  
9     "paths": {  
10      "@/*": ["/src/*"]  
11    }  
12  }  
13 }  
14
```

Bolt

Terminal

+



AI IDE






f





windsurf





VIBE-MAXXING

 windsurf





RULE 1




RULE 1

choose the right stack




RE



EX




REETA



EX



REETA R



EX





Claude





Claude

How to send 100,000 emails weekly? [closed]

Asked 14 years, 5 months ago Modified 11 years, 1 month ago Viewed 177k times Part of



Ads by Google

Send feedback

Why this ad?

-145

votes




As it currently stands, this question is not a good fit for our Q&A format. We expect answers to be supported by facts, references, or expertise, but this question will likely solicit debate, arguments, polling, or extended discussion. If you feel that this question can be improved and deserves to remain open, [visit the help center](#) for guidance.

Closed 12 years ago.




Locked. This question and its answers are [locked](#) because the question is off-topical or has low significance. It is not currently accepting new answers or interactions.





EX-WIFE






EX-WIFE



WIFE





RULE 2

get gud at git





r/cursor • 4 mo. ago

Neither-Bass2083



Cursor deleting the existing code when I click on apply

Cursor is acting weird lately, whenever I click on apply the new code suggestion instead to updating the file it's deleting the existing code and replacing with new lines.


Anyone experiencing the same?



14



10



Share





I told you, I'm a "prompt engineer"



TERMINAL

 bash    ...  

○ **mcp-app** > git add .

I



TERMINAL

 bash    ...  

● mcp-app > git add .
○ mcp-app > █

I



TERMINAL


 bash    ...  

● mcp-app > git add .
○ mcp-app > g

I



TERMINAL


 bash     ...  

● **mcp-app** > git add .
○ **mcp-app** > git commit

I



TERMINAL

 bash    ...  

```
● mcp-app > git add .  
○ mcp-app > git commit -m "I
```



TERMINAL

 bash    ...  

```
● mcp-app > git add .  
○ mcp-app > git commit -m "it werk"
```

I



TERMINAL

 bash    ...  

● **mcp-app** > git add .
○ **mcp-app** > git commit -m "it werks" 

I



- **mcp-app** > git add .
- **mcp-app** > git commit -m "it works"
[main b2b6c3b] it works
1 file changed, 13 insertions(+)
create mode 100644 middleware.ts
- **mcp-app** > █

I



* Welcome to **Claude Code** research preview!

/help for help

cwd: D:\apps\mcp-app

I

Tips for getting started:

1. Run `/init` to create a `CLAUDE.md` file with instructions for Claude.
2. Run `/terminal-setup` to set up terminal integration
3. Ask Claude questions about your codebase.
4. Ask Claude to implement changes to your codebase.


>  Try "fix lint errors"



GIT

THE
FULL COURSE

STARRING **GitHub** 



Taught by **Jeff Delaney**

That guy from the Fireship YouTube channel



RULE 3

think like a PM



A color photograph of John F. Kennedy speaking at a podium. He is wearing a dark suit and a blue tie. The podium features the Presidential Seal. Behind him is a large crowd of people, some in military uniforms. The text "ASK NOT WHAT YOUR AI CAN DO FOR YOU..." is overlaid in large, bold, white letters with a black outline.

**ASK NOT WHAT YOUR AI
CAN DO FOR YOU...**



A color photograph of John F. Kennedy speaking at a podium. He is wearing a dark suit and a dark tie. The podium features the Presidential Seal. Behind him is a large crowd of people, some wearing sunglasses. The text "WHAT CAN YOU DO FOR YOUR AI?" is overlaid in large, bold, white letters with a black outline.

**WHAT CAN YOU DO
FOR YOUR AI?**



PRODUCT MANAGERS

CODER



PRODUCT MANAGERS

YOU



CODER





proooompt.md > [abc] ## 🐾 Epic: Implement Swipe Feature for "Neighbor" (Horse Tinder) > [abc] ###

🐾 ****Epic:**** Implement Swipe Feature for "Neighbor" (Horse Tinder)

✅ Small Steps:

1. ****Define "Hoof Swipe" Interaction****

- ****Acceptance Criteria:****

Left hoof swipe = Reject (Hay Nah!)

Right hoof swipe = Accept (Neigh!)

2. ****Implement Horse Profile Carousel****

- ****Acceptance Criteria:****

Profiles display horse name, breed, mane color, and favorite oats brand.

3. ****Visual Indicators During Swiping****



proooompt.md > [abc] ## 🐾 Epic: Implement Swipe Feature for "Neighbor" (Horse Tinder) > [abc] ###

🐾 ****Epic:**** Implement Swipe Feature for "Neighbor" (Horse Tinder)

✅ **Small Steps:**

- ****Acceptance Criteria:****

Left hoof swipe = Reject (Hay Nah!)

Right hoof swipe = Accept (Neigh!)

I

2. ****Implement Horse Profile Carousel****

- ****Acceptance Criteria:****

Profiles display horse name, breed, mane color, and favorite oats brand.

3. ****Visual Indicators During Swiping****

- ****Acceptance Criteria:****

Positive swipe shows floating carrots 🥕

Negative swipe shows floating apples 🍎



prooocompt.md > [abc] ## 🐾 Epic: Implement Swipe Feature for "Neighbor" (Horse Tinder) > [abc] ###

🐾 ****Epic:**** Implement Swipe Feature for "Neighbor" (Horse Tinder)

✅ **Small Steps:**

2. ****Implement Horse Profile Carousel****

- ****Acceptance Criteria:****

Profiles display horse name, breed, mane color, and favorite oats brand.

3. ****Visual Indicators During Swiping****

- ****Acceptance Criteria:****

Positive swipe shows floating carrots 🥕

Negative swipe shows floating apples 🍏

4. ****Backend Integration****

- ****Acceptance Criteria:****

Store swipe choices securely in "Hoofbase"



proooompt.md > [abc] ## 🐾 Epic: Implement Swipe Feature for "Neighbor" (Horse Tinder) > [abc] ###

🐾 ****Epic:**** Implement Swipe Feature for "Neighbor" (Horse Tinder)

✅ **Small Steps:**

Positive swipe shows floating carrots 🥕

Negative swipe shows floating apples 🍏

4. ****Backend Integration****

- ****Acceptance Criteria:****

Store swipe choices securely in "Hoofbase."

5. ****Prevent Repeat Profiles****

- ****Acceptance Criteria:****

Horses never see the same pony profile twice—preventing "deja-moo."

6. ****Due Five Five Misinterpretation****





DON'T LET LLMS GET CREATIVE



IT'S GENERATING CODE

EXACTLY AS I PREDICTED



I give it all the documentation, which was up to around 200 kb of docs in one project, explain what algorithms to use, what paradigms and rules to take into account, and then it does the boring part. When everything is done, **I look through the diff patch to check if it's correct.**

Then I run tests if there are any. Thus, while it digs into this single feature, I can continue to work on bare-bones software architecture rather than implementing every feature manually. **This process doesn't work equally well** for every project I've applied it to, but it's a valuable tool anyway. To sum it up, I use it as **my own subordinate junior dev**, rather than a **magical wish-granting blackbox**.