

Manual Accessibility Validation Report

Project Information

Course: CYBR-2600 Cyber Security & Network Practicum

Client: Village of Jacksonville, Ohio

Site Under Review: jacksonvilleoh.com

Team Members:

Instructor: Norma Depriest

Testing Window: Week 4

Section 1 — Test Environment & Setup

Platform and browser used: Windows 11 with Google Chrome

Assistive technology used: keyboard-only testing; limited Narrator observation on the homepage and directory page

Pages tested:

- Homepage: <https://jacksonvilleoh.com/>
- Directory page: <https://jacksonvilleoh.com/directory/>
- PDF document: <https://jacksonvilleoh.com/wp-content/uploads/2026/03/Council-Minutes-02-25-26-Regular.pdf>

Testing method: Tab and Shift+Tab were used to move through interactive elements, and Enter was used to activate selected links during keyboard-only testing. Narrator was also used for limited observation on the homepage and directory page.

Constraints: Testing was limited to one device, one browser, and a short testing window. Screen-reader testing was limited to basic observation rather than a full page-by-page review.

Section 2 — Validation of Automated Findings

Finding 1

Finding ID: Finding #1

Page & Location: Homepage — linked images / homepage banner area

Manual Result: Refined

User Impact:

A user attempted to navigate the homepage and understand where the linked images lead. During manual testing, keyboard navigation through the homepage was successful, and the main linked items could be reached and activated. During limited Narrator testing, the page title and heading were announced, but link information was not consistently read clearly beyond that initial area. This matters because a screen-reader user may reach the homepage successfully but still have difficulty understanding the purpose of image-based or visual homepage links if they are not clearly announced.

Evidence Reference: E-01

Finding 2

Finding ID: Finding #3

Page & Location: Directory page — navigation elements and interactive components

Manual Result: Refined

User Impact:

A user attempted to move through the directory page and understand the purpose of the available links. During manual testing, focus was visible, the page followed a simple and straightforward navigation path, and the main items could be activated with Enter. During limited Narrator observation, some initial page information was announced, but link information was not consistently clear throughout navigation. This matters because a user may be able to move through the page, but still experience reduced clarity when trying to understand interactive elements through assistive technology alone.

Evidence Reference: E-02

Finding 3

Finding ID: Finding #5

Page & Location: PDF document — title, language, and document structure

Manual Result: Refined

User Impact:

A user attempted to open and understand the PDF document. During manual testing, the PDF opened normally, appeared to have a clear title, and was generally easy to follow in a basic visual review, although it was text-heavy and several pages long. This matters because the document appeared usable in a limited manual review, but a more complete assistive-technology check would still be needed to fully evaluate reading order and document structure.

Evidence Reference: E-03

Section 3 — Manual-Only Findings

Manual-Only Finding 1

Page & Location: Homepage — main hero/banner area

Issue Description:

The homepage layout is visually cluttered, and the large hero/background area makes the main content harder to identify quickly.

User Scenario:

A user attempted to land on the homepage and quickly identify the most important content and navigation options. During manual testing, the page was keyboard accessible, but the large visual banner area made the page harder to scan at first glance.

Why This Matters:

This matters because users with low vision, attention difficulties, or cognitive-processing challenges may need more time to identify the most important content and determine where to go next.

Evidence: E-04

Manual-Only Finding 2

Page & Location: Directory page — map and listing area

Issue Description:

The large map and surrounding layout place extra visual emphasis before the directory listings, which makes the main content less immediate.

User Scenario:

A user attempted to access the directory and quickly identify local listings. During manual testing, the page remained usable, but the map and upper layout required extra visual scanning before the directory listings became the main focus.

Why This Matters:

This matters because users trying to locate public information quickly may need more time and effort to orient themselves before reaching the content they came to use.

Evidence: E-05

Section 4 — Keyboard-Only Testing Log

Page 1: Homepage

Start point → end point:

Focus moved from the Jacksonville logo to the menu, map button, dashboard, local directory, latest minutes, latest public notices, and then to the bottom links and Facebook link.

Focus indicator:

Visible and consistent during testing.

Traps or skips:

No obvious keyboard trap or skipped element was observed.

Task completion:

Main links and shortcut items could be reached and activated using the keyboard, and Enter worked on the items tested.

Page 2: Directory page

Start point → end point:

Focus began with the visible “Skip to left sidebar” link, then moved through the left navigation, map area, and directory listing items, including links such as “Village of Jacksonville Municipal Building.”

Focus indicator:

Visible during testing.

Traps or skips:

No obvious keyboard trap or skipped interactive element was observed.

Task completion:

Main links and directory items could be reached and activated using Enter. The page felt similar to the homepage in that it was simple and straightforward to move through with the keyboard.

Section 5 — Screen-Reader Observation Log

Page:

Homepage and Directory page

Page title and landmarks:

Narrator announced the page title and some initial heading content on the tested pages. A skip-content style prompt also appeared during navigation, which suggested that a skip link was present.

Headings hierarchy:

Basic heading information was announced during the limited observation, but a full heading-by-heading review was not completed. The initial headings helped identify the page, but the overall structure was not fully verified.

Links:

During the limited Narrator test, link information was not consistently clear beyond the initial title and heading areas. This reduced clarity when trying to understand available navigation choices through screen-reader output alone.


Form fields and errors:

Not applicable on the pages tested.

Section 6 — Evidence Appendix


E-01: Homepage testing evidence

Screenshot 1 — homepage showing the main hero/banner area and visible keyboard focus during testing.



E-02: Directory page testing evidence

Screenshot 2 — directory page showing the visible “Skip to left sidebar” link and overall page structure.



E-03: PDF testing evidence

Written observation note — the PDF opened normally, appeared to have a clear title, and was visually readable during a limited manual review, although it was text-heavy and several pages long.

E-04: Manual-only finding 1 evidence


Screenshot 1 reused — supports the observation that the homepage hero/banner area creates a visually cluttered first impression.

E-05: Manual-only finding 2 evidence

Screenshots 2 and 3 reused — support the observation that the map and upper layout require extra visual scanning before the directory listings become the focus.

E-06: Keyboard directory findings evidence

Screenshot 3 — directory page showing visible focus on the “Village of Jacksonville Municipal Building” listing link.



E-07: Screen-reader findings evidence

Written observation note — during limited Narrator testing on the homepage and directory page, the page title and some heading content were announced, but link information was not consistently clear beyond the initial page area.

Section 7 — Limitations & Next-Step Plan

Manual testing for this report was limited to the homepage, directory page, and one PDF document on a single device and browser during a limited testing window. Keyboard-only testing provided useful information about focus order and task access, but screen-reader coverage was limited to basic observation using Narrator on the homepage and directory page. In Week 5, the team will prioritize validated issues based on user impact, the tasks affected, and which barriers appear most likely to interfere with access to important public information.