



The sun is already here. **We just help you keep it.**

How Brylliant Solar looks, how it sounds, and how we hold the line on both. Everything in this book comes out of the foundation on page one – if a design decision cannot be traced back to it, it is decoration.

BRAND BOOK · VERSION 1.0

ZAMBOANGA CITY, PHILIPPINES · AUGUST 2026



What is in here

01 Foundation

Purpose, positioning, the story, values and taglines

02 Who we serve

Homeowners and commercial buildings, and the facts we can quote

03 Logo system

The Vinta Sun, lockups, colourways, clear space and misuse

04 Colour

Core palette, neutrals, proportion, print values, contrast

05 Typography

Three typefaces, the scale, and the rules that hold it together

06 Voice & tone

How we sound, what we say instead, and language choice

07 Imagery

What to photograph, what never to use, and the graphic devices

08 Applications

Vehicles, uniforms, tarpaulins, stationery, proposals, social

09 Quick rules

The one page to pin up, plus what is still open



01 Foundation

Everything else in this book – the mark, the colours, the way a quotation is worded – comes out of what follows. If a design decision can't be traced back to this page, it's decoration.

PURPOSE

To turn Zamboanga's most abundant free resource into something ordinary households and businesses can actually own.

POSITIONING

The Zamboangueño solar company that shows its work – local crews, honest numbers, hardware specified to outlive the loan that paid for it.

The story we tell

Zamboanga City sits at roughly 7° north. The sun passes almost straight overhead all year, the peninsula is rarely touched by the typhoons that batter Luzon, and a fixed array here only needs about six degrees of tilt to catch a full day. On paper it is one of the best places in the Philippines to put a panel on a roof.

And yet most roofs here are still empty – not because the sun is short, but because the buying is hard. Quotations that hide their assumptions. Imported kits with no one left to service them. Salespeople who talk about saving the planet when the customer asked about saving money.

Brylliant Solar exists to close that gap. We stock the hardware, we install it ourselves, and we put the arithmetic on the table before anyone signs anything. The sun was always free. Our job is making sure the value of it ends up with the person who owns the roof.

What we stand on

Four values. Each one has a test attached – if we can't pass the test, we're not living the value.

CLARIDAD

Clarity first

Every proposal shows its assumptions: consumption, irradiance, degradation, the export rate we used. *Test: can the customer redo our math?*

ARRAIGADO

Rooted here

Zamboangueño-owned, Zamboangueño-crewed. Service calls answered by someone who can drive to the site. *Test: is the nearest technician local?*

DURADERO

Built to outlast

We spec for salt air, heat and twenty-five years – not for the lowest line item. *Test: would we install this on our own roof?*

GENEROSO

The savings are yours

We win on volume and service, never on what the customer didn't understand. *Test: did we leave money on the table honestly?*

Taglines

One primary line, used with the logo. Two supporting lines for campaigns. Never invent a fourth without updating this page.

ROLE	LINE	WHERE IT GOES
Primary	Sunlight, well spent.	Logo lockup, signage, vehicle livery, proposal covers
Local	Claro el sol.	Chavacano campaigns, tarpaulins, radio, community events
Commercial	Put the roof to work.	B2B decks, industrial and commercial proposals, LinkedIn

BEFORE YOU PRINT THE CHAVACANO LINE

“Claro el sol” follows the predicate-first pattern Chavacano de Zamboanga uses naturally, but have two native speakers – ideally one older, one younger – read it aloud before it goes on a tarpaulin. A line that lands wrong in the local language costs more goodwill than it buys.

02 Who we serve

Two audiences, two very different conversations. The brand stays the same; the emphasis moves. Get this wrong and the homeowner feels lectured while the facility manager feels patronised.

AUDIENCE A

Homeowners

Who: Households in Tetuan, Sta. Maria, Guiwan, Putik, Pasonanca and the subdivisions along the coastal road. Often a two-income family, a small business run from home, or a returning OFW investing a lump sum.

What actually worries them: the bill, brownouts during peak load, whether the roof can take it, whether anyone will still be around in year eight when something fails.

What we lead with: the monthly bill before and after, in pesos. Payback in years, not percentages. A named technician. A photo of a roof they recognise.

Channel: Facebook first – it is where this market lives. Then tarpaulins, referrals, barangay events, showroom walk-ins.

AUDIENCE B

Commercial buildings

Who: Hotels and resorts, cold storage and canneries, hardware and grocery chains, private schools, hospitals, BPO floors, warehouses along the port road.

What actually worries them: demand charges, downtime during installation, roof warranty avoidance, structural load, who signs off on the net-metering paperwork, and whether the numbers survive their finance committee.

What we lead with: load profile analysis, kWp sized against actual consumption, IRR and payback modelled conservatively, a phased install plan that doesn't stop operations.

Channel: direct outreach, chamber of commerce, referrals from engineers and architects, a proper PDF proposal – never a Facebook post.

Ground truth we're allowed to quote

These are the load-bearing facts behind our sales story. Re-verify each one before it goes into print – rates and rules move.

FACT	FIGURE	CHECK BEFORE PRINTING
Yield in Zamboanga	Roughly 5.3–6.0 kWh per day for every 1 kWp installed, depending on season – among the steadier year-round profiles in the country.	Annually
Optimal fixed tilt	About 6° facing south for a year-round fixed array at this latitude.	Stable
Net metering cap	Up to 1 MW for commercial and industrial customers under the April 2026 DOE circular, which lifted the earlier 100 kWp ceiling	Every quarter
Approval timeline	Distribution utilities must act on a complete net-metering application within 10 working days; LGU issues the CFEI within 3 working days of inspection.	Every quarter
Export credit basis	Exported energy is credited at the blended generation rate only – not the full retail rate. Self-consumption is always worth more than export.	Every quarter
Local grid rate	ZAMCELCO's rate is published monthly and moves. Never quote a rate older than the current billing month.	Every month

THE RULE THAT PROTECTS US

We never present a savings figure without the assumptions printed beside it. If a number can't survive a customer's accountant reading it twice, it doesn't go in the proposal.

03 Logo system

The mark is a vinta sail and a solar array at the same time — three banded rows rising off a horizon, with the sun climbing behind them. It is drawn from the thing every Zamboangueño already recognises, and it happens to be the exact geometry of panels on a pitched roof.



PRIMARY MARK — “THE VINTA SUN”

READING 1 — THE SAIL

Three banded rows and a leaning triangle: the vinta, Zamboanga's own boat. It says local before a word is read.

READING 2 — THE ARRAY

The same three rows are panel courses on a pitched roof, seen in perspective. The gaps between them are the rails.

READING 3 — THE SUN

The disc sits behind, not in front. The sun is the given; what we build is what stands in front of it.

Lockups

Three approved arrangements. Use the horizontal lockup by default. Never rebuild a lockup by eye — the spacing below is part of the mark.



HORIZONTAL LOCKUP — DEFAULT



STACKED LOCKUP — SQUARE FORMATS, STAMPS, SOCIAL AVATARS



Brylliant
SOLAR

Sunlight, well spent.

TAGLINE LOCKUP — PROPOSAL COVERS, SIGNAGE, VEHICLE DOORS. MINIMUM WIDTH 60 MM IN PRINT.

Colourways

Full colour wherever the background allows it. Reversed on Canopy, Sulu and Basalt. Single-colour only when the process forces it – embroidery, hot foil, laser etching, single-plate screen print, fax-grade forms. In the single-colour versions the sun is cut away from the sail by a gap of roughly 5 units on the 128-unit grid; without it the two shapes fuse into a blob.




FULL COLOUR ON SAND



REVERSED ON CANOPY



ONE COLOUR, REVERSED



ONE COLOUR, CANOPY

Clear space & minimum size

Clear space equals the height of the sun disc – call it X. Nothing enters that margin: no text, no photo edge, no other logo, no tarpaulin eyelet.



DASHED LINE = MINIMUM CLEAR SPACE (X ON ALL FOUR SIDES)


CONTEXT	MINIMUM SIZE
Mark, screen	24 px wide – below this, drop the bottom band and use the two-band micro mark
Mark, print	8 mm wide
Horizontal lockup, print	32 mm wide
Tagline lockup, print	60 mm wide
Embroidery	25 mm – one-colour version only, no gaps under 0.8 mm
Vehicle door	300 mm wide, centred on the panel

Misuse

Every one of these has happened to a real logo. Send this page to any printer, signmaker or freelancer before they start.



NEVER STRETCH OR SQUASH



NEVER RECOLOUR OUTSIDE THE
PALETTE



NEVER PLACE ON LOW-CONTRAST
GROUND



NEVER ROTATE, BEVEL OR ADD DROP
SHADOWS

ALSO NOT ALLOWED

Rebuilding the wordmark in a different typeface. Adding an outline or keyline. Putting the mark inside a circle, badge or shield. Using the mark as a bullet point or a repeating background pattern. Adding “Est. 2026”, a phone number, or a Facebook icon inside the clear space.

04 Colour

Green and blue, kept earthy on purpose. Not the acid lime of eco-marketing, not the electric cyan of every tech logo – these are the greens and blues of a Zamboanga hillside and the Basilan Strait at four in the afternoon. Warmth comes from the neutrals, which are sand and shell rather than grey.

Core palette

Canopy is the brand. Sulu is the partner. Noon is the only colour permitted to shout, and it never covers more than a tenth of a layout.



Canopy

#28453A

Primary. Logo, headlines, uniforms, the dominant field on any layout.



Sulu

#1C4655

Secondary. Technical material, commercial proposals, data tables, the sail's top band.



Noon

#E7A93C

Accent. The sun. Highlights, call-to-action, one figure per page. Never body text.



Clay

#9C5638

Warm signal. Section numbers, cautions, the tagline in italic. Readable as text on light grounds.


Neutrals & supports

Sand and Bone are the paper. Basalt is the ink. Moss and Seaglass are the only tints allowed – they exist for charts, diagrams and reversed layouts, never for type on light backgrounds.

Bone #FDFBF6 Default page and card ground.	Sand #F3EDE1 Second surface, panels, table headers.	Basalt #171C19 Text and rules. A green-biased black, never pure #000.
Moss #7F9F82 Chart series, diagram fills, reversed accents.	Seaglass #8CB0B8 Second chart series, reversed sail band, subtle dividers on dark.	

Proportion

The recipe that keeps layouts recognisably ours. Eyeball it – but if a page looks wrong, it is almost always because Noon has crept past 10%.



Print & production values

CMYK figures are a starting point for a printer, not a specification. For anything that matters – signage, vehicle wrap, uniform embroidery – hand over a physical swatch and ask for a colour proof before the full run.

NAME	HEX	RGB	CMYK	PRODUCTION NOTE
Canopy	#28453A	40, 69, 58	42 / 0 / 16 / 73	Rich black build – ask for it to be printed as a solid, not a screen. Vinyl: matte dark green.
Sulu	#1C4655	28, 70, 85	67 / 18 / 0 / 67	Shifts green on uncoated stock. Check a proof if it sits next to Canopy.
Noon	#E7A93C	231, 169, 60	0 / 27 / 74 / 9	The hardest colour to match. Prints dull in four-colour – consider a spot ink for signage.
Clay	#9C5638	156, 86, 56	0 / 45 / 64 / 39	Safe in four-colour. Good for warm accents on uncoated paper.
Sand	#F3EDE1	243, 237, 225	0 / 2 / 7 / 5	Better achieved by choosing a natural or cream stock than by printing a tint.
Bone	#FDFBF6	253, 251, 246	0 / 1 / 3 / 1	Usually the paper itself. Do not print as a flood on white stock.
Basalt	#171C19	23, 28, 25	18 / 0 / 11 / 89	Text black. For small type, print 100% K only – a four-colour build will misregister.
Moss	#7F9F82	127, 159, 130	20 / 0 / 18 / 38	Fills and charts only.
Seaglass	#8CB0B8	140, 176, 184	24 / 4 / 0 / 28	Fills and charts only.

Legible combinations

Measured contrast ratios, not guesses. Anything marked FAIL may be used for shapes and fills but never for words.

TEXT COLOUR	ON BACKGROUND	RATIO	VERDICT
Canopy	Bone	10.14 : 1	Passes AAA – the default pairing for headlines and body
Sulu	Bone	9.87 : 1	Passes AAA – safe for any size
Basalt	Bone	16.69 : 1	Passes AAA – long-form reading
Clay	Bone	5.34 : 1	Passes AA – fine for body text, not for 10 pt captions
Canopy	Sand	8.99 : 1	Passes AAA – safe on the second surface too
Bone	Canopy	10.14 : 1	Passes AAA – the reversed default
Noon	Basalt	8.33 : 1	Passes AAA – the only place Noon may carry text
Noon	Canopy	5.06 : 1	Passes AA – headline size only, never body
Noon	Bone	2.00 : 1	FAIL – the single most common mistake. Never yellow on cream.
Moss	Bone	2.83 : 1	FAIL – fills only
Canopy	Sulu	1.03 : 1	FAIL – never set one on the other, at any size

05 Typography

Three typefaces, each with a job. All three are open-source and free for commercial use — no licence to renew, no reason for a supplier to substitute something else. Install them on every machine in the office before anyone opens a template.

DISPLAY — BRICOLAGE GROTESQUE, BOLD

Put the roof to work

Headlines, the wordmark, signage, tarpaulin copy, section titles. It has a slightly irregular, drawn quality that keeps us from looking like a template. Use Bold or ExtraBold, tight tracking, and let it get large.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 0123456789 &ñÑP

TEXT — NEWSREADER, REGULAR & ITALIC

Sunlight, well spent.

Body copy, proposals, brand story, long-form ads, the tagline in italic. A serif in this category is deliberate: every competitor in the country reaches for the same geometric sans. A reading face signals that we expect to be read, not skimmed.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 0123456789 &ñÑP

DATA — IBM PLEX MONO, MEDIUM

84.0 kWp · 171,700 kWh/yr

System sizes, kWh, peso figures, spec tables, quotation line items, labels and eyebrows. Monospaced digits keep columns aligned, which is exactly the impression a solar quotation should give.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
0123456789 &ñÑP

Type scale

Stay on the scale. If something needs to be bigger, move up a step rather than inventing a size.

Display / 56-92px /
Bricolage 700 / -3.5%

Sunlight, well spent

H1 / 40px / Bricolage
700 / -3%

Put the roof to work

H2 / 28px / Bricolage
700 / -2.5%

What a 7.2 kWp system does

H3 / 20px / Bricolage
700 / -1.5%

Scope of work

Body / 17-18px /
Newsreader 400 / 1.62

We put the arithmetic on the table before anyone signs.

Small / 15px /
Newsreader 400

Assumptions and exclusions are listed on page four.

Data / 14px / Plex Mono
500 / tabular

9 × 400 Wp · ₪4,465 / mo

Label / 10.5px / Plex
Mono 500 / +20%

SCOPE OF WORK

Rules that hold it together

DO

- Set headlines tight – negative tracking, leading close to 1.05.
- Give body copy room: 1.6 leading, lines around 65 characters.
- Use tabular figures for anything in a column of numbers.
- Write the peso sign as ₪ and put a thin space after it: ₪ 12,480.
- Letterspace uppercase labels by about 20%. Uppercase without tracking looks cramped.
- Substitute Arial, Georgia and Consolas when a client's system lacks the brand fonts – those three, no others.

DON'T

- Don't set body copy in Bricolage. It is a display face and gets tiring past two lines.
- Don't use Montserrat, Poppins or Raleway anywhere. Half the solar companies in the country already do.
- Don't centre paragraphs of running text. Headlines may centre; body copy ranges left.
- Don't stretch, outline, or add a stroke to type to make it fit.
- Don't set an entire tarpaulin in capitals. One line, at most.
- Don't mix in a fourth typeface because a template came with one.

06 Voice & tone

We sound like a good contractor explaining something at your kitchen table: unhurried, specific, and slightly allergic to hype. We are selling a twenty-five year asset. Nothing about that should sound like a limited-time offer.

WE ARE

Plain

Short sentences. Ordinary words. If a term needs explaining, explain it once and keep using it.

WE ARE

Specific

Numbers, dates, names, brands. “About ₱4,200 a month” beats “significant savings” every time.

WE ARE

Warm

Zamboangueño, not corporate. We greet people, we use their names, we answer at the weekend.

WE ARE NEVER

Pushy

No countdown timers, no “last slots”, no guilt about the planet. The maths is the argument.

Say it this way

Left is what a solar company usually writes. Right is what we write.

INSTEAD OF

WRITE

~~Harness the unlimited power of the sun and unlock massive savings today!~~

Your last twelve bills averaged ₱9,800. A 3.6 kWp system should bring that to about ₱4,500.

~~Premium tier 1 components with cutting edge technology.~~

9 × 400 Wp panels, 25-year performance warranty. Hybrid inverter, 10-year warranty. Full list on page 3.

~~Go green and save the planet with clean, renewable energy!~~

It pays for itself in about four years, and keeps producing for twenty more. The emissions saved are a bonus, not the pitch.

~~Limited slots available — book your FREE consultation NOW!~~

We can survey your roof this week. The survey is free and takes about an hour.

~~Our proprietary system guarantees zero electricity bills.~~

You will still get a bill – there are fixed charges no system removes. Here is what stays and what goes.

~~Sorry for the inconvenience, we apologise for the delay.~~

The inverter shipment is two weeks late. New commissioning date is 14 September. Ariel will call you Friday with the schedule.

Language

ENGLISH

The default for proposals, contracts, technical documents and anything commercial. Philippine English spelling and usage.

CHAVACANO

For warmth, community and campaigns aimed at homeowners – tarpaulins, radio, barangay events, Facebook captions. Always written by or checked with a native speaker.

TAGALOG / BISAYA

Used when the customer starts in it. Never mixed into a single headline for effect – pick one language per piece.

THE ONE-SENTENCE TEST

Before anything goes out, read it aloud. If it sounds like something a person in this office would actually say to a customer standing in front of them, it can go. If it sounds like a brochure, rewrite it.

07 Imagery & graphic language

Our photography is the single fastest way to look either credible or fake. Stock imagery of a blonde family in front of a suburban ranch house tells a Zamboangueno customer that we have never worked on a roof like theirs.

PHOTOGRAPH

- Real installations in Zamboanga, with the terrain, the sea or the neighbourhood visible behind them.
- Our own crew working – hands on rails, someone reading a meter, a torque wrench in use.
- Customers on their own property, named, with permission on file.
- Late afternoon light. Warm, long shadows, visible sky. Golden hour is on brand and free.
- Details: a junction box wired neatly, mill-finish rails, a monitoring screen showing real production.
- Wide shots that show the roof in context – scale is reassuring to commercial buyers.

NEVER USE

- Stock photos of foreign homes, foreign families or foreign installers.
- 3D renders of panels with lens flare, or AI-generated arrays with impossible wiring
- Cupped-hands-holding-a-sapling, glowing globes, or a light bulb with a leaf inside.
- Heavily filtered, teal-and-orange graded photos. Grade warm and natural, nothing more.
- Any photo of a job site where the crew is not wearing harnesses and hard hats.
- Images of a competitor's installation, even as an illustration.

Graphic language

Three devices, derived from the mark. Nothing else. They are what make a layout ours before the logo is even spotted.



The band

Three stepped bars in Noon, Sulu and Canopy.
Opens a section, tops a tarpaulin, closes a proposal.
Always in that order, always stepping down.



The sail repeat

The triangle stepped down in opacity, used as a quiet edge pattern on folders, van flanks and slide backgrounds. Never behind body text.



The plain chart

Data gets Moss, Seaglass, Canopy and Sulu in that order, with Noon reserved for the one bar the reader is meant to look at. No 3D, no gradients, no drop shadows.

08 Applications

Sketches, not final artwork — they exist so a signmaker, a printer or a shirt supplier can see the intent before quoting. Every one of them follows the same logic: a lot of Canopy, a little Noon, one clear message, and the mark given room.



FLEET

Service van

Canopy body wrap, sail repeat rising from the rear quarter, reversed lockup on the front door at 300 mm. Phone number in Plex Mono along the sill — large enough to read from the next lane. No slogans on a moving vehicle.



UNIFORM

Field polo & site kit

Canopy polo, mark embroidered left chest at 25 mm in the one-colour Bone version. Noon band across the back with the crew role, name and technician number — customers should be able to name the person on their roof. Hard hats in Noon, harnesses always visible in photos.

Claro el sol.

Solar para na casa y negocio.
Libre el survey.



(062) 000 0000
brylliantsolar.ph

OUTDOOR

Tarpaulin — 5×3 ft

The workhorse of Philippine advertising, so it gets rules. One headline, one supporting line, one phone number. Canopy ground so it stays readable in direct sun. Type no smaller than 40 mm cap height. Never fill the field with panel photos, price bursts or a QR code the size of a fist.



Brylle Antonio

MANAGING DIRECTOR

(062) 000 0000
brylle@brylliantsolar.ph

*Sunlight,
well spent.*

STATIONERY

Business card

90 × 55 mm, uncoated 350 gsm natural stock — the tooth of the paper is doing the earthy work, so don't gloss-laminate it. Mark top-left on the face, tagline alone on the reverse in Canopy. No QR code unless it goes somewhere useful.

SOLAR PROPOSAL · 2026 ·
0417

Sta. Cruz Hotel
— 84 kWp rooftop

ESTIMATED ANNUAL YIELD

171,700 kWh

SALES

Commercial proposal

A4, Sulu cover for commercial work and Canopy for residential. The headline figure sits alone in Plex Mono, with the assumptions printed directly underneath it in Newsreader — that pairing *is* the brand promise made visible. Every proposal carries a reference number.

REAL INSTALL · PUTIK, ZAMBOANGA
CITY

**₱9,800 → ₱4,500 a
month**

3.6 kWp · installed March 2026



DIGITAL

Facebook post

1080 × 1080. Photo on top, one real number in Bricolage below it, the system size and date in small type, mark bottom-right. Every claim names a real job. Never a price burst, never five hashtags, never a stock photo.

Where the mark goes on the job

ITEM	TREATMENT
Hard hat	Noon shell, one-colour Canopy mark on both sides, 60 mm.
Inverter / DB plate	Brushed aluminium plate, etched one-colour mark, install date, system size and the service number. Left on every job.
Quotation & invoice	Bone paper, mark top-left, Plex Mono for all figures, Newsreader for terms. Totals in Canopy, never red.
Showroom / warehouse signage	Canopy field, reversed lockup, Noon band along the base. Sail repeat on the glazing at low opacity.
Site safety barrier	Noon mesh with one-colour Basalt mark — legibility beats brand colour where safety is concerned.
Email signature	Plain text, no image. Name, role, mobile, one line: Brylliant Solar — Sunlight, well spent.

09 Quick rules

If someone reads only one page of this book, make it this one. Print it and pin it above the desk of whoever makes the tarpaulins.

01

Canopy dominates, Sulu supports,
Noon accents. Noon never exceeds a
tenth of the layout and never carries
body text on a light ground.

02

Three typefaces: Bricolage for
headlines, Newsreader for reading,
Plex Mono for numbers. No fourth,
ever.

03

Clear space around the mark equals
the height of the sun disc. Nothing
enters it.

04

Every savings claim is printed with its
assumptions beside it. No exceptions,
on any medium.

05

Photography is ours, local, and shows
real crews in proper safety gear. No
stock, no renders, no AI panels.

06

Write it the way you would say it to
the customer's face. Read it aloud
before it goes out.

Before this book gets used

Five things only you can decide. Until they're settled, treat everything above as a strong draft rather than a standard.

	OPEN ITEM	WHO SETTLES IT
☐	Register the business name and check the mark against existing Philippine trademarks before any of it is printed at scale.	IPOPHL / your lawyer
☐	Have “Claro el sol” read aloud by two native Chavacano speakers of different generations.	Local review
☐	Confirm the real contact details, address and domain – the placeholders above are invented.	You
☐	Get a physical colour proof for Noon before committing to signage or a vehicle wrap.	Printer
☐	Decide whether distribution (dealer sales) carries a distinct sub-identity or shares this one. This book assumes one brand.	You

QUESTIONS ABOUT A USE NOT COVERED HERE?
ASK BEFORE YOU IMPROVISE.