

String Methods

int string.length()

int string.compareTo (string2)

boolean string1.contains (string2)

char string1.charAt (index)
↑
exclusive

string string.substring (start, end)

string string.substring (start)
↳ goes to end

string[] string.split (delimiter)

practice quiz

Palindrome Example

Loops :

- initialization
- condition
- update

Recursion :

- base case
- recursive case

```
public static boolean isPal(String s) {  
    if (s.length() ≤ 1) {  
        return true;  
    } else if (s.charAt(0) !=  
        s.charAt(s.length() - 1)) {  
        return false;  
    } else {  
        return isPal(s.substring(1,  
            s.length() - 1));  
    }  
}
```

```
public static boolean isPal (String s) {
```

```
    int left = 0;
```

```
    int right = s.length() - 1;
```

```
    while (left < right) {
```

```
        if (s.charAt(left) !=  
            s.charAt(right) {
```

```
            return false;
```

```
        } else {
```

```
            left++;
```

```
            right--;
```

```
        }
```

```
    }
```

```
    return true;
```

```
}
```

Arrays

* Then, for loop printing.

* Then do average of grades

* Then put that in a function.

* Then show:

↳ `int[] scores = new int[5];`

(remember Scanner is =
`new Scanner(System.in);`)

↳ show that all initialized
to zero

* NOTE: arrays cannot be resized

* Next time: ArrayLists...