

Random forest (layer4) ROCAUC $\uparrow$ / FPR@95 $\downarrow$

n_estimators	OOD Score	CIFAR-10 (ID)			CIFAR-100 (ID)		
		MNIST	SVHN	CIFAR-100	MNIST	SVHN	CIFAR-10
-	Teacher MSP	0.92/0.56	0.90/0.60	0.88/0.62	0.70/0.96	0.81/0.81	0.79/0.79
-	Teacher Energy						
20	Max Diff	0.82/0.57	0.77/0.61	0.73/0.67	0.37/0.94	0.29/0.96	0.34/0.95
	Abs. Max Diff	0.92/0.58	0.90/0.59	0.87/0.64	0.73/0.84	0.76/0.87	0.72/0.91
	KL Div.	0.92/0.54	0.90/0.56	0.88/0.63	0.75/0.80	0.80/0.82	0.76/0.90
	Logit L2	0.85/0.77	0.84/0.73	0.86/0.64	0.81/0.71	0.80/0.79	0.72/0.88
	Energy Gap	0.80/0.54	0.68/0.69	0.57/0.82	0.39/0.94	0.46/0.96	0.46/0.97
	Abs. Energy Gap	0.73/0.64	0.69/0.73	0.64/0.84	0.62/0.94	0.48/0.99	0.47/0.98
50	Max Diff	0.84/0.55	0.79/0.60	0.75/0.67	0.36/0.95	0.27/0.97	0.32/0.96
	Abs. Max Diff	0.92/0.58	0.90/0.60	0.87/0.65	0.73/0.85	0.78/0.86	0.73/0.91
	KL Div.	0.93/0.52	0.90/0.55	0.88/0.63	0.75/0.77	0.81/0.78	0.76/0.89
	Logit L2	0.84/0.83	0.83/0.76	0.86/0.64	0.83/0.65	0.81/0.77	0.72/0.88
	Energy Gap	0.81/0.53	0.70/0.69	0.56/0.84	0.39/0.94	0.45/0.96	0.45/0.97
	Abs. Energy Gap	0.74/0.62	0.68/0.74	0.63/0.85	0.63/0.95	0.50/0.99	0.49/0.98
100	Max Diff	0.84/0.57	0.80/0.62	0.75/0.68	0.35/0.95	0.26/0.97	0.31/0.96
	Abs. Max Diff	0.92/0.58	0.90/0.61	0.87/0.66	0.73/0.84	0.78/0.85	0.74/0.91
	KL Div.	0.93/0.52	0.90/0.56	0.88/0.64	0.76/0.75	0.82/0.76	0.76/0.90
	Logit L2	0.84/0.85	0.83/0.79	0.86/0.64	0.83/0.64	0.81/0.76	0.71/0.88
	Energy Gap	0.81/0.52	0.69/0.70	0.55/0.85	0.38/0.95	0.44/0.97	0.45/0.97
	Abs. Energy Gap	0.74/0.61	0.67/0.74	0.63/0.85	0.63/0.94	0.51/0.99	0.50/0.98
200	Max Diff	0.85/0.55	0.80/0.62	0.75/0.68	0.38/0.92	0.26/0.98	0.31/0.96
	Abs. Max Diff	0.92/0.57	0.90/0.61	0.87/0.66	0.73/0.85	0.78/0.85	0.74/0.91
	KL Div.	0.93/0.52	0.90/0.56	0.88/0.64	0.76/0.76	0.81/0.76	0.76/0.90
	Logit L2	0.84/0.85	0.83/0.79	0.86/0.65	0.83/0.64	0.81/0.77	0.71/0.89
	Energy Gap	0.82/0.50	0.70/0.70	0.55/0.84	0.40/0.93	0.44/0.97	0.44/0.97
	Abs. Energy Gap	0.74/0.59	0.67/0.75	0.63/0.85	0.63/0.94	0.52/0.99	0.51/0.98
300	Max Diff	0.85/0.55	0.81/0.62	0.75/0.69	0.37/0.92	0.26/0.98	0.31/0.96
	Abs. Max Diff	0.92/0.57	0.90/0.61	0.87/0.66	0.73/0.85	0.78/0.85	0.74/0.91
	KL Div.	0.93/0.50	0.90/0.56	0.88/0.64	0.76/0.75	0.82/0.75	0.77/0.89
	Logit L2	0.84/0.84	0.83/0.79	0.86/0.65	0.84/0.63	0.81/0.76	0.71/0.89
	Energy Gap	0.83/0.48	0.70/0.69	0.55/0.84	0.40/0.93	0.45/0.96	0.44/0.97
	Abs. Energy Gap	0.75/0.57	0.67/0.74	0.63/0.85	0.63/0.94	0.52/0.99	0.51/0.98