

WEB APPLICATION DEVELOPMENT

LAB MANUAL

III Year I Semester

2022 - 23



Dr.K.Bala Brahmewara
Assistant Professor

Mrs.T.Naga Mani
Assistant Professor

Ms.K.Jyothasna Latha
Assistant Professor

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institution with Permanent Affiliation to JNTUK, Kakinada)
Seshadri Rao Knowledge Village, Gudlavalleru – 521356

SESHADRI RAO GUDLAVALLERU ENGINEERING COLLEGE

(An Autonomous Institution with Permanent Affiliation to JNTUK, Kakinada)

Seshadri Rao Knowledge Village, Gudlavalleru – 521356

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

INSTITUTE VISION & MISSION

Institute Vision:

To be a leading institution of engineering education and research, preparing students for leadership in their fields in a caring and challenging learning environment.

Institute Mission:

- To produce quality engineers by providing state-of-the-art engineering education.
- To attract and retain knowledgeable, creative, motivated and highly skilled individuals whose leadership and contributions uphold the college tenets of education, creativity, research and responsible public service.
- To develop faculty and resources to impart and disseminate knowledge and information to students and also to society that will enhance educational level, which in turn, will contribute to social and economic betterment of society.
- To provide an environment that values and encourages knowledge acquisition and academic freedom, making this a preferred institution for knowledge seekers.
- To provide quality assurance.
- To partner and collaborate with industry, government, and R&D institutes to develop new knowledge and sustainable technologies and serve as an engine for facilitating the nation's economic development.
- To impart personality development skills to students that will help them to succeed and lead.
- To instil in students the attitude, values and vision that will prepare them to lead lives of personal integrity and civic responsibility.
- To promote a campus environment that welcomes and makes students of all races, cultures and civilizations feel at home.
- Putting students face to face with industrial, governmental and societal challenges

DEPARTMENT VISION & MISSION

VISION

To be a centre of innovation by adopting changes in Information Technology, imparting quality education, research to produce visionary computer professionals and entrepreneurs.

MISSION

- To provide an academic environment in which students are given the essential resources for solving real-world problems and work in multidisciplinary teams.
- To impart value based education and research among students, particularly belonging to rural areas, for their sustained growth in technological aspects and leadership.
- To collaborate with the industry for making the students adoptable to evolving changes in Information Technology and related areas.

PROGRAMME EDUCATIONAL OBJECTIVES(PEOs):-

PEO1: To exhibit analytical skills in modeling and solving computing problems by applying mathematical, scientific and engineering knowledge and to pursue their higher studies.

PEO2: To communicate effectively with multi-disciplinary teams to develop quality software systems with an orientation towards research and development for lifelong

PEO3: To address industry and societal needs for the growth of global economy using emerging technologies by following professional ethics.

PROGRAM OUTCOMES (POs)

Engineering students will be able to:

1. **Engineering knowledge:** Apply the knowledge of mathematics, science, engineering fundamentals, and an engineering specialization to the solution of complex engineering problems.
2. **Problem analysis:** Identify, formulate, review research literature, and analyze complex engineering problems reaching substantiated conclusions using first principles of mathematics, natural sciences, and engineering sciences.

3. **Design/development of solutions:** Design solutions for complex engineering problems and design system components or processes that meet the specified needs with appropriate consideration for the public health and safety, and the cultural, societal, and environmental considerations.
4. **Conduct investigations of complex problems:** Use research-based knowledge and research methods including design of experiments, analysis and interpretation of data, and synthesis of the information to provide valid conclusions.
5. **Modern tool usage:** Create, select, and apply appropriate techniques, resources, and modern engineering and IT tools including prediction and modeling to complex engineering activities with an understanding of the limitations.
6. **The engineer and society:** Apply reasoning informed by the contextual knowledge to assess societal, health, safety, legal and cultural issues and the consequent responsibilities relevant to the professional engineering practice.
7. **Environment and sustainability:** Understand the impact of the professional engineering solutions in societal and environmental contexts, and demonstrate the knowledge of, and need for sustainable development.
8. **Ethics:** Apply ethical principles and commit to professional ethics and responsibilities and norms of the engineering practice.
9. **Individual and team work:** Function effectively as an individual, and as a member or leader in diverse teams, and in multidisciplinary settings.
10. **Communication:** Communicate effectively on complex engineering activities with the engineering community and with society at large, such as, being able to comprehend and write effective reports and design documentation, make effective presentations, and give and receive clear instructions.
11. **Project management and finance:** Demonstrate knowledge and understanding of the engineering and management principles and apply these to one's own work, as a member and leader in a team, to manage projects and in multidisciplinary environments.
12. **Life-long learning:** Recognize the need for, and have the preparation and ability to engage in independent and life-long learning in the broadest context of technological change.

PROGRAM SPECIFIC OUTCOMES

Students will be able to

PSO1: Organize, maintain and protect IT Infrastructural resources.

PSO2: Design and Develop web, mobile, and smart apps based software solutions to the real world problems.

WEB APPLICATION DEVELOPMENT LAB

Course Objectives

- To facilitate designing of dynamic web pages using HTML5, CSS3 and Javascript
- To familiarize server side programming and master database access using PHP

Course Outcomes:

Upon successful completion of the course, the students will be able to

- Design web pages using HTML5, CSS3 and Javascript
- Use Javascript and PHP to access and validate form data.
- Develop a database application and perform various operations on database using JSP and PHP

Mapping of course outcomes with program outcomes

WEB APPLICATION DEVELOPMENT LAB	1	2	3	4	5	6	7	8	9	10	11	12	PS O1	PS O2	
CO1. Design web pages using HTML5, CSS3 and Javascript.	3	2	2					2	2	2			2	2	3
CO2: Use Javascript and PHP to access and validate form data .	2	2	2					2	2	2			2	2	3
CO3: Develop a database application and perform various operations on database using JSP and PHP .	2	2	2					2	2	2			2	2	3

INDEX

S.NO	List of Experiments	PAGE NO
1	<p>Design the following static web pages required for an online book store web site.</p> <ul style="list-style-type: none"> i. Home page:- must contains three frames <ul style="list-style-type: none"> • Top frame: - should contain logo and college name and links to homepage, login page, registration page and catalogue page. • Left frame: - at least four links for navigation which will display the catalogue of Respective links. • Right frame: - the pages to links in the left frame must be loaded here initially it Contains the description of the website ii. Login Page: - should contain Username and Password fields, Submit and reset buttons. iii. Registration Page: - should contain fields for Username, Password, Confirm Password, Gender, Date of Birth, Email Id, Mobile Number and Address. iv. Catalogue Page: - The details should contain the following details of books available in a tabular format: Snap shot of Cover Page, Author Name, Publisher details, Price and Add to Cart button. 	6-9
2	<p>Design a web page using CSS which includes the following:</p> <ul style="list-style-type: none"> i. Use different font and text properties. ii. Set a background image for both the page and single element on the page. iii. Define styles for links. iv. Add Customized cursors. 	10-14
3	<p>Write an XML file which will display the Book information which includes the following:</p> <p>Title of the book, Author Name, ISBN number, Publisher name, Edition and Price.</p> <p>Validate the above document using DTD</p>	15-22
4	<p>Using JavaScript and Regular expressions validate all the fields of:</p> <ul style="list-style-type: none"> i. Login page. ii. Registration page. 	23-32
5	<p>Design a web page using jQuery to demonstrate</p> <ul style="list-style-type: none"> i. Hide, show, fading and sliding effects. ii. Keyboard, mouse and form events 	33-39
6	<p>Using PHP and Regular expressions validate all the fields of:</p> <ul style="list-style-type: none"> i. Login page. ii. Registration page. 	40-45

7	<p>Install a database and design a Web application using JSP:</p> <ul style="list-style-type: none"> i. To connect to the database using JDBC. ii. Create new tables. iii. Insert the details of the users who register through the registration page of the online book store web site in to the database. iv. Retrieve and display data related to books stored in the tables to the user. 	46-47
8	<p>Create a user authentication application using JSP where the user submits login name and password to the server through form. The name and password are verified against the data already available in the database and if there is a match, a welcome page is returned. Otherwise a failure message is displayed to the user.</p>	48-50
9	<p>Design a Web application using PHP:</p> <ul style="list-style-type: none"> i. To connect to the MySQL database. ii. Create new tables. iii. Insert the details of the users who register through the registration page of the online book store web site in to the database. iv. Retrieve and display data related to books stored in the tables to the user. 	51-58
10	<p>Create a user authentication application using PHP where the user submits login name and password to the server through form. The name and password are verified against the data already available in the database.</p> <ul style="list-style-type: none"> i. On successful authentication, display welcome message to the user and create a new session. ii. Otherwise display a failure message to the user. 	59-60
11	Design a web application to make the Button Click Do Something using React Events.	

ADDITIONAL EXPERIMENTS

S.NO	List of Experiments	PAGE .NO
1	Design a web page to show course Time Table using Table tag.	61-
2	Create a web page to display India map which navigates you to state web page when you click on state.	62

EXP NO: 1

AIM: Design the following static web pages required for an online book store web site.

- i. Home page:- must contains three frames
 - Top frame: - should contain logo and college name and links to homepage, login page, registration page and catalogue page.
 - Left frame: - at least four links for navigation which will display the catalogue of Respective links.
 - Right frame: - the pages to links in the left frame must be loaded here initially it Contains the description of the website
- ii. Login Page: - should contain Username and Password fields, Submit and reset buttons.
- iii. Registration Page: - should contain fields for Username, Password, Confirm Password, Gender, Date of Birth, Email Id, Mobile Number and Address.
- iv. Catalogue Page: - The details should contain the following details of books available in a tabular format: Snap shot of Cover Page, Author Name, Publisher details, Price and Add to Cart button.

1) HOME PAGE:

The static home page must contain three **frames**.

Top frame : Logo and the college name and links to Home page, Login page, Registration page, Catalogue page and Cart page (the description of these pages will be given below).

Left frame : At least four links for navigation, which will display the catalogue of respective links.

For e.g.: When you click the link “CSE” the catalogue for CSE Books should be displayed in the Right frame.

Right frame: The pages to the links in the left frame must be loaded here. Initially this page contains description of the web site.

Logo	Web Site Name				
	Home	Login	Registration	Catalogue	Cart
CSE ECE EEE CIVIL	Description of the Web Site				

Fig 1.1

2) LOGIN PAGE:

This page looks like below:

Logo	Web Site Name				
	Home	Login	Registration	Catalogue	Cart

CSE
ECE
EEE
CIVIL

Login :
Password:

3) REGISTRATION PAGE

registration.html


Welcome to Registration page

User Name	<input type="text" value="surendra"/>
Password	<input type="password" value="....."/>
Conform Password	<input type="password" value="....."/>
Gender	<input checked="" type="radio"/> Male <input type="radio"/> Female <input type="radio"/> Others
Date-of-Birth	<input type="text" value="13 - 07 - 2003"/> <input type="button" value=""/>
E-mail	<input type="text" value="pnsurendrababu@gmail.co"/>
Mobile	<input type="text" value="9392986693"/>
Address	<input type="text" value="3-50,Shesharatnam comple"/>
<input type="button" value="submit"/>	
<input type="button" value="reset"/>	

4) CATALOGUE PAGE:

The catalogue page should contain the details of all the books available in the web site in a table.
The details should contain the following:

1. Snap shot of Cover Page.
2. Author Name.
3. Publisher.
4. Price.
5. Add to cart button.

Logo	Web Site Name			
Home	Login	Registration	Catalogue	Cart
CSE		Book : XML Bible Author : Winston Publication : Wiely	\$ 40.5	
AIDS				
AIML		Book : AI Author : S.Russel Publication : Princeton hall	\$ 63	
ECE				


	 	Book : Java 2 Author : Watson Publication : BPB publications	\$ 35.5	
		Book : HTML in 24 hours Author : Sam Peter Publication : Sam publication	\$ 50	

Source Code

PROGRAM:

```
<frameset rows="40%,*">
<frame name="11" src="top.html" target="13">
<frameset cols="30%,*">
<frame name="12" src="left.html" target="13">
<frame name="13" target="13" >
</frameset>
</frameset>
```

OUTPUT:



1.HOME PAGE: Must contain three frames

PROGRAM:

```
<!DOCTYPE html>
<html>
<body >
<marquee behavior="alternate" text="black"><h1>welcome to home page....</h1></marquee>
<p><i>Online Book store is an online web application where the customer can purchase books online. Through a web browser the customers can search for a book by its title or author, later can add to the shopping cart.</i></p>
</body>
</html>
```

OUTPUT:



TOP FRAME: Should contain logo and college name and links to homepage, login page, registration page and catalogue page.

PROGRAM:

```
<!DOCTYPE html>
<html>
<head>
<title>top</title>
</head>
<body background="lib.jpg">

<marquee behavior="alternate" direction="right" bgcolor="white">Gudlavalleru
Engineering College </marquee>
<table align="center" border="0">
<tr>
<td colspan="5"><h1 align="center" text="white">Welcome to Library</h1></td>
</tr>
<tr bgcolor="white">
<td><a href="home.html" target="13">Home</a></td>
```

```
<td><a href="login.html" target="13">Login</a></td>
<td><a href="registration.html" target="13">Registration</a></td>
<td><a href="catlouge.html" target="13">Catlouge</a></td>
<td><a href="Cart.html" target="13">Cart</a></td>
</tr>
</table>
</body>
</html>
```

OUTPUT:



LEFT FRAME:At least four links for navigation which will display the catalogue of respective links

PROGRAM:

```
<!DOCTYPE html>
<html>
<body>
<a href="cse.html" target="13">CSE</a><br/>
<a href="aids.html" target="13">AIDS</a><br/>
<a href="aiml.html" target="13">AIML</a><br/>
<a href="ece.html" target="13">ECE</a><br/>
</body>
</html>
```

OUTPUT:



CSE
AIDS
AIML
ECE



RIGHT FRAME: The page to links in the left frame must be loaded here initially it contains the description of the website.

CATALOGUE PAGE OF CSE PROGRAM:

```
<!DOCTYPE html>
<html>
<body >
<table align="center" border="2" >
<caption align="center">welcome to <u>CSE</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td><imgsrc="datastructures.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>
<td><imgsrc="pythonwithml.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendra</td>
<td>1999</td>
<td><imgsrc="java.jpg" height="100" weidth="100"></td>
```

```



<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
</table>
</body>
</html>

```

OUTPUT:

cse.html

welcome to CSE page

BookName	Author	Fare	Image	Add-To-Cart
DataStructures	Dr.Mohan	1999		 Add to Cart
PythonwithML	Dr.Praveen	899		 Add to Cart
Java	Dr.Surendra	1999		 Add to Cart

70°F Rain to stop

ENG IN 07-09-2022 19:10

CATALOGUE PAGE OF AIDS PROGRAM:

```

<!DOCTYPE html>
<html>
<body >
<table align="center" border="2" >
<caption align="center">welcome to <u>AIDS</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>AI</td>
<td>Dr.Subhani</td>
<td>999</td>
<td><imgsrc="ai.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td><imgsrc="datastructures.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>


```

```

<td><imgsrc="pythonwithml.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendra</td>
<td>1999</td>
<td><imgsrc="java.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
</table>
</body>
</html>

```

OUTPUT:



The screenshot shows a web browser window titled "aids.html". The page content is a table with a caption "welcome to AIDS page". The table has columns: BookName, Author, Fare, Image, and Add-To-Cart. There are four rows of data. Each row contains an "Add to Cart" button with a shopping cart icon.

BookName	Author	Fare	Image	Add-To-Cart
AI	Dr.Subhani	999		Add to Cart
DataStructures	Dr.Mohan	1999		Add to Cart
PythonwithML	Dr.Praveen	899		Add to Cart
Java	Dr.Surendra	1999		Add to Cart

CATALOGUE PAGE OF AIML PROGRAM:

```

<!DOCTYPE html>
<html>
<body >
<table align="center" border="2" >
<caption align="center">welcome to <u>AIML</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>

```

```

<tr>
<td>AI</td>
<td>Dr.Subhani</td>
<td>999</td>
<td><imgsrc="ai.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td><imgsrc="datastructures.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>
<td><imgsrc="pythonwithml.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
</table>
</body>
</html>

```

OUTPUT:

welcome to AIML page

BookName	Author	Fare	Image	Add-To-Cart
AI	Dr.Subhani	999		
DataStructures	Dr.Mohan	1999		
PythonwithML	Dr.Praveen	899		

70°F Rain to stop

ENG IN 19:17 07-09-2022

CATALOGUE PAGE OF ECE PROGRAM:

```
<!DOCTYPE html>
<html>
<body >
<table align="center" border="2" >
<caption align="center">welcome to <U>ECE</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>AI</td>
<td>Dr.Subhani</td>
<td>999</td>
<td><imgsrc="ai.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>Mechtronics</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td><imgsrc="mech.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>Electrical Engineering</td>
<td>Dr.Praveen</td>
<td>899</td>
<td><imgsrc="electrical.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendra</td>
<td>1999</td>
<td><imgsrc="java.jpg" height="100" weidth="100"></td>
<td><imgsrc="addtocart.jpg" height="100" weidth="100"></td>
</tr>
</table>
</body>
</html>
```

OUTPUT:

welcome to ECE page

BookName	Author	Fare	Image	Add-To-Cart
AI	Dr.Subhani	999		Add to Cart
Mechtronics	Dr.Mohan	1999		Add to Cart
Electrical Engineering	Dr.Praveen	899		Add to Cart
Java	Dr.Surendra	1999		Add to Cart

LOGIN PAGE: Should contain username and password fields, submit and reset buttons

PROGRAM:<!DOCTYPE html>

```

<html>
<body>
<form name="1" method="get">
<table align="center" border="2">
<caption align="center">Welcome to Login page</caption>
<tr>
<td>User Name</td>
<td><input type="text" name="2" pattern="[a-zA-Z]{4,30}" placeholder="only characters"></td>
</tr>
<tr>
<td>Password</td>
<td><input type="password" name="pwd" pattern="[a-zA-Z!@#$%^&*1-9]{12,30}" placeholder="enterpassword" ></td>
</tr>
<tr>
<td><input type="submit" value="submit"></td>
</tr>
<tr>
<td><input type="reset" value="reset"></td>
</tr>
</table>
</body>
</html>

```

OUTPUT:

Welcome to Login page

User Name	surendra
Password	*****
submit	
reset	

REGISTRATION PAGE: Should contain fields for username, password, confirm password, gender, date of birth, email id, mobile number and address

PROGRAM:

```
<!DOCTYPE html>
<html>
<body >
<form name="1" method="get">
<table align="center" border="2">
<caption align="center">Welcome to Registration page</caption>
<tr>
<td>User Name</td>
<td><input type="text" name="2" pattern="[a-zA-Z]{4,30}" placeholder="only characters"></td>
</tr>
<tr>
<td>Password</td>
<td><input type="password" name="pwd" pattern="[a-zA-Z!@#$%^&*1-9]{12,30}" placeholder="enterpassword" ></td>
</tr>
<tr>
<td>Conform Password</td>
<td><input type="password" name="pwd" pattern="[a-zA-Z!@#$%^&*1-9]{12,30}" placeholder="enterpassword" ></td>
</tr>
<tr>
<td>Gender</td>
<td>
<input type="radio" name="gen">Male
<input type="radio" name="gen">Female
<input type="radio" name="gen">Others
</td>
</tr>
<tr>
<td>Date-of-Birth</td>
<td><input type="date"></td>
</tr>
<tr>
<td>E-mail</td>
<td><input type="mail" pattern="[a-zA-Z@.]{5,30}" placeholder="enter mail" ></td>
</tr>
<tr>
<td>Mobile</td>
<td><input type="tel" placeholder="number"></td>
</tr>
<tr>
<td>Address</td>
<td><input type="text area" placeholder="enter address"></td>
</tr>
<tr>
<td><input type="submit" value="submit"></td>
</tr>
<tr>
<td><input type="reset" value="reset"></td>
</tr>
</table>
</body>
</html>
```

OUTPUT:

Welcome to Registration page

User Name	surendra
Password	*****
Conform Password	*****
Gender	<input checked="" type="radio"/> Male <input type="radio"/> Female <input type="radio"/> Others
Date-of-Birth	13 - 07 - 2003 <input type="button" value=""/>
E-mail	pnsurendrababu@gmail.co
Mobile	9392986693
Address	3-50,Shesharatnam comple
<input type="button" value="submit"/>	
<input type="button" value="reset"/>	

CATALOGUE PAGE: The details should contain the following details of books available in a tabular format: snapshot of cover page, author name, publisher details, price and add to cart button

PROGRAM:

```
<!DOCTYPE html>
<html>
<body >
<table align="center" border="2">
<caption align="center">welcome to catlouge page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>
<td></td>
```

```

<td></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendra</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
</table>
</body>
</html>

```

OUTPUT:

welcome to catlogue page

BookName	Author	Fare	Image	Add-To-Cart
DataStructures	Dr.Mohan	1999		 Add to Cart
PythonwithML	Dr.Praveen	899		 Add to Cart
Java	Dr.Surendra	1999		 Add to Cart

CART PAGE:Books selected from catalogue pages of CSE, AI&DS, AI&ML and IT pages should be shown in the cart page as they are added to cart

PROGRAM:

```

<!DOCTYPE html>
<html>
<body >
<table align="center" border="2" >
<caption align="center">Cart details</caption>
<tr>
<th>BookName</th>
<th>Fare</th>
<th>Quanity</th>
<th>Total</th>
</tr>
<tr>
<td>AI</td>

```

```

<td>999</td>
<td>1</td>
<td>999</td>
</tr>
<tr>
<td>DataStructures</td>
<td>1999</td>
<td>2</td>
<td>3998</td>
</tr>
<tr>
<td>PythonwithML</td>
<td>899</td>
<td>1</td>
<td>899</td>
</tr>
<tr>
<td colspan="3">Total Amount</td>
<td>5896</td>
</table>
</body>
</html>

```

OUTPUT:




Cart details

BookName	Fare	Quanity	Total
AI	999	1	999
DataStructures	1999	2	3998
PythonwithML	899	1	899
Total Amount			5896



ONLINE BOOK STORE:



Execution Procedure

Step1: type all html programs in notepad or any text editor and save .html format.

Step2: open web browser and open index.html

Step3: traverse all pages from index.html.

VIVA-QUESTIONS

EXP NO: 2

Aim:

Design a web page using CSS which includes the following:

- i. Use different font and text properties.
- ii. Set a background image for both the page and single element on the page.
- iii. Define styles for links.

iv. Add Customized cursors.

Description

Source-code

Web.css

```
p.justify
{
color:brown;
font-size:large;
text-transform:capitalize;
text-align:justify;
font-weight:200;
letter-spacing:-3;
word-spacing:5;
}
h1
{
    color:red;
font-size:large;
text-transform:uppercase;
text-align:center;
text-decoration:underline;
}
body
{
background-image:url('book1.jpg');
background-repeat:no-repeat;
background-attachment:fixed;
background-color:olive;
}
a:link
{
color:red;
font-family:tahoma;
font-size:12pt;
}
a:visited
{
color:pink;
font-family:calibri;
font-size:20pt;
text-decoration:underline;
}
a:active
{
color:orange;
font-family:cambria;
font-size:20pt;
}
a:hover
{
color:pink;
font-family:Brush Script MT;
font-size:22pt;
text-decoration:overline;
}
```

```
.auto {cursor: auto;}  
table  
{  
    border-collapse: collapse;  
    width: 100%;  
}  
th, td  
{  
    text-align: left;  
    padding: 8px;  
}  
tr:nth-child(even){background-color:pink}  
th  
{  
    background-color:pink;  
    color: white;  
}
```

Web1.css:

```
p.justify  
{  
color:pink;  
font-size:large;  
text-transform:capitalize;  
text-align:justify;  
font-weight:200;  
letter-spacing:-3;  
word-spacing:5;  
}  
h1  
{  
    color:red;  
font-size:large;  
text-transform:uppercase;  
text-align:center;  
text-decoration:underline;  
}  
body  
{  
background-image:url('book1.jpg');  
background-repeat:no-repeat;  
background-attachment:fixed;  
background-color:skyblue;  
}  
a:link  
{  
color:red;  
font-family:tahoma;  
font-size:12pt;  
}  
a:visited  
{  
color:black;  
font-family:calibri;  
font-size:20pt;  
text-decoration:underline;
```

```

}
a:active
{
color:orange;
font-family:cambria;
font-size:20pt;
}
a:hover
{
color:pink;
font-family:Brush Script MT;
font-size:22pt;
text-decoration:overline;
}
.auto {cursor: auto;}

```

Web2.css:

```

h1
{
color:red;
font-size:large;
text-transform:uppercase;
text-align:center;
text-decoration:underline;
}
body
{
background-color:white;
}
#customers
{
font-family: Arial, Helvetica, sans-serif;
border-collapse: collapse;
width: 100%;
}
#customers td, #customers th
{
border: 1px solid;
padding: 8px;
}
#customers tr:nth-child(even){background-color:skyblue;}
#customers tr:hover {background-color:skyblue;}
#customers th
{
padding-top: 12px;
padding-bottom: 12px;
text-align: center;
background-color:pink;
color: white;
}

```

Index.html :


```

<frameset rows="40%,*">
<frame name="11" src="top.html" target="13">
<frameset cols="30%,*">

```

```
<frame name="12" src="left.html" target="13">
<frame name="13" target="13" >
</frameset>
</frameset>
```

Output:




Left.html

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="web.css">
</head>
<body>
<a href="cse.html" target="13">CSE</a><br/>
<a href="aids.html" target="13">AIDS</a><br/>
<a href="aiml.html" target="13">AIML</a><br/>
<a href="ece.html" target="13">ECE</a><br/>
```

```
</body>
</html>
```

Output:




Top.html :

```
<!DOCTYPE html>
<html>
<head>
<title>top</title>
<link rel="stylesheet" type="text/css" href="web1.css">
</head>
<body background="lib.jpg">

<marquee behavior="alternate" direction="right" bgcolor="white">Gudlavalleru Enginnering
College</marquee>
<table align="center" border="0">
<tr>
<td colspan="5"><h1 align="center" text="white">Welcome to Library</h1></td>
</tr>
<tr bgcolor="white">
<td><a href="home.html" target="13">Home</a></td>
<td><a href="login.html" target="13">Login</a></td>
<td><a href="registration.html" target="13">Registration</a></td>
<td><a href="catlouge.html" target="13">Catlouge</a></td>
<td><a href="Cart.html" target="13">Cart</a></td>
</tr>
</table>
```

```
</body>
</html>
```


Output:



Home.html

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="web.css">
</head>
<body >
<marquee behavior="alternate" text="black"><h1>welcome to home page....</h1></marquee>
<p><i>Online Book store is an online web application where the customer can purchase books online. Through a web browser the customers can search for a book by its title or author, later can add to the shopping cart.</i></p>
</body>
</html>
```

Output:



Login.html :

```
<!DOCTYPE html>
<html>
<body>
<form name="1" method="get">
<table align="center" border="2">
<caption align="center">Welcome to Login page</caption>
<tr>
<td>User Name</td>
<td><input type="text" name="2" pattern="[a-zA-Z]{4,30}" placeholder="only characters"></td>
</tr>
<tr>
<td>Password</td>
<td><input type="password" name="pwd" pattern="[a-zA-Z!@#$%^&*1-9]{12,30}" placeholder="enterpassword" ></td>
</tr>
<tr>
<td><input type="submit" value="submit"></td>
</tr>
<tr>
<td><input type="reset" value="reset"></td>
</tr>
</table>
</body>
</html>
```

Output:

Welcome to Login page

User Name	surendra
Password	*****
<input type="button" value="submit"/>	
<input type="button" value="reset"/>	



Registration.html :

```
<!DOCTYPE html>
<html>
<body >
<form name="1" method="get">
<table align="center" border="2">
<caption align="center">Welcome to Registration page</caption>
<tr>
<td>User Name</td>
<td><input type="text" name="2" pattern="[a-zA-Z]{4,30}" placeholder="only characters"></td>
</tr>
<tr>
<td>Password</td>
<td><input type="password" name="pwd" pattern="[a-zA-Z!@#$%^&*1-9]{12,30}" placeholder="enterpassword" ></td>
</tr>
<tr>
<td>Conform Password</td>
<td><input type="password" name="pwd" pattern="[a-zA-Z!@#$%^&*1-9]{12,30}" placeholder="enterpassword" ></td>
</tr>
<tr>
<td>Gender</td>
<td>
<input type="radio" name="gen">Male
<input type="radio" name="gen">Female
<input type="radio" name="gen">Others
</td>
</tr>
<tr>
<td>Date-of-Birth</td>
<td><input type="date"></td>
</tr>
<tr>
<td>E-mail</td>
```

```

<td><input type="mail" pattern="[a-zA-Z@.]{5,30}" placeholder="enter mail" ></td>
</tr>
<tr>
<td>Mobile</td>
<td><input type="tel" placeholder="number"></td>
</tr>
<tr>
<td>Address</td>
<td><input type="text area" placeholder="enter address"></td>
</tr>
<tr>
<td><input type="submit" value="submit"></td>
</tr>
<tr>
<td><input type="reset" value="reset"></td>
</tr>
</table>
</body>
</html>

```

Output:

Welcome to Registration page

User Name	surendra
Password
Conform Password
Gender	<input checked="" type="radio"/> Male <input type="radio"/> Female <input type="radio"/> Others
Date-of-Birth	13-07-2003
E-mail	pnsurendrababu@gmail.co
Mobile	9392986693
Address	3-50,shesharatnam comple
<input type="button" value="submit"/>	
<input type="button" value="reset"/>	



Catalogue.html :

```

<!DOCTYPE html>
<html>
<head>
    <title>Catalogue-Page</title>
    <link rel="stylesheet" type="text/css" href="web2.css">
</head>
<body>
<table align="center" border="2">
<caption align="center">welcome to catlouge page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>

```

```

<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>
<td></td>
<td></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendra</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
</table>
</body>
</html>

```

Output:



BookName	Author	Fare	Image	Add-To-Cart
DataStructures	Dr.Mohan	1999		 Add to Cart
PythonwithML	Dr.Praveen	899		 Add to Cart
Java	Dr.Surendra	1999		 Add to Cart

Cart.html :

```

<!DOCTYPE html>
<html>
<body >
<table align="center" border="2" >
<caption align="center">Cart details</caption>
<tr>
<th>BookName</th>

```

Fare	Quanity	Total
AI	999	1
DataStructures	1999	2
PythonwithML	899	1
Total Amount		
5896		

Output:

Cart details				
BookName	Fare	Quanity	Total	
AI	999	1	999	
DataStructures	1999	2	3998	
PythonwithML	899	1	899	
Total Amount			5896	

Cse.html :

```
<!DOCTYPE html>
<html>
<head>
<title>Catalogue-Page</title>
    <link rel="stylesheet" type="text/css" href="web2.css">
</head>
```

```

<body>
<table align="center" border="2" >
<caption align="center">welcome to <u>CSE</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>
<td></td>
<td></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendtra</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
</table>
</body>
</html>

```

Output:

The screenshot shows a web browser window titled "Catalogue-Page". The address bar indicates the file is located at "D:/20481A0513/cse.html". The page content is titled "welcome to CSE page" and displays a table with five columns: BookName, Author, Fare, Image, and Add-To-Cart. The table has three rows of data. Each row contains a thumbnail image of a book cover and a large, rounded rectangular button with a shopping cart icon and the text "Add to Cart".

BookName	Author	Fare	Image	Add-To-Cart
DataStructures	Dr.Mohan	1999		
PythonwithML	Dr.Praveen	899		
Java	Dr.Surendtra	1999		

```
<!DOCTYPE html>
<html>
<head>
    <title>Catalogue-Page</title>
    <link rel="stylesheet" type="text/css" href="web2.css">
</head>
<body >
<table align="center" border="2" >
<caption align="center">welcome to <u>AIDS</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>AI</td>
<td>Dr.Subhani</td>
<td>999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>
<td></td>
<td></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendtra</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
</table>
</body>
</html>
```

Output:

BookName	Author	Fare	Image	Add-To-Cart
AI	Dr.Subhani	999		Add to Cart
DataStructures	Dr.Mohan	1999		Add to Cart
PythonwithML	Dr.Praveen	899		Add to Cart
Java	Dr.Surendra	1999		Add to Cart

AIML.html:

```
<!DOCTYPE html>
<html>
<head>
    <title>Catalogue-Page</title>
    <link rel="stylesheet" type="text/css" href="web2.css">
</head>
<body >
<table align="center" border="2" >
<caption align="center">welcome to <u>AIML</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>AI</td>
<td>Dr.Subhani</td>
<td>999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>DataStructures</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>PythonwithML</td>
<td>Dr.Praveen</td>
<td>899</td>
<td></td>
```

```

<td></td>
</tr>
<tr>
</table>
</body>
</html>

```

Output:

Catalogue-Page

File | D:/20481A0513/aiml.html

welcome to AIML page

BookName	Author	Fare	Image	Add-To-Cart
AI	Dr.Subhani	999		Add to Cart
DataStructures	Dr.Mohan	1999		Add to Cart
PythonwithML	Dr.Praveen	899		Add to Cart



ECE.html:

```

<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="web2.css">
</head>
<body >
<table align="center" border="2" >
<caption align="center">welcome to <U>ECE</u> page</caption>
<tr>
<th>BookName</th>
<th>Author</th>
<th>Fare</th>
<th>Image</th>
<th>Add-To-Cart</th>
</tr>
<tr>
<td>AI</td>
<td>Dr.Subhani</td>
<td>999</td>
<td></td>
<td></td>
</tr>
<tr>
<td>Mechtronics</td>
<td>Dr.Mohan</td>
<td>1999</td>
<td></td>
<td></td>
</tr>

```

```

<tr>
<td>Electrical Engineering</td>
<td>Dr.Praveen</td>
<td>899</td>
<td></td>
<td></td>
</tr>
<tr>
<td>Java</td>
<td>Dr.Surendra</td>
<td>1999</td>
<td></td>
<td></td>
</tr>
</table>
</body>
</html>

```

Output:

BookName	Author	Fare	Image	Add-To-Cart
AI	Dr.Subhani	999		Add to Cart
Mechtronics	Dr.Mohan	1999		Add to Cart
Electrical Engineering	Dr.Praveen	899		Add to Cart
Java	Dr.Surendra	1999		Add to Cart

Gudlavalleru Enginnering College

WELCOME TO LIBRARY

[Home](#) [Login](#) [Registration](#) [Catalogue](#) [Cart](#)

BookName	Author	Fare	Image	Add-To-Cart
DataStructures	Dr.Mohan	1999		Add to Cart
PythonwithML	Dr.Praveen	899		Add to Cart
Java	Dr.Surendra	1999		Add to Cart

Execution Procedure

- Step1: type all html programs in notepad or any text editor and save .html format.
- Step2: open web browser and open index.html, i.e previous week.
- Step3: traverse all pages from index.html.

VIVA-QUESTIONS

EXP NO: 3

Aim:

Write an XML file which will display the Book information which includes the following:

Title of the book, Author Name, ISBN number, Publisher name, Edition and Price.

Validate the above document using DTD

Description

Extensible Markup Language (XML) is a meta-markup language that provides a format for describing structured data. This facilitates more precise declarations of content and more meaningful search results across multiple platforms. In addition, XML is enabling a new generation of Web-based data viewing and manipulation applications.


In the HTML you use tags to tell the browser to display data as bold or italic; in XML you use tags only to describe data, such as city name, temperature, and barometric pressure. In XML, you use style sheets such as Extensible Stylesheet Language (XSL) and Cascading Style Sheets (CSS) to present the data in a browser. XML separates the data from the presentation and the process, enabling you to display and process the data as you wish by applying different style sheets and applications.

Source-Code

Internal.DTD:

```
<?xml version="1.0" ?>
<!DOCTYPE bookstore [
<!ELEMENT bookstore (book+) >
<!ELEMENT book (title,author+,isbn,pub,edi,price?) >
<!ELEMENT title (#PCDATA) >
<!ELEMENT author (#PCDATA) >
<!ELEMENT isbn (#PCDATA) >
<!ELEMENT pub (#PCDATA) >
<!ELEMENT edi (#PCDATA) >
<!ELEMENT price (#PCDATA) >
] >
<bookstore>
    <book>
        <Title>HTML5</Title>
        <author>Dr.mohan</author>
        <isbn>923-145-3456</isbn>
        <pubshiler>dreamTech</pubshiler>
        <edition>2019</edition>
        <price>849</price>
    </book>
    <book>
        <Title>AI</Title>
        <author>Dr.praveen</author>
        <isbn>912-145-34789</isbn>
        <pubshiler>wrox</pubshiler>
        <edition>2021</edition>
        <price>1849</price>
    </book>
</bookstore>
```

Output:



```
<?xml version="1.0"?>
<bookstore>
    <book>
        <Title>HTML5</Title>
        <author>Dr.mohan</author>
        <isbn>923-145-3456</isbn>
        <pubshiler>dreamTech</pubshiler>
        <edition>2019</edition>
        <price>849</price>
    </book>
    <book>
        <Title>AI</Title>
        <author>Dr.praveen</author>
        <isbn>912-145-34789</isbn>
        <pubshiler>wrox</pubshiler>
        <edition>2021</edition>
        <price>1849</price>
    </book>
</bookstore>
```

External-DTD using PRIVATE


book.dtd:

```
<!ELEMENT bookstore (book+)>
<!ELEMENT book (title,author+,isbn,pub,edi,price?)>
<!ELEMENT title (#PCDATA)>
<!ELEMENT author (#PCDATA)>
<!ELEMENT isbn (#PCDATA)>
<!ELEMENT publication (#PCDATA)>
<!ELEMENT edition (#PCDATA)>
<!ELEMENT price (#PCDATA)>
```

Externaldtdprivate:

```
<?xml version="1.0"?>
<bookstore>
    <book>
        <Title>HTML5</Title>
        <author>Dr.mohan</author>
        <isbn>923-145-3456</isbn>
        <pubshiler>dreamTech</pubshiler>
        <edition>2019</edition>
        <price>849</price>
    </book>
    <book>
        <Title>AI</Title>
        <author>Dr.praveen</author>
        <isbn>912-145-34789</isbn>
        <pubshiler>wrox</pubshiler>
        <edition>2021</edition>
        <price>1849</price>
    </book>
</bookstore>
```

Output:



The screenshot shows a Windows desktop environment with a Notepad window open. The window title is "exeternalddtpriate.xml". The content of the window displays an XML document structure:

```
<?xml version="1.0" ?>
<!DOCTYPE bookstore [
    <!ELEMENT bookstore (book+)
    <!ELEMENT book (title,author+,isbn,pub,edi,price?)
    <!ELEMENT title (#PCDATA)
    <!ELEMENT author (#PCDATA)
    <!ELEMENT isbn (#PCDATA)
    <!ELEMENT publication (#PCDATA)
    <!ELEMENT edition (#PCDATA)
    <!ELEMENT price (#PCDATA)
]>

<bookstore>
    <book>
        <Title>HTML5</Title>
        <author>Dr .mohan</author>
        <isbn>923-145-3456</isbn>
        <pubshiler>dreamTech</pubshiler>
        <edition>2019</edition>
        <price>849</price>
    </book>
    <book>
        <Title>AI</Title>
        <author>Dr .praveen</author>
        <isbn>912-145-34789</isbn>
        <pubshiler>wrox</pubshiler>
        <edition>2021</edition>
        <price>1849</price>
    </book>
</bookstore>
```

The taskbar at the bottom of the screen shows various pinned icons and system status indicators like battery level, signal strength, and date/time.

Book.dtd:

```
<!ELEMENT bookstore (book+)
<!ELEMENT book (title,author+,isbn,pub,edi,price?)>
<!ELEMENT title (#PCDATA)>
<!ELEMENT author (#PCDATA)>
<!ELEMENT isbn (#PCDATA)>
<!ELEMENT publication (#PCDATA)>
<!ELEMENT edition (#PCDATA)>
<!ELEMENT price (#PCDATA)>
```

Externaldtdpublic:

```
<?xml version="1.0" ?>
<!DOCTYPE bookstore PUBLIC "-//Surendra/1.O/EN" "book.dtd">
<bookstore>
    <book>
        <title> AI</title>
        <author>Surendra</author>
        <ISBN>978-93-5119-90</ISBN>
        <publisher>dreamTech</publisher>
        <edition>2019</edition>
```

```

<price>1849</price>
</book>
<book>
    <title> Web Technologies</title>
    <author>mohan</author>
    <ISBN>978-93-5119-907-6</ISBN>
    <publisher>wrox</publisher>
    <edition>1230</edition>
</book>
</bookstore>

```

Output:

```

<?xml version="1.0" encoding="UTF-8"?>
<bookstore>
    <book>
        <title> AI</title>
        <author>Surendra</author>
        <ISBN>978-93-5119-90</ISBN>
        <publisher>dreamTech</publisher>
        <edition>2019</edition>
        <price>1849</price>
    </book>
    <book>
        <title> Web Technologies</title>
        <author>mohan</author>
        <ISBN>978-93-5119-907-6</ISBN>
        <publisher>wrox</publisher>
        <edition>1230</edition>
    </book>
</bookstore>

```

Execution Procedure

Step1: Type all html programs in notepad or any text editor and save the files.

Step2: open appropriate xml files in web browser for getting output.

Viva-Questions

EXP NO: 4

AIM:

- i. Write a JavaScript to validate the fields of the login page.
- ii. Write a JavaScript to validate the fields of the Registration page

Description

JavaScript is a lightweight interpreted programming language with rudimentary object-oriented capabilities. Syntactically, the core JavaScript language resembles C, C++ and Java, with programming constructs such as the `if` statement, the `while` loop, and the `&&` operator. The similarity ends with this syntactic resemblance, however. JavaScript is an untyped language, which means that variables do not have to have a type specified.

The `<SCRIPT>` and `</SCRIPT>` tags are used to embed JavaScript code within an HTML file.

Source Code

Login.html:

```
<!DOCTYPE html>
<html>
<head>
<script>
function validate()
{
var uname=document.f1.uname.value;
if(uname=="'||uname=="null")
{
alert("please provide valide format");
return false;
}
var pass=document.f1.pwd.value;
if(pass=="'||pass=="null")
{
alert("please provide valide password format");
```

```

return false;
}
}
</script>
</head>
<body>
<form name="f1" method="set" action="succ.html" onsubmit="return validate()">
<table align="center" border="2">
<caption align="center">Welcome to Login page</caption>
<tr>
<td>User Name</td>
<td><input type="text" name="2" pattern="[a-zA-Z]{4,30}" placeholder="only characters"></td>
</tr>
<tr>
<td>Password</td>
<td><input type="password" name="pwd" pattern="[a-zA-Z!@#$%^&*1-9]{12,30}" placeholder="enterpassword" ></td>
</tr>
<tr>
<td><input type="submit" value="submit"></td>
</tr>
<tr>
<td><input type="reset" value="reset"></td>
</tr>
</table>
</body>
</html>

```

Welcome to Login page

User Name	only characters
Password	enterpassword
<input type="submit" value="submit"/>	
<input type="reset" value="reset"/>	

Welcome to Login page

User Name	sur
Password	enterp <small>Please match the requested format.</small>
<input type="submit" value="submit"/>	
<input type="reset" value="reset"/>	



Welcome to Login page

User Name	surendra
Password	*****
submit	
reset	



Welcome to Login page

User Name	surendra
Password	*****
submit	
reset	



your data is validate

Registration.html

```
<html>
<head>
<title>Registration Page</title>
<script type="text/javascript">
varerrorFound=false;
functioncontainAlphabets(checkString)
{
//To validate Name Field characters
    var result=true;
    varregExp=/^([A-Z a-z]$)/;
    if(checkString!=null &&checkString!="")
    {
        for(var i=0;i<checkString.length;i++)
        {
            if(!checkString.charAt(i).match(regExp))
            {
                result=false;
            }
        }
    }
}
```

```
    }
    else
    {
        result=false;
    }
    return result;
}
functionvalidateNameLength(checkString)
{
//To validate Name Field length
if(checkString.length>=6) {
    return true;
}
else
{
    return false;
}}
functionvalidatePasswordLength(password)
{
//To validate Password Field length
if(password.length>=6)
{
    return true;
}

functionvalidatePhoneNumber(phone)
{
    varvalidDigits="0123456789";
    var digits;
    var result;
    if(phone.length==0)
        return false;
    for(var i=0;i<phone.length;i++)
    {
        digits=phone.charAt(i);
        if(validDigits.indexOf(digits)==-1)
        {
            return false;
        }
        result=true;
    }
    return result;
}
```

```

else
{
    return false;
}
}

functionvalidateEmail(email)
{
var x=document.regform.email.value;
varatpos=x.indexOf("@");
vardotpos=x.lastIndexOf(".");
if (atpos<1 || dotpos<atpos+2 || dotpos+2>=x.length)
{
    alert("Not a valid e-mail address");
    return false;
}

return true;
}

functionvalidatePhoneNoLength(phone)
{
    if(phone.length==10)
        return true;
    else
        return
}

function validate()
{
    errorFound=false;
    if(!containAlphabets(document.regform.userName.value))
    {
        alert("Please Enter only alphabets for name field");
    }
    if(!validateLength(document.regform.passwordField.value))
    {
        alert("Please Enter minimum 6 characters for password");
    }
    if(!validateEmail(document.regform.email.value))
    {
        alert("Please Enter email");
    }
    if(!validatePhoneNumber(document.regform.phone.value))
    {
        alert("Please Enter valid phone number");
    }
    if(!validatePhoneNoLength(document.regform.phone.value))
    {
        alert("Please Enter 10 digit phone number");
    }
}

functioncheckName()
{
    if(!containAlphabets(document.regform.userName.value))
    {

```

```

        alert("Please Enter only alphabets for name field");
        document.regform.userName.value="";
        document.regform.userName.focus();
    }
    else
    if(!validateNameLength(document.regform.userName.value))
    {
        alert("Please Enter atleast 6 characters for name field");
        document.regform.userName.focus();
    }
}
functioncheckPassword()
{
    if(validatePasswordLength(document.regform.passwordField.value))
    {
        alert("Please Enter minimum 6 characters for password");
        document.regform.passwordField.value="";
        document.regform.passwordField.focus();
    }
}
functioncheckEmail()
{
    if(validateEmail(document.regform.email.value))
    {
        //alert("Please Enter only valid Email ID");
        //document.regform.email.value="";
        document.regform.email.focus();
    }
}
functioncheckPhone()
{
    if(validatePhoneNumber(document.regform.phone.value))
    {
        alert("Please Enter valid phone number");
        document.regform.phone.value="";
        document.regform.phone.focus();
    }else
    if(validatePhoneNoLength(document.regform.phone.value))
    {
        alert("Please Enter 10 digit phone number");
        document.regform.phone.focus();
    }
}
</script>
</head>
<body>
<h1>Registration Here</h1>
<form name="regform">
    Name:
    <input type="text" name="userName" />
    <br />
    Password:
    <input type="password" name="passwordField" onFocus="checkName()" />
    <br />
    Email:
    <input type="text" name="email" onFocus="checkPassword()" />
    <br />

```

phone:
<input type="text" maxlength="10" name="phone" onFocus="checkEmail()" />

Gender:
<input type="radio" name="gender" value="male" onFocus="checkPhone()" />
Male
<input type="radio" name="gender" value="female" onFocus="checkPhone()" />
Female

Date of Birth: Day
<select name="dd" style="width:75px" >
<option value="1">1</option>
<option value="2">2</option>
<option value="3">3</option>
<option value="4">4</option>
<option value="5">5</option>
<option value="6">6</option>
<option value="7">7</option>
<option value="8">8</option>
<option value="9">9</option>
<option value="10">10</option>
<option value="11">11</option>
<option value="12">12</option>
<option value="13">13</option>
<option value="14">14</option>
<option value="15">15</option>
<option value="16">16</option>
<option value="17">17</option>
<option value="18">18</option>
<option value="19">19</option>
<option value="20">20</option>
<option value="21">21</option>
<option value="22">22</option>
<option value="23">23</option>
<option value="24">24</option>
<option value="25">25</option>
<option value="26">26</option>
<option value="27">27</option>
<option value="28">28</option>
<option value="29">29</option>
<option value="30">30</option>
<option value="31">31</option>
</select>

Month
<select name="mm" style="width:75px">
<option value="1">January</option>
<option value="2">February</option>
<option value="3">March</option>
<option value="4">April</option>
<option value="5">May</option>
<option value="6">June</option>
<option value="7">July</option>
<option value="8">August</option>
<option value="9">September</option>
<option value="10">October</option>
<option value="11">November</option>
<option value="12">December</option>
</select>

Year

```
<select name="yy" style="width:75px">
<option value="2000">2000</option>
<option value="2001">2001</option>
<option value="2002">2002</option>
<option value="2003">2003</option>
<option value="2004">2004</option>
<option value="2005">2005</option>
<option value="2006">2006</option>
<option value="2007">2007</option>
<option value="2008">2008</option>
<option value="2009">2009</option>
<option value="2010">2010</option>
<option value="2011">2011</option>
<option value="2012">2012</option>
<option value="2013">2013</option>
</select>
```


Languages Known:

```
<input type="checkbox" name="language" value="english" />
English
<input type="checkbox" name="language" value="hindi" />
Hindi
<input type="checkbox" name="language" value="telugu" />
Telugu
<input type="checkbox" name="language" value="tamil" />
Tamil<br>
```

Address:

```
<textarea rows="5" cols="20"></textarea>
```



```
<input type="submit" value="Submit" onFocus=validate() />
```



```
<input type="reset" value="Reset" />
```

</form>

</body>

</html>

Output

The screenshot shows a Mozilla Firefox browser window with the title "Registration Page". The address bar displays "file:///D:/IVCSEWT/week3/registration.html". The page content is a registration form. It includes fields for Name, Password, Email, and Phone. There are gender options (Male, Female) and date selection dropdowns for Day (1), Month (Jan), and Year (2000). A section for "Languages Known" contains three checkboxes: English, Hindi, and Telugu, with Telugu being checked. Below the form is a large "Address:" input field and two buttons: "Submit" and "Reset". At the bottom of the browser window, there is a "Done" button.

Registration Page - Mozilla Firefox

file:///E:/College...eek1&2/index.html x Registration Page x +

Name: Ramu
Password: ***
Email: #\$%"#
phone: #\$%"\$^
Gender: Male Female
Date of Birth Day: 1 Month: Jan Year: 2000 Languages Known: English Hindi Telugu
Address:
Address:
Submit Reset

[JavaScript Application]
⚠ Please Enter minimum 6 characters for password
OK

Done

AM 9:28
20-09-2012

Registration Page – Password Validation

Registration Page - Mozilla Firefox

file:///E:/College...eek1&2/index.html x Registration Page x +

Name: Ramu
Password: ***
Email: #\$%"#
phone: #\$%"\$^
Gender: Male Female
Date of Birth Day: 1 Month: Jan Year: 2000 Languages Known: English Hindi Telugu
Address:
Address:
Submit Reset

[JavaScript Application]
⚠ Please Enter email
OK

Done

AM 9:28
20-09-2012

Registration Page – Email Validation

Registration Page - Mozilla Firefox

Name: Ramu
Password: ***
Email: #\$%^#
phone: #\$%^\$^
Gender: Male Female
Date of Birth: Day 1 Month Jan Year 2000 Languages Known: English Hindi Telugu
Address:
Address: _____

Submit Reset

[JavaScript Application]
Please Enter valid phone number
OK

Done

Registration Page – Phone Number Validation

Registration Page - Mozilla Firefox


Name: Ramu
Password: ***
Email: #\$%^#
phone: #\$%^\$^
Gender: Male Female
Date of Birth: Day 1 Month Jan Year 2000 Languages Known: English Hindi Telugu
Address:
Address: _____

Submit Reset

[JavaScript Application]
Please Enter 10 digit phone number
OK

Done

Registration Page – Phone Number Validation



Registration Page – After Validation if any errors then automatically go to empty registration page

Execution Procedure

Step1: type the html program in notepad or any text editor and save .html format.

Step2: open web browser and open .html.

Viva-Questions

EXP NO: 5

Aim:

Design a web page using jQuery to demonstrate

- i. Hide, show, fading and sliding effects.
- ii. Keyboard, mouse and form events


Description

Hiding of elements

```
<html>
<head>
<script src="http://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
    $("#b1").click(function(){
        $("img").hide(1000);
    });
    $("#b2").click(function(){
        $("img").show("slow");
    });
    $("#b3").click(function(){
        $("img").toggle("fast");
    });
});
</script>
</head>
<body>

<button id="b1"> Hide </button>
<button id="b2"> Show </button>
<button id="b3"> Toggle </button>
</body>
</html>
```

Output:



Fading effects:

```
<html>
<head>
```

```

<script src="http://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
    $("#b1").click(function(){
        $("img").fadeOut(1000);
    });
    $("#b2").click(function(){
        $("img").fadeIn("slow");
    });
    $("#b3").click(function(){
        $("img").fadeToggle("fast");
    });
    $("#b4").click(function(){
        $("img").fadeTo("slow",0.3);
    });
});
</script>
</head>
<body>


```

Output:



Sliding effects:

```

<html>
<head>
<script src="http://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
</script>
<script>
$(document).ready(function(){
    $("#b1").click(function(){
        $("h1").slideUp(1000);
    });
    $("#b2").click(function(){
        $("h1").slideDown("slow");
    });
    $("#b3").click(function(){
        $("h1").slideToggle("fast");
    });
});

```

```

});
</script>
</head>
<body>
<h1 style="background-color:orange">Click on the button to see sliding effect</h1>
<button id="b1"> Slide up </button>
<button id="b2"> Slide down </button>
<button id="b3"> Slide Toggle </button>
</body>
</html>

```

Output:



ii. Keyboard, mouse and form events

Keyboard-Events


```

<html>
<head>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
</script>
<script>
$(document).ready(function()
{
    $("input").keydown(function()
    {
        $(this).css("background-color","yellow");
    });
    $("input").keyup(function()
    {
        $(this).css("background-color","pink");
    });
})
</script>
</head>
<body>
<form method="post">
Enter name:<input type="text" name="t1"><br>
</form>

```

```
</body>  
</html>
```

Output:



Mouse-Events

```
<html>  
<head>  
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">  
</script>  
<script>  
$(document).ready(function()  
{  
    $("#i1").mouseenter(function()  
    {  
        $("#i1").css("background-color","yellow");  
    });  
    $("#i1").mouseout(function()  
    {  
        $("#i1").css("background-color","pink");  
    });  
    $("#i2").mousedown(function()  
    {  
        $("#i2").css("background-color","blue");  
    });  
    $("#i2").mouseup(function()  
    {  
        $("#i2").css("background-color","green");  
    });  
    $("#i3").mouseover(function()  
    {  
        alert("cursor is over this heading");  
    });  
});  
</script>  
</head>  
<body>  
<h1 id="i1">Mouse Cursor over this heading 1 to trigger mouse events</h1>  
<h1 id="i2">Mouse Cursor over this heading 2 to trigger mouse events</h1>  
<h1 id="i3">Mouse Cursor over this heading 3 to trigger mouse events</h1>  
</body>
```

```
</html>
```


Output:



Mouse Cursor over this heading 1 to trigger mouse events

Mouse Cursor over this heading 2 to trigger mouse events

Mouse Cursor over this heading 3 to trigger mouse events



Mouse Cursor over this heading 2 to trigger mouse events

Mouse Cursor over this heading 3 to trigger mouse events

Form-Events

```
<html>
<head>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
</script>
<script>
    $(document).ready(function()
    {
        $("form").submit(function()
        {
            alert("Form is submitted");
        });
        $("input").focus(function()
        {
            $(this).css("background-color","yellow");
        });
        $("input").blur(function()
        {
            $(this).css("background-color","pink");
        });
        $("input").change(function()
        {
            alert("Text is changed");
        });
        $("input").select(function()
        {
            alert("Text is selected");
        });
    });
</script>
</head>
<body>
<form method="post">
Enter name: <input type="text" name="t1"><br>
```

```
Enter password:<input type="password" name="t2"><br>
<button type="submit">Submit</button>
</form>
</body>
</html>
```

Output:

The screenshot shows a simple HTML form titled "formevents.html". It contains two input fields: one for "Enter name:" and one for "Enter password:". Below the password field is a "Submit" button.

The screenshot shows the same form after input. The "Enter name:" field now contains "surendra". The "Enter password:" field contains several dots, indicating masked input. The "Submit" button is visible below the password field.

The screenshot shows the browser window again. A modal alert dialog box is displayed in the center. The dialog box has a dark background and contains the text "This page says" followed by "Form is submitted". In the bottom right corner of the dialog box is an "OK" button.

Execution Procedure

Step1: type the html program in notepad or any text editor and save .html format.

Step2: open web browser and open .html.

Viva-Questions

EXP NO: 6

AIM:

- i. Write a PHP program to validate the fields of the login page.
- ii. Write a PHP program to validate the fields of the Registration page

DESCRIPTION:

This PHP login application uses MySQL database to store user information and all the input parameters are validated with javascript. This PHP login page using MySQL database connections contains PHP 7.0 methods only. Many methods like mysql_real_escape_string(), mysql_query(),

`mysql_num_rows()`, `mysql_connect()`, `mysql_select_db()`, `mysql_close()` were deprecated in PHP 5 and removed from the latest version of PHP i.e. PHP 7.0.

ALGORITHM:

LoginForm.php

Step 1:-Open the html tag and the title as `LoginForm.php`.

Step 2:-Declare the `validate()` function.

Step 3:-Design login form with username, password, submit and reset values.

Step 4:-if anyone not enter user name or password it shows alert message.

Step 5:-close the html tag.

Login.php

Step 1:-Open the html and body tag.

Step 2:-Open the MYSQL database connection.

Step 3:-if the `$_SERVER['REQUEST_METHOD'] == 'POST'` then

Step 4:-enter user name and password

Step 5:-check the user name and password is valid or not

Step 6:-if valid then display the login page

Step 7:-otherwise it shows incorrect username and password.

Step 8:-close body and html tags.

PROGRAM:

Login.html :

```
<html>
<body bgcolor=azure>
<form name="LoginForm" action="Validate.php" method="post">
<fieldset>
<legend align=center><h2>Login Here</h2></legend>
<table cellpadding=5 align=center>
<tr>
<td>User Name</td>
<td> :</td>
<td><input type="text" name="t1" class="textbox" placeholder="Only Characters" /></td>
</tr>
<tr>
<td> Password </td>
<td> :</td>
<td><input type="Password" name="t2" class="textbox" placeholder="Max 15 characters"/></td>
</tr>
<tr>
<td ><input type="submit" class="button button1" value="LOGIN" /></td>
<td><input type="reset" class="button button1" value="RESET" /></td>
</tr>
</table>
</form>
</body>
</html>
```

Output :

Login Here

User Name :

Password :

Login Here

User Name :

Password :

Login Here

Please Enter UserName Format

Login Here

User Name :

Password :

All Details are valid

Registration.html :

```
<html>
<body bgcolor=azure>
<form name="RegistrationPage" action="Validate2.php" method="post">
<fieldset>
<legend align=center><h2>REGISTER HERE</h2></legend>
<table cellpadding=5 align=center>
<tr>
<td>First Name</td>
<td>:</td>
<td><input type="text" name="t1" class ="textbox" placeholder="Only Characters" /></td>
</tr>
<tr>
<td>LastName</td>
<td>:</td>
<td><input type="text" name="t2" class ="textbox" placeholder="only characters"/></td>
</tr>
<tr>
```

```

<td> Password</td>
<td> :</td>
<td><input type="Password" name="t3" class ="textbox" placeholder="Max 15 characters"/></td>
</tr>
<tr>
<td>Contact Number</td>
<td> :</td>
<td><input type="text" name="t4" class ="textbox" placeholder="Without country code" max=10/></td>
</tr>
<tr>
<td>Email Address</td>
<td> :</td>
<td><input type="text" name="t5" class ="textbox" placeholder="Mail ID" max=35/></td>
</tr>
<tr>
<td>Address</td>
<td> :</td>
<td>
<textarea name="t6" class ="textbox" rows=5 cols=50 >
</textarea>
</td>
</tr>
<tr>
<td>Gender</td>
<td> :</td>
<td><input type="radio" name="gender" value="male" checked> Male<br>
<input type="radio" name="gender" value="female"> Female<br>
<input type="radio" name="gender" value="other"> Other
</td>
</tr>
<tr>
<td><input type="submit" class="button button1" value="REGISTER" /></td>
<td><input type="reset" class="button button1" value="RESET" /></td>
</tr>
</table>
</form>
</body>
</html>

```

Output :

REGISTER HERE

First Name :	<input type="text" value="surendra"/>
LastName :	<input type="text" value="penneru"/>
Password :	<input type="password" value="....."/>
Contact Number :	<input type="text" value="9392986693"/>
Email Address :	<input type="text" value="pnsurendrababu@gmail.co"/>
Address :	<input type="text" value="vadlamannadu"/>
Gender :	<input checked="" type="radio"/> Male <input type="radio"/> Female <input type="radio"/> Other
<input type="button" value="REGISTER"/> <input type="button" value="RESET"/>	

All details are valid

REGISTER HERE

First Name :	<input type="text" value="surendra"/>
Last Name :	<input type="text" value="penneru"/>
Password :	<input type="password" value="*****"/>
Contact Number :	<input type="text" value="9392986"/>
Email Address :	<input type="text" value="pnsurendrababu@gmail.co"/>
Address :	<input type="text" value="vadlamannadu"/>
Gender :	<input checked="" type="radio"/> Male <input type="radio"/> Female <input type="radio"/> Other
<input type="button" value="REGISTER"/> <input type="button" value="RESET"/>	

Please Enter Mobile in Given Format

Validate.php

```
<?php
$user=$_POST['t1'];
$pwd=$_POST['t2'];
$uname_pat='/^[a-zA-Z0-9 ]{5,13}$/';
$pwd_pat='/^[a-zA-Z0-9@$& ]{5,13}$/';
$flag=true;
if(empty($user)) {
$flag=false;
echo "PLEASE Enter the user name ";
}
else if(empty($pwd)) {
$flag=false;
echo "PLEASE Enter the password ";
}
else if(preg_match($uname_pat,$user)==false) {
$flag=false;
echo "Please Enter UserName Format";
}
else if(preg_match($pwd_pat,$pwd)==false) {
$flag=false;
echo "Please Enter Password Format";
}
else if($flag==true) {
echo "All Details are valid";
}
?>
```

Validate2.php

```
<?php
$fn=$_POST['t1'];
$ln=$_POST['t2'];
$pwd=$_POST['t3'];
$mob=$_POST['t4'];
```

```
$mail=$_POST['t5'];
$fn_pat='^[a-zA-Z][a-zA-Z0-9 ]{5,30}$';
$ln_pat='^[a-zA-Z][a-zA-Z0-9]{5,30}$';
$pwd_pat='^[a-zA-Z0-9@$& ]{5,20}$';
$mob_pat='^\d{10}$';
$mail_pat='^([A-Za-z0-9]+@[A-Za-z]+\.[A-Za-z]{2,4})$';
$flag=true;
if(empty($fn)) {
$flag=false;
echo "Enter the First name PLEASE";
}
else if(empty($ln)) {
$flag=false;
echo "Enter the Last PLEASE";
}
else if(empty($pwd)) {
$flag=false;
echo "Enter the password PLEASE";
}
else if(empty($mob)) {
$flag=false;
echo "Enter the Mobile Number PLEASE";
}
else if(empty($mail)) {
$flag=false;
echo "Enter the E-Mail PLEASE";
}
else if(preg_match($fn_pat,$fn)==false) {
$flag=false;
echo "Please Enter First Name in Given Format";
}
else if(preg_match($ln_pat,$ln)==false) {
$flag=false;
echo "Please Enter Last Name in Given Format";
}
else if(preg_match($pwd_pat,$pwd)==false) {
$flag=false;
echo "Please Enter Password in Given Format";
}
else if(preg_match($mob_pat,$mob)==false) {
$flag=false;
echo "Please Enter Mobile in Given Format";
}
else if(preg_match($mail_pat,$mail)==false) {
$flag=false;
echo "Please Enter Mail in Given Format";
}
else if($flag==true) {
echo "All details are valid";
}
?>
```

EXP NO: 7

AIM

Install a database and design a Web application using JSP:

- i. To connect to the database using JDBC.
- ii. Create new tables.
- iii. Insert the details of the users who register through the registration page of the online book store web site in to the database.
- iv. Retrieve and display data related to books stored in the tables to the user.

DESCRIPTION

Source Code:

- ❖ **To connect to the database using JDBC.**

Database.jsp:

```
<%@page import="java.sql.*"%>
<%
try{
    Class.forName("oracle.jdbc.driver.OracleDriver");
    out.println("Class will loaded");
Connection
con=DriverManager.getConnection("jdbc:Oracle:thin:@localhost:1521:xe","SYSTEM","manager");
out.println("database connected");
}
catch(Exception e)
{
    out.println(e);
}
%>
```

Output:



Class will loaded database connected

- ❖ **Create new tables.**

Bookstore.jsp:

```
<%@page import="java.sql.*"%>
```

```
<%
try{
    Class.forName("oracle.jdbc.driver.OracleDriver");
    out.println("Class will loaded");
Connection
con=DriverManager.getConnection("jdbc:Oracle:thin:@localhost:1521:xe","SYSTEM","manager");
out.println("database connected");
Statement st=con.createStatement();
ResultSet rs=st.executeQuery("create table bookstore(title varchar(30),author
varchar(20),publication varchar(20),price varchar(5))");
out.println("Create table successfully");
}
catch(Exception e)
{
    out.println(e);
}
%>
```

Output:

Gmail YouTube Maps

Class will loaded database connected Create table successfully

- ❖ **Insert the details of the users who registered through the registration page of the online book store web site into the database.**

Bookstoremain.jsp

```
<html>
<body bgcolor="cyan">
<h2 align="center">Book-Details</h2>
<center>
<form name="f1" action="insert.jsp">
<table border="1">

<tr>
<td><label>Book-Title</label></td>
<td><input type="text" name="bt"></td>
</tr>

<tr>
<td><label>Author-Name</label></td>
<td><input type="text" name="an"></td>
</tr>

<tr>
<td><label>Publisher-Details</label></td>
<td><input type="text" name="pd"></td>
</tr>

<tr>
<td><label>Price</label></td>
<td><input type="text" name="price"></td>
</tr>

<tr>
<td><input type="submit" value="Store"></td>
<td><input type="reset" value="Clear"></td>
</tr>
</table>
</form>
</center>
</body>
</html>
```

Insert.jsp:

```
<%@ page language="java" contentType="text/html"%>
<%@page import="java.sql.* , java.util.*"%>
<%
```

```

String title=request.getParameter("bt");
String author=request.getParameter("an");
String publisher=request.getParameter("pd");
String price=request.getParameter("price");
try
{
Class.forName("oracle.jdbc.driver.OracleDriver");
Connection conn =
    DriverManager.getConnection
        ("jdbc:oracle:thin:@localhost:1521:xe", "system","manager");
Statement stmt = conn.createStatement();

int i=stmt.executeUpdate("insert into bookstore
values(""+title+"','"+author+"','"+publisher+"','"+price+')");
out.println("Data is successfully inserted!");
}
catch(Exception e)
{
System.out.print(e);
e.printStackTrace();
}
%>

```

Output:

The screenshot shows a Java web application window titled "Book-Details". The window has a light blue header bar with standard operating system icons (Gmail, YouTube, Maps) on the left. The main content area has a white background with a teal border. At the top center, the title "Book-Details" is displayed in a bold, black font. Below the title is a horizontal table with four rows. The first three rows have a light blue background color. The fourth row has a white background color and contains two buttons: "Store" on the left and "Clear" on the right. The table columns are labeled "Book-Title", "Author-Name", "Publisher-Details", and "Price". Each label is positioned above its corresponding input field.

Book-Title	
Author-Name	
Publisher-Details	
Price	
<input type="button" value="Store"/>	<input type="button" value="Clear"/>

Book-Details

Book-Title	HTML 5 Black Book
Author-Name	DT Editorial
Publisher-Details	Dreamteck
Price	799
<input type="button" value="Store"/>	<input type="button" value="Clear"/>

Data is successfully inserted!

- ❖ Retrieve and display data related to books stored in the tables to the user.

Display.jsp:

```
<%@page import="java.sql.*" %>
<%
try
{
    Class.forName("oracle.jdbc.driver.OracleDriver");
    out.println("Registered the JDBC driver");
    Connection conn =
        DriverManager.getConnection
        ("jdbc:oracle:thin:@localhost:1521:xe", "system", "manager");
    out.println("<br>Connection Established");
    Statement stmt = conn.createStatement();
    out.println("<br>Statement created");
    ResultSet rset = stmt.executeQuery ("SELECT * FROM bookstore");
    out.println("<table border=1 align=center
font=red><tr><td>Title</td><td>Author</td><td>Publisher</td><td>Price</td></tr>");
    while(rset.next())
        out.println("<tr><td>" +rset.getString(1) + "</td><td>" +rset.getString(2) + "</td><td>" +rset.
getString(3) + "</td><td>" +rset.getString(4) + "</td></tr>");
    out.println("</table>");
}
catch (Exception e)
{
    out.println(e);
    e.printStackTrace();
}
%>
```

Output:

Title	Author	Publisher	Price
HTML 5 Black Book	null	null	null
HTML 5 Black Book	DT Editorial	Dreamteck	799
HTML 5 Black Book	DT Editorial	Dreamteck	799

EXP NO: 8

AIM: Create a user authentication application using JSP where the user submits login name and password to the server through form. The name and password are verified against the data already available in the database and if there is a match, a welcome page is returned. Otherwise a failure message is displayed to the user.

Step1: Create a user1 table in Oracle database

The screenshot shows the Oracle Database Express Edition SQL Commands interface. The URL is 127.0.0.1:8081/apex/f?p=4500:1003:2084296478152500::NO:::. The SQL command window contains the following code:

```
desc user1;
insert into user1(uname,password) values('CSE_C','123456');
insert into user1(uname,password) values('GEC','09876');
select * from user1;
```

The results section shows a table with two rows:

UNAME	PASSWORD
CSE_C	123456
GEC	09876

2 rows returned in 0.00 seconds [CSV Export](#)

Step2: creation of login form using html

Program:

```
<html>
<table align="center">
<form action="loginverification.jsp" method="get">
<tr>
<td><label>Enter user name</td>
<td><input type="text" name="t">
</tr>
<tr>
<td><label>Enter password</td>
<td><input type="password" name="p">
</tr>
<tr>
<td colspan="2" align="center"><input type="submit" value="submit"></td>
</tr>
</form>
</table>
</html>
```

Output:

A screenshot of a web browser window. The address bar shows the URL `localhost:4040/CSE-C/ex8/users.jsp`. The page content is a simple login form. It contains two text input fields: one for 'Enter user name' and one for 'Enter password'. Below these fields is a single button labeled 'submit'.


Step3:Login verification

Program:

```
<%@page import="java.sql.*"%>
<%
try
{
String uname=request.getParameter("t");
String pwd=request.getParameter("p");

Connection con=null;
Statement stmt=null;
ResultSet rs=null;
Class.forName("oracle.jdbc.driver.OracleDriver");
con=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","manager");
stmt=con.createStatement();
rs=stmt.executeQuery("select * from user1");
//out.println(uname);
//out.println(pwd);
while(rs.next())
{
String uname1=rs.getString("uname");
String pwd1=rs.getString("password");
if((uname1).equals(uname))
{
if(pwd1.equals(pwd)){
session.setAttribute("uname",uname);
response.sendRedirect("welcome.jsp");
}
}
}
response.sendRedirect("failure.jsp");
}
catch(Exception e)
{
out.println("exception"+e);
}
%>
```

Output:



A screenshot of a web browser window. The address bar shows the URL `localhost:4040/CSE-C/ex8/users.jsp`. The page contains a form with two text input fields: "Enter user name" containing "CSE_C" and "Enter password" containing ".....". Below the inputs is a "submit" button.

Step4: If the credentials are matched then welcome page is displayed

Program:

```
<html>
<title>welcome message
</title>
<body bgcolor="white">
<%
String uname=(String)session.getAttribute("uname");
%>
<center>
<hr><b>
<h2>congrats...
<font color="red"></font>
you are in home page of this site
</h2></b>
</center>
<hr>
</body>
</html>
```

Output:



A screenshot of a web browser window. The address bar shows the URL `localhost:4040/CSE-C/ex8/welcome.jsp`. The page displays the text "congrats... you are in home page of this site" in bold black font.


Step5: If credentials are not matched then failure page is displayed

Program:

```
<html>
<head>
<title>Failure message</title>
</head>
<body bgcolor="white">
<center><h2><b><hr>
Invalid username or password please verify that
</b></h2>
```

```
<hr><a href="user1.jsp"><b>Try Again</b></a>
</center>
</body>
</html>
```

Output:



A screenshot of a web browser window titled "localhost:4040/CSE-C/ex8/users.jsp". The address bar also shows "localhost:4040/CSE-C/ex8/users.jsp". The page contains a form with two text input fields and one button. The first field is labeled "Enter user name" and contains the value "CSE gec". The second field is labeled "Enter password" and contains the value ".....". Below the fields is a "submit" button.

Enter user name	CSE gec
Enter password
<input type="button" value="submit"/>	

EXP NO: 9

AIM:

Design a Web application using PHP:

- i. To connect to the MySQL database.
- ii. Create new tables.
- iii. Insert the details of the users who register through the registration page of the online book store web site in to the database.
- iv. Retrieve and display data related to books stored in the tables to the user.

ConnectingtoLocalhost:

Conn.php:

```
<?php
$servername="localhost";
$username="root";
$password="";
$conn=mysqli_connect($servername,$username,$password);
if(!$conn)
{
die("connection failed:".mysqli_connect_error());
}
echo("Connected Successfully");
?>
```

Output:



Database.php:

```
<?php
$servername="localhost";
$username="root";
$password="";
$conn=mysqli_connect($servername,$username,$password);
if(!$conn)
{
die("connection failed:".mysqli_connect_error());
}
$sql="CREATE DATABASE 20481a05i3";
if(mysqli_query($conn,$sql))
{
echo "Database created successfully";
}
else
{
echo "Error creating Database";
```

```
mysqli_error($conn);
}
mysqli_close($conn);
?>
```

Output:



Database created Successfully

table.php:

```
<?php
$servername="localhost";
$username="root";
$password="";
$dbname="20481a05i3";
$conn=mysqli_connect($servername,$username,$password,$dbname);if(!$conn)
{
die("connection failed:".mysqli_connect_error());
}
$sql="CREATE TABLE student(sno varchar(20), sname varchar(20),addr
varchar(20));if(mysqli_query($conn,$sql))
{
echo"Table created successfully";
}
else
{
echo"Error creating Table";mysqli_error($conn);
}
mysqli_close($conn);
?>
```

Output:



Table created Successfully

Bookstore.php:

```
<html>
<bodybgcolor="cyan">
<h2align="center">Book-Details</h2>
<center>
<formname="f1"action="bookstoreinsert.php"method="post">
<tableborder="1">
```

```

<tr>
<td><label>Book-Title</label></td>
<td><input type="text" name="bt"></td>
</tr>

<tr>
<td><label>Author-Name</label></td>
<td><input type="text" name="an"></td>
</tr>

<tr>
<td><label>Publisher-Details</label></td>
<td><input type="text" name="pd"></td>
</tr>

<tr>
<td><label>Price</label></td>
<td><input type="text" name="price"></td>
</tr>

<tr>
<td><input type="submit" value="Store"></td>
<td><input type="reset" value="Clear"></td>
</tr>
</table>
</form>
</center>
</body>
</html>

```

Output:

The screenshot shows a web browser window with the URL localhost/20481a05i3/bookstore.php. The page title is "Book-Details". Below the title is a form with four input fields: "Book-Title", "Author-Name", "Publisher-Details", and "Price". At the bottom of the form are two buttons: "Store" and "Clear".

Book-Title	
Author-Name	
Publisher-Details	
Price	
Store	Clear

bookstoreinsert.php:

```

<?php
/* Attempt MySQL server connection. Assuming you are running
MySQLserver with default setting(user'root' with no password)*/
$link=mysqli_connect("localhost","root","","bookstore");

// Check connection
if($link==
=false){
    die("ERROR: Could not connect.".mysqli_connect_error());
}

```

```

}


//Escape user inputs for security
$title = $_POST['bt'];
$author = $_POST['an'];
$pub = $_POST['pd'];
$price = $_POST['price'];

// Attempt insert query execution
$sql = "INSERT INTO book VALUES ('$title', '$author',
'$pub', '$price')"; if(mysqli_query($link, $sql)){
    echo "Records added successfully.";
} else{
    echo "ERROR: Could not able to execute $sql.".mysqli_error($link);
}

// Close connection mysqli_close($link);
?>

```

Output:



Book-Details

Book-Title	sp-book
Author-Name	Surendra
Publisher-Details	pvpk publications
Price	3456
Store	Clear



Bookstoredisplay.php:

```

<?php
$servername="localhost";
$username="root";
$password="";
$dbname="bookstore";
$conn=mysqli_connect($servername,$username,$password,$dbname);
if(!$conn)
{
die("connection failed:".mysqli_connect_error());
}
echo "<h1 align=center><font color=red>Book-Store-Details</font></h1>";

```

```

$res=mysqli_query($conn,"select* frombook");
echo "<table cellpadding=7 border=2 align=center><tr>
<th>Title</th>
<th>Author</th><th>Publication</th>
<th>Price</th>
</tr>";while($temp=mysqli_fetch_array($res))
{
    echo
"<tr><td>".$temp['title']."</td><td>".$temp['author']."</td><td>".$temp['publication']."</td><td>".$temp['price']."</td></tr>";
}
echo "</center>";
;

mysqli_close($conn);
?>

```

Output:

The screenshot shows a browser window with two tabs open. The active tab is titled "localhost/20481a0513/bookstore" and displays the output of a PHP script. The page has a header "Book-Store-Details" and a table with the following data:

Title	Author	Publication	Price
sp-book	Surendra	pvpk publications	3456
Web Applications	Praveen	pvpk publications	456
Cyber Security	Mohan	pvpk publications	567

EXP NO: 10

AIM:


Create a user authentication application using PHP where the user submits login name and password to the server through form. The name and password are verified against the data already available in the database.

- i. On successful authentication, display welcome message to the user and create a new session. Otherwise display a failure message to the user

User1.php :

```
<html>
<body bgcolor="aqua">
<h1 align="center"><font color="red">Login-Form</font></h1>
<table align="center" border="1">
<form action="loginverification2.php" method="post">
<tr>
<td><label>User Name</td>
<td><input type="text" name="t">
</tr>
<tr>
<td><label>Password</td>
<td><input type="password" name="p">
</tr>
<tr>
<td ><input type="submit" value="Login"></td>
<td><input type="reset" value="Clear"></td>
</tr>
</form>
</table>
</body>
</html>
```


Output :



Welcome.php :

```
<html>
<title>welcome message
</title>
<body bgcolor="white">
<center>
<hr><b>
<h2>congrats...
<font color="red"></font>
you are in home page of this site
</h2></b>
</center>
<hr>
</body>
</html>
```

Output :



Login-Form

User Name	Surendra
Password
Login	Clear



congrats... you are in home page of this site

Failure.php :


```
<html>
<head>
<title>Failure message</title>
</head>
<body bgcolor="white">
```

Output :



Login-Form

User Name	Sundara
Password	*****
Login	Clear



[Try Again](#)

Verification.php



EXP NO: 11

AIM:

```
import React from "react";

const App = () => {
  return (
    <button onClick={() => alert("Hello!")}>Say Hello</button>
  );
};

export default App;
```




Custom components and events in React

```
import React from "react";
```

```
const CustomButton = ({ onPress }) => {
  return (
    <button type="button" onClick={onPress}>
      Click on me
    </button>
  );
};

const App = () => {
  const handleEvent = () => {
    alert("I was clicked");
  };
  return <CustomButton onPress={handleEvent} />;
};
export default App;
```




Update the state inside an `onClick` event handler

```
import React, { useState } from "react";


const App = () => {
  const [count, setCount] = useState(0);
  return (
    <button onClick={() => setCount(count + 1)}>
      Click me
    </button>
  );
};
export default App;
```

```
<div>
  <p>{count}</p>
  <button onClick={() => setCount(count + 1)}>Increment</button>
  <button onClick={() => setCount(count - 1)}>Decrement</button>
</div>
);
};


export default App;
```



0



4



2




Call multiple functions in an **onClick** event handler

```
import React, { useState } from "react";

const App = () => {
  const [count, setCount] = useState(0);
  const sayHello = () => {
    alert("Hello!");
  };

  return (
    <div>
      <p>{count}</p>
      <button
        onClick={() => {
          sayHello();
          setCount(count + 1);
        }}
      >
        Say Hello and Increment
      </button>
    </div>
  );
};

export default App;
```



4

Say Hello and Increment

Pass a parameter to an **onClick** event handler

```
import React from "react";

const App = () => {
  const sayHello = (name) => {
    alert(`Hello, ${name}!`);
  };

  return (
    <button
      onClick={() => {
```

```
        sayHello("React JS");
    }
  >
  Say Hello
</button>
);
};

export default App;
```

ADD.EXP1:

AIM: Design a web page to show course Time Table using Table tag.

HTML CODE:

```
<html>
<head>
<style>
h2.b{
    color:white;
    font-style:normal;
    font-weight:bold;
}
h1.big{
    writing-mode:vertical-lr;
    color:red;
}
h1.d{
    background-image:url("images.jpg");
    background-repeat:"repeat";
}
div.a{
    line-height:0.1;
}
div.b{
    line-height:0.2;
}
body {
    background-image:url("w.jpg");
    background-position:bottom;
}
table,th,td{
```

```

        text-align:center;
        border-color:orange;
        border-style:red;
    }
    td.c {
        text-align: center;
    }
</style>
</head>
<body>
<center>
    <div class="a"><h2 class="b">GUDLAVALLERU ENGINEERING
COLLEGE</h2>
<h4 style="color:orange"><b>(An Autonomous Institute with permanent
Affiliation to JNUTUK,Kakinada)</b></h4>
        <h4 style="color:orange">Seshadri Rao Knowledge Village,
Gudlavalleru - 521356</h5></div>
<div class="b"><h2 style="color:orange"><b>Department of Computer Sceience
and Engineering</b></h2>
<h3 style="color:violet"><b>ACADEMIC YEAR 2020-21</b></h3></div>
</center>
<pre>
<font color="yellow"><h1 class="d"><marquee direction="right"
behaviour="alternate">TIME TABLE</marquee></h1></font>
</pre>
<div style="overflow-y:auto;">
<table align="center" bgcolor="azure" >
<center>
<tr>
    <TH rowspan="2">DAY</TH>
    <TH rowspan="2">ROOM NO</TH>
    <TH>9.00-9.50</TH>
    <th>9.50-10.40</th>
    <th>10.40-11.30</th>
    <th>11.30-12.20</th>
    <th>12.20-1.20</th>
    <th>1.20-2.10</th>
    <th>2.10-3.00</th>
    <th>3.00-3.50</th>
    <th>3.50-4.40</th>
</tr>
<tr>

```

```

<td class="c">1</td>
<td class="c">2</td>
<td class="c">3</td>
<td class="c">4</td>
<td colspan="1" rowspan="12"><h1 class="big">LUNCH</h1></td>
<td class="c">5</td>
<td class="c">6</td>
<td class="c">7</td>
<td class="c">8</td>
</tr>
<b>
<tr>
    <td>MON</td>
    <td class="c">324</td>
    <td colspan="2" bgcolor="lightseagreen" class="c">OE-2</td>
    <td class="c">WT</td>
    <td class="c">CD</td>
    <td class="c">OS</td>
    <td class="c">SE</td>
    <td class="c">ADS/AI</td>
    <td class="c">COUN</td>
</tr>
    <td rowspan="2" class="c">TUE</td>
    <td rowspan="2" class="c">324</td>
    <td rowspan="2" class="c">SE</td>
    <td rowspan="2" class="c">CD</td>
    <td rowspan="2" class="c">SE(T)</td>
    <td rowspan="2" class="c">CD</td>
    <td colspan="4" bgcolor="slateblue" class="c">PPT</td>
</tr>
    <td class="c">WT(RC)</td>
    <td class="c">CD(RC)</td>
    <td class="c">OS(RC)</td>
    <td class="c">LIB</td>
</tr>
<tr>
    <td rowspan="2" class="c">WED</td>
    <td rowspan="2" class="c">324</td>
    <td colspan="4" ROWSPAN="2" bgcolor="darkviolet" class="c">WT
LAB(M-332)</td>
    <td rowspan="2" class="c">ADS/AI</td>
    <td rowspan="2" class="c">WT(T)

```

PPT	
SE(RC)	Assoc
THU	
324	
GATE	
CLT	
WT	
OS	
CD(T)	
Club Activities	
WT	
OS	
CD/OS	
FRI	
324	
GATE	
ADS/AI	
WT(T)	
OS & CD LAB(M-301)	
OS(T)	
SE	
SAT	
324	
PPT practice(M-301)	
WT	
SE	
ADS/AI	

```

<td BGCOLOR="TOMATO" COLSPAN="2" class="c" rowspan="2">OE-  

2</td>
    <td BGCOLOR="TOMATO" class="c" rowspan="2"></td>
</tr>
<tr>
    <td class="c">CD</td>
    <td class="c">ADS/AI</td>
</tr>
</b>
</center>
</table>
</div>
</body>
</html>

```

OUTPUT:

Timetable.html

(An Autonomous Institute with permanent Affiliation to JNUTUK,Kakinada)
Seshadri Rao Knowledge Village, Gudlavalluru - 521356
Department of Information Technology
ACADEMIC YEAR 2019-20

TIME TABLE

DAY	ROOM NO	9.00-9.50	9.50-10.40	10.40-11.30	11.30-12.20	12.20-1.20	1.20-2.10	2.10-3.00	3.00-3.50	3.50-4.00
MON	324	OE-2		WT	CD					
TUE	324	SE	CD	SE(T)	CD					
WED	324	WT LAB(M-332)								
THU	324	WT	OS		CLT	CD/OS				
FRI	324	GATE								
SAT	324	OS(T)	SE	ADS/AI	WT(T)					
		PPT practice(M-301)								
		CD	ADS/AI	WT	SE					
						ADS/AI	OE-2			



ADD.EXP 2:

AIM: Create a web page to display India map which navigates you to state web page when you click on state.

```
<!DOCTYPE html>
<html>
<body>

<p>Click on the ANHRAPRADESH or on one of the STATE IN SOUTH INDIA to watch it closer:</p>



<map name="INDIA MAP">
<area shape="rect" coords="500,1009" alt="ANDHRAPRADESH" href="andhra_pradesh.htm">
<area shape="circle" coords="10.8505° N, 76.2711° E" alt="KERALA" href="kerala.htm">
<area shape="circle" coords="11.1271° N, 78.6569° E" alt="TAMILNADU" href="tamilnadu.htm">
<area shape="circle" coords="15.3173° N, 75.7139° E" alt="KARNATAKA" href="karnataka.htm">
</map>

</body>
</html>
```

OUTPUT:

