WHOLESALE COMMODITY DERIVATIVES / UNITED KINGDOM

RAW METALS AGGREGATE DEMAND & DERIVATIVES

Indicative prospectus and programme framework for benchmark-linked metal price risk transfer, physical procurement aggregation and institutional hedging.

Market reference date | 30 October 2026 LME official prices
Document date | 31 October 2026
Illustrative programme ceiling | US$1.0 billion equivalent gross reference notional
Initial term focus | 6 to 12 months

Prepared as an illustrative commercial and risk framework. Issuer identity, authorisations, final terms, benchmark licences, clearing arrangements and legal documentation remain to be appointed and verified.

01 / EXECUTIVE SUMMARY

A single framework for fragmented metal demand

This memorandum outlines a proposed wholesale programme that aggregates verified industrial metal procurement exposures and transfers the associated price risk through standardised, benchmark-linked derivatives. The commercial proposition is scale through aggregation: consolidate genuine demand across buyers and sectors, standardise reference pricing and hedge the net exposure in liquid or appropriately risk-managed markets.

> **Core principle**
>
> Aggregate documented end-user requirements to improve execution, netting and operational efficiency. Do not manufacture demand, count the same material twice, or treat derivative notional as physical metal consumption.

Programme at a glance

Item	Illustrative proposal
Programme format	Wholesale metal-price derivatives programme; series may be bilateral OTC, exchange-cleared or securities-linked only after legal classification.
Maximum aggregate reference notional	US$1.0bn equivalent across the six-metal reference universe; not a funding commitment or guaranteed issue size.
Initial launch	Pilot tranche up to US$100m equivalent, subject to verified customer flow, credit approval and hedge liquidity.
Eligible underlyings	Copper, aluminium, nickel, zinc, lead and tin; additional metals require separate benchmark, liquidity and basis due diligence.
Tenor	6-12 months as the principal commercial window; shorter-dated hedges may be used for pilot and roll management.
Reference and settlement	USD benchmark references anchored to LME Official Cash Settlement Prices and/or specified LME prompt-date prices; product-specific monthly averaging and fallback provisions.
Target counterparties	Professional clients, eligible counterparties, industrial consumers, producers, merchants and institutional investors, subject to permissions and onboarding.
Physical delivery	No physical delivery under the illustrative cash-settled products. Any delivery-linked series requires separate contract and warehouse/warrant arrangements.

Commercial rationale

Manufacturers need protection against input-cost inflation; producers need protection against falling realised prices; distributors need to manage inventory and working-capital volatility. A diversified book can reduce single-customer concentration and permit netting of opposing exposures. It does not remove market risk: the issuer must maintain liquidity, margin, counterparty limits and a documented hedge programme.


The proposed US$1.0bn ceiling is a worked design assumption for this exemplar. It is not supported by a named issuer balance sheet, signed orders, committed collateral or an underwriting agreement.

02 / RAW-METAL PRICE SCREEN

Reference prices and the nearby curve

The following screen reproduces the LME Official Cash offer and 3-month offer for the six principal non-ferrous metals on 30 October 2026. These are exchange reference points in US dollars per metric tonne, not delivered prices for a specific grade, location or buyer.

Metal	Cash offer US$/t	3-month offer US$/t	3M vs cash (%)	Curve indication
Aluminium	3,114	3,080	-1.09	Backwardation
Copper	14,449	14,250	-1.38	Backwardation
Zinc	3,955.50	3,890	-1.66	Backwardation
Nickel	15,240	15,425	+1.21	Contango
Lead	1,890	1,920	+1.59	Contango
Tin	48,795	48,700	-0.19	Near-flat / slight backwardation



Interpretation

Backwardation means the 3-month offer is below the cash offer in this screen; this can be consistent with stronger nearby availability value or a tight prompt market. **Contango** means the 3-month offer is above cash and may reflect financing, storage, insurance or other carry factors. The curve is a snapshot, not a forecast of future spot prices.

Important price distinction

LME cash references are not the all-in procurement cost for a UK or overseas manufacturer. Physical premiums, regional location, grade, treatment/refining charges, freight, duties, financing, insurance, taxes, delivery terms and FX can materially change a buyer's realised price.

Source: LME Official Prices, data valid 30 October 2026. Cash offer is the relevant official settlement price; 3-month offer is shown for curve comparison. Spread percentages are calculated as (3-month offer / cash offer - 1). See Sources [1]-[2].

03 / AGGREGATE DEMAND

From macroeconomic demand to verified tonnes

“Aggregate demand” has two different meanings in this programme and they should not be confused. In macroeconomics, aggregate demand is total planned expenditure in an economy: consumption, investment, government spending and net exports. In metals procurement, aggregate demand is the consolidated physical requirement for specific grades and delivery windows across verified customers.

Macroeconomic channel

Higher investment in grids, power generation, data centres, transport, housing and industrial plant can increase metal-intensive production. Weaker construction, vehicle output or manufacturing activity can reduce it. Interest rates, fiscal policy, exchange rates and energy prices influence the scale and timing of that activity.

Indicative end-use demand map

Demand pool	Metals most directly exposed	Transmission into procurement
Power grids, renewables and electrification	Copper, aluminium, zinc	Cables, transformers, busbars, conductors, structural components and galvanised supports.
Data centres and digital infrastructure	Copper, aluminium, steel inputs, tin	Power distribution, cooling, racks, wiring, electronics and backup systems.
Transport, vehicles and aerospace	Aluminium, copper, nickel, zinc, tin	Lightweight structures, motors, batteries, wiring, coatings and electronic systems.
Construction and industrial plant	Steel inputs, copper, aluminium, zinc, lead	Building envelope, reinforcement, mechanical systems, galvanising and industrial equipment.
Batteries and storage	Lead, nickel, copper, aluminium	Lead-acid systems, selected battery chemistries, current collectors and connection systems.
Electronics and solder	Tin, copper, nickel, gold/silver in specialist uses	Solder, connectors, printed circuit boards and precision components.

Demand aggregation method

1. Collect. Obtain customer forecasts by metal, grade, delivery location and month, with supporting purchase plans or production schedules.
2. Net. Deduct available inventory, committed deliveries, internal transfers and existing hedges; identify offsetting exposures without double-counting the same tonne.
3. Validate. Apply probability haircuts to forecast volumes and separate firm orders from uncertain pipeline demand.
4. Hedge. Set hedge ratios against the net unhedged exposure, then execute and monitor the corresponding derivative.
5. Reconcile. Reforecast regularly and reduce, roll or close positions when physical demand changes.

A practical exposure calculation is: net procurement requirement = forecast consumption + planned inventory build - unencumbered inventory - confirmed inbound supply. Hedge quantity = net procurement requirement × approved hedge ratio, adjusted for existing hedges and credit limits.

The aggregation model must not count the same metal as separate demand at mine, smelter, merchant, fabricator and final-user stages. The programme aggregates risk-transfer requirements, not gross supply-chain turnover.

04 / MARKET OUTLOOK

A high-price environment with differentiated balances

The World Bank's October 2026 Commodity Markets Outlook reports that metals prices are expected to rise by about 25% in 2026, with aluminium, copper and tin reaching record highs, before declining by around 3% in 2027. It attributes the 2026 strength to demand from renewable energy, electric vehicles and data centres together with supply disruptions. This is a published commodity-group outlook, not an issuer forecast or a price target for any one metal.

Market implication

A strong top-down price index does not imply that every metal is in deficit. The programme should price and hedge each commodity separately, with portfolio aggregation applied only after the metal-specific exposures and risks are understood.

Selected October 2026 market-balance estimates

Metal	2026 balance (kt)	2027 balance (kt)	Indicative reading
Copper	+104	+368	Forecast surplus in both years; balance remains sensitive to mine disruptions, secondary supply, inventories and demand revisions.
Zinc	-88	+25	Forecast deficit in 2026, moving to a small surplus in 2027; concentrate availability and smelter economics are important.
Lead	+90	+163	Forecast surplus in both years; secondary production and recycling are important features of refined supply.

Interpretation by metal

Copper. Structural use cases include grids, electrification and data-centre power infrastructure. A forecast market surplus can coexist with high prices where inventories are geographically uneven, supply is disrupted or demand expectations are strong.
Aluminium. Energy costs, smelter capacity, regional premiums and substitution between primary and recycled metal influence price formation. The nearby curve in the 30 October screen is in backwardation.
Nickel. Stainless steel remains a major demand pool; battery-related growth is only one part of the market. The observed curve is in contango, so the cost of carry and supply conditions must be priced separately.
Zinc. Galvanising links demand to steel and construction. The October balance snapshot indicates a deficit in 2026 but a small surplus in 2027.
Lead. Battery demand and recycling are central. A forecast refined surplus should inform hedge ratios and avoid extrapolating scarcity narratives from other metals.
Tin. Electronics and solder are key end uses; supply concentration and low visible stock can make the market sensitive to disruptions.

Market balance estimates are forecasts and may be revised. Copper estimates are reported from October ICSG material via the October 2026 market-balance compilation; zinc and lead estimates are from the October 2026 ILZSG forecast summary as compiled by IGMNIR. See Sources [4]-[5]. World Bank outlook: Source [3].

05 / DERIVATIVE PRODUCT ARCHITECTURE

Match the instrument to the exposure

The programme should offer a small number of transparent structures rather than a single product for every customer. A manufacturer facing rising input costs, a producer concerned about falling sales revenue and a financial investor seeking commodity exposure have different risk objectives and different suitability requirements.

Structure	Mechanics	Typical user / objective	Principal trade-off
Fixed-for-floating swap	One party pays a fixed price and receives a floating benchmark average; the other party takes the opposite leg.	Manufacturer seeking budget certainty; producer seeking a fixed sale reference.	Symmetric exposure: the hedge can lose value when the physical price moves favourably.
Exchange futures overlay	Standardised exchange-traded contract; positions are margined and marked to market.	Customers or issuer hedging liquid benchmark exposure.	Daily variation margin and contract/benchmark basis risk.
Call option / cap	Buyer pays premium for upside protection above a strike; downside participation may remain.	Consumer who wants protection from price rises but wants to benefit if prices fall.	Premium, volatility and time decay; payoff is conditional.
Collar	Call purchased and put sold, or a negotiated cap/floor range, to lower upfront premium.	Industrial buyer or seller seeking a defined price corridor.	Gives up some benefit outside the agreed range; sold option creates risk.
Multi-metal basket swap	Return or cash flow references a weighted basket of specified metal benchmarks.	Institutional counterparty or diversified industrial group.	Cross-metal correlation, rebalancing and component liquidity risk.
Average-price swap	Cash flow uses an arithmetic or specified monthly average rather than one fixing.	Customer whose purchases occur throughout a month or quarter.	Average-period mismatch and benchmark publication/fallback risk.

Worked example: copper procurement hedge

A manufacturer expects to buy 1,000 tonnes of copper over a six-month period. For illustration, the starting reference is US$14,449/t, the LME Official Cash offer on 30 October 2026. The reference notional is therefore US$14.449m. The manufacturer enters a receive-floating / pay-fixed swap at the agreed benchmark level, with final settlement based on the contract's six-month average reference.

Final average vs initial	Physical purchase cost (benchmark only)	Swap cash flow to buyer	Combined benchmark cost
+10%	US$15.894m	+US$1.445m	US$14.449m
0%	US$14.449m	US$0	US$14.449m
-10%	US$13.004m	-US$1.445m	US$14.449m

Illustration excludes premiums, fees, collateral funding, tax, physical premiums, grade/location basis and timing differences. The swap loss in a falling-price scenario is offset by the lower benchmark cost of the physical metal; it is not a free-standing profit or guaranteed economic outcome.

06 / INDICATIVE PROGRAMME TERMS

Illustrative issuance and allocation framework

The following terms define a workable first-stage design for discussion with a UK-authorised bank, broker-dealer or appropriately permitted issuer. They should be replaced by final documentation, credit approval and signed customer demand before any trade or offer.

Term	Illustrative specification
Issuer / arranger	To be appointed. No actual bank, balance sheet, guarantee, arranger mandate or underwriting commitment is represented by this document.
Programme ceiling	Up to US$1.0bn equivalent gross reference notional across all series. Gross notional is a measure of price exposure, not capital raised or physical metal inventory.
Pilot tranche	Up to US$100m equivalent subject to signed or independently validated customer flow, counterparty limits, hedge capacity and collateral availability.
Reference universe	LME copper, aluminium, nickel, zinc, lead and tin official price benchmarks, where the applicable prompt date and currency are permitted for benchmark use and properly licensed.
Initial reference date	Trade date agreed for each series. 30 October 2026 values in this memorandum are historical market context only and are not executable transaction prices.
Tenor / roll	Principal tenor 6-12 months. Rolling or monthly-average settlement may be used if defined in the final terms.
Settlement	USD cash settlement against specified arithmetic average of daily official reference prices, with market-disruption and fallback clauses. Physical delivery excluded unless separately documented.
Collateral	CSA or clearinghouse margin as applicable; thresholds, independent amount, eligible collateral, haircuts and dispute process set by legal and credit documentation.
Distribution	Wholesale / professional-client and eligible-counterparty focus. Any securities issuance or wider distribution requires separate classification and regulatory analysis.
Fees and pricing	Bid-offer, structuring, execution, funding, collateral, option premium and break costs disclosed in each trade confirmation or final terms.

Illustrative reference-notional allocation

For a US$1.0bn programme ceiling, a provisional risk-budget split could be used solely to illustrate capacity. It is not a forecast of end-user demand and must be reset against actual customer exposure, market depth and issuer risk appetite.

Metal	Indicative share	Reference notional	Approx. benchmark-equivalent tonnes
Copper	30%	US$300m	20,762 t
Aluminium	25%	US$250m	80,282 t
Zinc	15%	US$150m	37,920 t
Nickel	12%	US$120m	7,874 t
Lead	10%	US$100m	52,910 t
Tin	8%	US$80m	1,640 t
Total	100%	US$1,000m	Benchmark-equivalent only

Tonnes are calculated as allocated notional divided by the 30 October 2026 LME cash offer. They are not physical delivery commitments, warehouse stocks, reserve estimates or an assurance that the market can absorb this size without price impact.

07 / HEDGE, PRICING AND INVENTORY POLICY

Keep derivative exposure connected to real risk

The issuer should treat the customer exposure book and the hedge book as separate but reconciled ledgers. A customer-facing position creates a contractual obligation; an offsetting exchange or OTC hedge reduces but may not eliminate market risk, basis risk, liquidity risk or counterparty risk.

Proposed operating limits for discussion

Control	Illustrative policy	Purpose
Forecast hedge coverage	Target 50-80% of documented net forecast exposure; higher ratios only for firm purchase or sale commitments and with specific approval.	Avoid over-hedging when production, procurement or delivery plans change.
Netting	Net exposures within the same legal entity and compatible benchmark/tenor; do not offset unrelated customers without enforceable close-out rights.	Avoid false reductions in risk and double-counting.
Concentration	Set issuer, customer, metal, tenor, exchange, broker and country limits; escalate any limit breach immediately.	Prevent single-name, single-metal or single-market dependency.
Hedge execution	Pre-agreed execution windows and volume participation limits; use staged execution for illiquid dates and large orders.	Reduce market impact and adverse selection.
Valuation	Independent daily valuation using approved benchmark data and documented curves; independent price verification for illiquid products.	Detect stale prices, model error and valuation disputes.
Margin liquidity	Stress initial and variation margin; maintain committed liquidity and collateral buffers beyond base-case needs.	Survive sharp moves and intraday calls.
Reconciliation	Daily trade/hedge reconciliation; monthly physical exposure refresh; quarterly model and limit review.	Keep the derivative book aligned with customer activity.

Pricing architecture

Each series should identify: (i) the exact metal and benchmark family; (ii) the prompt date and currency; (iii) whether settlement is cash, three-month or another eligible prompt; (iv) the averaging window; (v) any regional premium or grade adjustment; (vi) funding and storage assumptions for forward pricing; (vii) option volatility and premium where relevant; and (viii) execution, structuring and unwind costs.

> **Do not confuse spot anchoring with spot-only forward pricing**
>
> A cash reference can anchor the initial price or a settlement index. A 6-12 month derivative still requires a transparent forward curve, financing/carry treatment, basis adjustment, volatility input (for options) and counterparty credit charge. A forward contract should not be represented as available at spot without those adjustments.

Demand aggregation can support scale and execution efficiency, but it cannot eliminate the market capacity constraint. Large aggregate orders should be staged, stress-tested and limited by observable depth, open interest, exchange rules, OTC counterparty capacity and the issuer's ability to hedge.

08 / PRINCIPAL RISK FACTORS

Risks that can result in losses

Entering a commodity derivative can produce substantial losses. The following summary is not exhaustive; final transaction documents must contain full product-specific risk factors and worked payoff examples.

Risk	How it arises	Principal mitigant / disclosure
Metal price risk	Underlying prices can rise or fall sharply due to growth, supply disruption, inventory, policy or market positioning.	Stress ±10%, ±20% and gap scenarios; disclose that hedges can lose value.
Basis risk	The customer buys a local grade or premium-priced metal while the derivative references an LME benchmark.	Define grade, location, premium and timing adjustments; quantify residual basis exposure.
Curve and roll risk	Cash, 3-month and later prompt prices can move differently; a roll can crystallise a loss.	Specify prompt-date benchmark, roll mechanics, averaging and unwind terms.
Liquidity / market impact	A concentrated order may be difficult or expensive to execute or unwind, especially in tin, nickel or stressed markets.	Execution limits, staged hedging, liquidity reserves and position limits.
Margin and collateral risk	Adverse price moves can create immediate variation-margin or collateral calls.	Liquidity stress tests, eligible collateral rules, haircuts and contingency funding.
Counterparty / issuer credit	A counterparty may fail to pay or post collateral; issuer insolvency can impair recovery.	Credit limits, CSA, clearing where appropriate, netting opinions and capital controls.
Currency risk	Metal benchmarks are generally USD while customer costs or revenues may be in GBP, EUR or another currency.	Separate FX hedge or clearly disclose unhedged currency exposure.
Model and valuation risk	Averaging, options volatility, correlations or illiquid-market marks may be wrong or stale.	Independent valuation, model validation, fallback methodology and valuation dispute process.
Benchmark / operational risk	Benchmark interruption, data errors, exchange outage, market disruption or licensing issue affects settlement.	Licensed data, backup sources, disruption clauses, business continuity and audit trail.
Demand forecast risk	Customer production plans, funding or procurement schedules can change, leaving excess hedge positions.	Probability haircuts, hedge coverage limits, regular exposure certificates and early close-out rules.
Legal / regulatory / conduct risk	Product classification, authorisation, marketing, reporting, position controls or documentation may be deficient.	External legal review, permissions mapping, client categorisation and compliance approval.

No guaranteed return

The programme is designed for price-risk management and institutional exposure. It does not guarantee a positive return, a stable metal price, successful hedging, liquidity on demand, or the solvency of any issuer or counterparty.

Investors and counterparties should be able to lose some or all of the amount exposed under their derivative contracts, and may be required to post collateral at short notice. Independent legal, accounting, tax, treasury and investment advice should be obtained before entering a transaction.

09 / UK REGULATORY AND EXECUTION FRAMEWORK

Conditions precedent to launch

The document is an indicative commercial memorandum, not an approved statutory prospectus and not a public offer. The legal classification of each proposed instrument determines the applicable authorisation, conduct, disclosure, trading, clearing, reporting and prospectus requirements.

Regulatory workstreams

Workstream	Required analysis / implementation
Issuer and permissions	Confirm the issuer, arranger, distributor and hedge counterparties hold the permissions required for the activities and client categories involved. Assess commodity derivatives business under the applicable UK financial services framework.
Prospectus / public offer	The UK Public Offers and Admissions to Trading regime and FCA Prospectus Regime Manual took effect on 19 January 2026. Determine whether a proposed instrument is a transferable security and whether an offer/admission triggers a prospectus or exemption. Do not assume every OTC derivative is a prospectus security.
UK EMIR	Assess clearing, risk mitigation, margin and reporting obligations. The FCA states that counterparties must report derivative contracts concluded, modified or terminated; in-scope uncleared OTC trades are subject to margin requirements.
Benchmark and market data	Check that the exact LME price/prompt/currency is an eligible benchmark under UK BMR and obtain required market-data licences. The LME states that its Official Settlement Price is the last cash offer and is used as the settlement reference for LME futures.
Client and conduct	Classify clients, assess appropriateness/suitability as applicable, provide fair and balanced risk disclosure, manage conflicts, record communications and prohibit misleading statements about physical demand or returns.
Trading controls	Review position limits/position management, transaction reporting, market abuse surveillance, exchange rules, clearing-member requirements and trade repository reporting where relevant.
Documentation	Prepare ISDA Master Agreement and CSA for OTC trades, exchange-cleared client agreements where applicable, trade confirmations, benchmark disruption clauses, close-out mechanics and product-specific final terms.

Launch sequence

Stage 1 - mandate: appoint issuer, arranger, legal counsel, compliance, risk and independent valuation functions.
Stage 2 - demand evidence: obtain customer exposure schedules, procurement history, forecasts and signed hedging mandates; complete KYC, sanctions, credit and client classification.
Stage 3 - product approval: approve benchmark selection, model methodology, documentation, valuation, collateral terms, hedging routes and limits.
Stage 4 - pilot: launch a capped pilot only after matched orders and hedge capacity are confirmed; reconcile customer positions and market hedges daily.
Stage 5 - scale: increase programme size only after operational, liquidity, margin and conduct reviews demonstrate the capacity to support the additional notional.

The FCA confirmed that the new Public Offers and Admissions to Trading regime came into force on 19 January 2026. UK EMIR reporting and applicable uncleared margin requirements should be assessed for each counterparty and trade. See Sources [6]-[9].

10 / SOURCES, DEFINITIONS AND IMPORTANT NOTICE

Reference material

The market screen and outlook statements in this memorandum are based on the public sources below. Prices are snapshots, not executable quotes. Industry balance estimates and forecasts are subject to revision and should be refreshed before execution.

[1] London Metal Exchange, LME Official Prices - data valid 30 October 2026. https://www.lme.com/en/market-data/reports-and-data/lme-official-prices

[2] London Metal Exchange, “LME Official Prices explained” - methodology, cash settlement price and benchmark use. https://www.lme.com/Market-data/LME-reference-prices/LME-Official-Price

[3] World Bank, Commodity Markets Outlook, October 2026; press release dated 28 October 2026. https://www.worldbank.org/en/news/press-release/2026/10/28/commodity-markets-outlook-october-2026

[4] Economic Chamber of Non-Ferrous Metals and Recycling (IGMNIR), “Forecasts - supply and demand for non-ferrous metals”, October 2026 compilation of ICSG / ILZSG market-balance estimates. https://igmnir.org/en/forecasts/

[5] International Copper Study Group, Copper Market Forecast 2026-2027, October 2026 press release. https://icsg.org/download/2026-10-14-press-release-icsg-copper-market-forecast-2026-2027/

[6] UK Financial Conduct Authority, PS25/9, New rules for the public offers and admissions to trading regime; new regime effective 19 January 2026. https://www.fca.org.uk/publications/policy-statements/ps25-9-new-rules-public-offers-admissions-trading-regime

[7] FCA Handbook, Prospectus Regime Manual (PRM 1.4), prospectus requirement and exemptions. https://handbook.fca.org.uk/handbook/prm1/prm1s4

[8] FCA, UK EMIR reporting obligation, updated 16 April 2026. https://www.fca.org.uk/markets/uk-emir/reporting-obligation

[9] FCA, Margin requirements for uncleared derivatives, updated 27 November 2025. https://www.fca.org.uk/markets/uk-emir/margin-requirements-uncleared-derivatives

[10] LME, List of Benchmarks - eligible benchmark families and prompt-date/currency scope. https://www.lme.com/about/Regulation/Benchmark-regulation/LME-List-of-Benchmarks

Definitions

Cash offer / official settlement: the LME Official Price cash offer used as the LME Official Settlement Price. **3-month offer:** LME prompt-date reference for the three-month contract. **Backwardation:** a nearby price above a later-dated price. **Contango:** a nearby price below a later-dated price. **Notional:** the reference amount used to calculate derivative payments; it is not necessarily an amount paid upfront. **Basis:** difference between the contract benchmark and the customer's actual physical purchase/sale price. **Hedge ratio:** derivative quantity divided by the corresponding physical exposure.

IMPORTANT NOTICE

This document is an illustrative discussion draft prepared for information and structuring purposes only. It is not a prospectus approved by the FCA, an invitation or offer to buy or sell securities or derivatives, investment research, a recommendation, a commitment to underwrite, or a representation that any issuer, bank, exchange member or counterparty has agreed to participate. No legal entity is identified as issuer. No offer may be made on the basis of this memorandum.

All programme sizes, allocations, hedge ratios, limits, terms, examples and cash flows are hypothetical and require review, approval and replacement by final legal and risk documentation. Historical prices and third-party forecasts may change without notice. LME data use is subject to applicable licensing. Any transaction must be independently assessed for suitability, authority, credit, capital, accounting, tax, collateral and regulatory treatment. Derivatives involve risk of loss, including losses greater than the premium or initial margin in some structures.

Prepared 31 October 2026 | Currency: US dollars unless otherwise stated | Units: metric tonnes