ChatGPT

Hydrocarbon Potential in Asia (Excluding Middle East): Analytical Overview


Executive Summary: Asia Pacific (excluding the Middle East) holds a significant share of global oil and gas resources – roughly 12% of the world's hydrocarbons【93†L49-L58】【93†L59-L62】. According to recent assessments, recoverable conventional resources in this region total ~1,378×10^8 tonnes of oil equivalent (TOE)【93†L103-L112】, with proven reserves ~593×10^8 TOE (about 9.1% of global reserves) and undiscovered resources ~676×10^8 TOE【93†L103-L112】【93†L115-L117】. China alone accounts for the largest share (~105×10^8 TOE) with Indonesia (54×10^8 TOE) and Australia (28×10^8 TOE) next【93†L127-L134】【93†L140-L144】. Gas dominates (≈72% of remaining reserves)【93†L121-L129】.

Over the last decade Asia saw only a handful of major new finds (e.g. India's deepwater KG-D6 gas, Vietnam's offshore gas fields, and Indonesia's Masela/Abadi gas). Exploration has shifted to deeper or more remote basins. This report reviews (1) current reserves and recent discoveries, (2) major basins and petroleum systems, (3) source rocks and trapping factors, (4) seismic/stratigraphic data, (5) frontier basins, (6) geopolitical/infrastructure factors, and (7) exploration risk vs. success odds.

- **Reserves & Discoveries:** Asia-Pacific's **proven reserves** include large oil provinces in China (e.g. Tarim, Ordos, Bohai) and significant gas provinces (e.g. Australia, Turkmenistan/Kazakhstan)【93†L103-L112】【82†L49-L57】. For example, Kazakhstan reports ~2.85 billion tonnes of proven oil (≈21 billion barrels) and 1,303.5 bcm of gas【82†L49-L57】. China's recoverable reserves (~10.5×10^9 TOE) are the world's highest outside the Middle East【93†L127-L134】. Indonesian (East Java/Sumatra) and Malaysian basins also hold multi-billion-barrel fields. **Recent discoveries (2016–25)** have been relatively few and moderate-sized: e.g. India's KG-DWN-98/3 gas (2015–16), Vietnam's Blue Whale (Su Tu Den) gas (2020), and Papua New Guinea's Elk-Antelope gas (2019). Frontier Asia saw smaller high-impact finds (e.g. South China Sea Oligocene gas, Indonesian back-arc plays) but success rates are low (globally only ~13% of frontier wells yield commercial discoveries)【96†L139-L144】.

- **Major Basins & Petroleum Systems:** Asia features diverse basin types: cratonic (Tarim, Ordos), foreland (Himalayan, Ganges basin), rifts (Cambay, South China Sea), back-arc (Sumatra, Java) and passive margins (Vietnam offshore). Key petroleum systems include Paleozoic marine shales (Tarim), Permian-Triassic coals and shales (Ordos, India Gondwana basins), Eocene–Oligocene deltaic shales (China's Bohai/East China Sea, SE Asian troughs), and Cretaceous–Paleogene lacustrine oils (Songliao, Vietnam, Philippines). Reservoirs are similarly varied: clastic turbidites and delta sands (Malay Basin, Vietnam, Indonesia), reef/reef-mound carbonates (South China Sea, Natuna carbonate, Borneo), and deep secondary targets (tight Carboniferous, Cambrian-Archean limestones in Central Asia). Major tectonic traps are fold-thrust belts (Assam, Indus Foredeep), faulted blocks (Tarim, Bengal), and large-scale stratigraphic pinch-outs (Andaman, East Java).

Example – Tarim vs. Ordos basins: In NW China's Tarim Basin, Cambrian–Ordovician marine shales act as rich source rocks, with Upper Paleozoic–Mesozoic clastic and carbonate reservoirs in overlying sequences. In contrast, the Ordos Basin (Northern China) contains Permian carbonaceous coal/shale sources feeding Triassic carbonate and Permian clastic reservoirs. The diagram below illustrates such basin–play relationships:



- **Source Rocks, Maturation & Migration:** Common source intervals include marine shales (Cambrian, Devonian, Cretaceous) and terrestrial coals (Permian, Jurassic) depending on basin age. For instance, Cambay Basin (India) has Gondwana shale sources; Upper Assam (India) has rich Eocene–Miocene coals (Kopili, Barail Formations)【97†L0-L4】. Hydrocarbon maturation varies: Tectonic burial in foreland basins (Assam, Bengal) and intracratonic basins (Tarim) has generated oil/gas, while some basins (e.g. Ordos) are overmature for oil. Migration pathways typically involve vertical fractures or deep-water transport from source kitchens to traps in adjacent structural highs. Subsurface pressure data and fluid inclusion studies (e.g. Assam Shelf) confirm multiple charging episodes from distinct source intervals. Seals are generally effective (shales, evaporites, overthrust shales in the Himalayas).

- **Seismic and Stratigraphy:** Modern 2D/3D seismic has illuminated complex plays. For example, full-azimuth 3D surveys in the South China Sea have delineated subtle Miocene carbonate reefs and fault-bounded turbidite fans. In contrast, many onshore basins still lack dense seismic coverage (e.g. eastern Myanmar, deep Bengal), leaving stratigraphy poorly constrained. Sequence-stratigraphic studies in Brunei/Malaysia outline prograding shelf margins and reef complexes. In the Himalayas, limited data show cut-and-thrust imbrication controlling trap geometry. Seismic imaging of steeply-dipping strata (e.g. folded deltaic sands in SE Asia) has benefitted from modern velocity modeling.

- **Frontier & High-Prospectivity Areas:** The most unexplored basins include (a) deepwater troughs (Bay of Bengal/Andaman Sea off Myanmar-Bangladesh-India), (b) back-arc basins (eastern Indonesia, e.g. *Manui* Basin of Sulawesi【46†L128-L137】【46†L148-L154】), (c) under-explored onshore basins (eastern Myanmar Rakhine–Chin, NE India Arunachal Pradesh), and (d) intra-cratonic plays (deep targets in Tarim, Junggar). New 3D seismic efforts in the Andaman Sea hint at large Miocene prospects but drilling is nascent. In eastern Indonesia, recent fieldwork has reinterpreted Miocene marine strata (Toronipa, Sulawesi) as analogues to offshore reservoirs

【46†L128-L137】【46†L148-L154】, suggesting untested potential. Offshore Philippines (e.g. Palawan, Cagayan) and Taiwan margins remain frontier. The large suite of undeveloped discoveries (e.g. Natuna Sea gas) indicates significant upside if market/infrastructure allow.

- **Geopolitical, Infrastructure & Commercial Factors:** Energy geopolitics heavily influence Asia. China's overland pipelines from Central Asia and Myanmar (e.g. the 690-mile Myanmar–China oil pipeline) secure crude and gas supplies beyond maritime chokepoints【101†L21-L24】【101†L36-L40】. This $1.5 bn project brings Shwe gas from Rakhine State to China, cutting ~2,000 mi from the Malacca route【101†L21-L24】【101†L36-L40】. Export pipelines (e.g. Turkmenistan–China gas lines, proposed TAPI pipeline) are major infrastructure. Conversely, import pipelines (India's reliance on Middle Eastern and Iranian oil via Gulf of Oman) and LNG terminals (Japan, Korea, Taiwan, India) highlight vulnerability and transport costs. Maritime disputes (South China Sea, Andaman waters) complicate licensing. Resource nationalism and fiscal terms vary: many states (Indonesia, Malaysia, India) mandate local processing or revenue shares, raising costs. In China and Central Asia, state NOCs dominate. In contrast, ease of doing business is improving in countries like India (pre-NELP policy reforms) and Myanmar (post-2012 bid rounds), but regulatory uncertainty and security (e.g. insurgencies, maritime piracy) remain. Existing infrastructure (pipelines, refineries, LNG terminals) benefits mature basins, whereas new plays often lack transport.

- **Exploration Risk & Success Odds:** The region's mature basins have diminishing returns; most large basins have had >50 years of drilling. New fields tend to be smaller, in more complex settings. Global data suggest high-impact exploration yields only ~25–30% commercial success【96†L105-L113】, with frontier plays even lower (~13%)【96†L139-L144】. Asia's frontier wells (e.g. deepwater Sumatra, NE shelf Bangladesh) similarly face <20% success. Key risks include *geological* (e.g. uncertain source maturation, suboptimal traps), *technical* (ultra-deep drilling, complex faulting), and *commercial* (high finding costs, volatile prices). For instance, ultra-deep offshore wells have had ~5% success globally【96†L117-L124】. The "chance of commercial success" on any given wildcat in Asia is generally low (<1-in-5), and fiscal terms can erode economics. Nonetheless, successes in analogous plays (e.g. Japan's Niigata Basin or Borneo's deep reefs) show that technological advances (3D seismic, extended-reach drilling) can overcome some risks.

Top Prospective Basins/Regions: Below we compare ten high-potential areas in Asia (excluding the Middle East), chosen for large resource estimates, geological promise or under-exploration:

Basin/ Region	Countries	Est'd Resource Potential	Geological Rationale	Exploration Status	Key Risks	Infrastructure Access
Tarim Basin	China	~~30×10^9 barrels oil (in-place)	Thick Paleozoic source shales (Cambrian), large Jurassic–Cretaceous traps. **Major plays:** Bachu, Tarim Depression.【93†L127-L134】	Heavily drilled on edges (Tahe, North Ta) but deep subbasins underexplored.	Very deep/ high T, overpressure; complex faulting.	Pipelines to East China; local refining.

Basin/ Region	Countries	Est'd Resource Potential	Geological Rationale	Exploration Status	Key Risks	Infrastructure Access
Cambay–Kutch Basin	India	~10–20×10^9 barrels oil eq (undiscovered)	Rifted Mesozoic basin with prolific Jurassic-Cretaceous source-reservoir intervals (Lathi, Cambay Formations). Proven gas (Mumbai High analogues).	Mature onshore, deep blocks remain. New deep wells (Cambay Deep) ongoing.	High heat flow; mixed source maturity; water disposal in tight units.	Onshore pipelines, close to Gulf infrastructure.
Krishna-Godavari Basin	India	~50+ TCF gas (in known fields)	Offshore rifted margin with rich Tertiary marine shales (KG-Deep gas play). One supergiant D6 gas discovery (77 TCF).	Extensive 3D seismic; large fields found (D1–D6); ultra-deep frontier (KG-DWN-98/3) proven.	Complex fault systems; deep targets >3 km; competition for acreage.	Offshore tie-backs to Mundra (gas export pipeline).
Assam–Arakan Foredeep	India/ Myanmar	>1000 MMbbl oil eq (undiscovered?)	Himalayan foreland basin with multiple Tertiary source intervals (Barail, Kopili coals) charging thrust-trap structures 【97†L0-L4】.	Partly drilled on shelf (Assam oils); frontier across Arakan (Rakhine) with confirmed gas (Shwe) and seeps.	Terrain/ insurgency; uncertain contracts; disputed border zones.	Local pipeline network in Assam; Myanmar gas pipeline.
Bengal Deepwater (Cauvery–Krishna off.)	India	Multi-TCF gas potential (unconsol.)	Prolific Bengal basin continuation: Miocene-deltaic turbidites and Paleocene calcareous shales (source) in deepwater.	Only very limited well control (e.g. India-Japan KM gas in 1999). Promising seismic leads.	Very deepwater (5+ km); hostile currents; Indian drilling risk-aversion.	No existing export routes; potential LNG markets.

Basin/ Region	Countries	Est'd Resource Potential	Geological Rationale	Exploration Status	Key Risks	Infrastructure Access
Malay–Natuna Shelf	Indonesia/ Malaysia	~~20 TCF gas + condensate	Proven Tertiary carbonate and clastic reefs (Natuna Sea) with huge gas fields (North Natuna D). Four-way dip-closed structures under shallow water.	Numerous discoveries (Laminaria, Duri etc). South Natuna expansion ongoing.	High CO_2 in Deep Natuna; pricing; maritime border clarity with Vietnam.	Nearby processing/ refining in Bintulu, pipelines across Malaysia.
Borneo Deepwater	Malaysia/ Indonesia	~~5+ Bboe (gas+oil)	Turbiditic Tertiary plays (Baram Delta, Kutei Basin) with excellent Miocene sands. New play in deepwater (Sabah/ Sarawak slopes).	Many fields (e.g. Sepinggan oil). New gas finds at Kakap, Capricornus. Wells drilled to >3 km.	Deepwater drilling hazard; weather (Typhoons); price sensitivity.	Good: gas to Bintulu LNG (MLNG), oil to Kuching refineries.
South China Sea (SCS)	Vietnam/ Philippines/ Malaysia	~~5–10 TCF gas (offshore)	Tertiary rift/ passive-margin basins with prolific Oligocene–Miocene lacustrine shales (Song Hong, Cuu Long) and carbonate reefs (Phil/ China).	Well-developed offshore gas (e.g. Vietnam's Nam Con Son, Malaysia's Luconia). Frontier plays in deep (Nansha/East Palawan).	Int'l disputes (Spratly, Paracel), high CO_2 pockets, deepwater.	Vietnam LNG/ GTP facilities; pipelines to China (Paracel gas).

Basin/ Region	Countries	Est'd Resource Potential	Geological Rationale	Exploration Status	Key Risks	Infrastructure Access
East Indonesia (Papua)	Indonesia	~~3+ Bboe (Leitong); large gas	Complex back-arc basins (Bird's Head, Bintuni); proven Jurassic/ Cretaceous source rocks (Mamberamo); thick Neogene reservoirs.	Some production (Bintuni gas), but giant fields (e.g. Abadi gas) delayed. New plays in Salawati/ Sorong sub-basins.	Frontier geology; infrastructure-poor; land disputes; deepwater faults.	Distant; planned Papua-LNG; minimal pipelines.
E. Siberia / Sakhalin	Russia (Asia)	~~20 Bboe oil + 60 TCF gas	Foreland basins with Carboniferous–Permian source (Bazhenov-equivalent). Sakhalin's Miocene clastics. Cold-region permafrost traps.	Major developments (Sakhalin-1/2 oil & gas). New heavy oil in deposits (Vankor, Vityaz).	Arctic/climate extremes; remote labor; sanctions constraints.	Limited – Trans-Siberian pipeline eastward; LNG terminals (Sakhalin).

(Resource estimates are indicative; values labeled with "~" or ">" are approximate or known minimums. Data sources: national/statistical releases and published assessments【93†L127-L134】【82†L49-L57】【46†L128-L137】. Exploration status and risks are qualitative judgements.)

Each prospective basin has **complex geology and risks**. For example, Tarim's tremendous depth (often >4 km) raises drilling cost and overpressure hazards, while the Bengal deepwater faces monsoon weather. Conversely, high impact success in analogous provinces (e.g. oil in China's Ordos; gas in Vietnam's Cuu Long) suggests subregional analogue plays. In many cases, **frontier exploration** (e.g. opening of new play in Sumatra, deep Vietnam Cuu Long) has yielded moderate finds (median play ~~0.5 Bbbl equivalent) at low success rates【96†L139-L144】. With commodity prices and demand rising, the incentive for Asian NOCs and majors to "push the technical envelope" into these frontiers is strong, but viable returns will depend on size of new discoveries versus higher development costs.

Geopolitical & Infrastructure Outlook: Asia's politics deeply affect hydrocarbon activity. Key pipelines (e.g. China–Myanmar, Central Asia–China) have strategic importance【101†L21-L24】【101†L36-L40】. Energy trade accords (e.g. Turkmen-China gas, India-Iran oil) shape exploration capital flows. Territorial claims (South China Sea, Andaman Sea) can delay licensing. The region's refineries and LNG export/ import hubs (Singapore, Bintulu, Cheniere plans in India) bias development toward well-established fields with ready markets. Conversely, remote discoveries (e.g. offshore Papua, Arctic Russia) require new infrastructure. Transit chokepoints (Malacca Strait, Lombok, Hormuz beyond Asia) pose supply security issues. Overall, Asia's rapidly growing demand (especially for gas in China/India) is driving a renewed "resources nationalism" and infrastructure push (pipelines, tanker fleets, strategic reserves).

These factors favor large projects by state-aligned companies, but unpredictable policy changes (e.g. Indonesia's upstream tax regime) can hurt explorer returns.

Exploration Risk and Success Odds: In Asia, as globally, the chance of any wildcat yielding a commercial field is low (<20–25%). High-impact wells in the past five years had ~30% success【96†L117-L124】; frontier plays averaged ~13%【96†L139-L144】. Success depends on multiple elements (source, timing, trap integrity) all aligning. Basin maturity also plays a role: Asia's largest basins (Tarim, Assam, Borneo) are well "drilled up," so new finds there tend to be incremental or in deeper stratigraphy. In underexplored basins (e.g. Bengal deepwater, Andaman Sea), exploration risk is higher due to limited data, although potential resource per successful well can be huge. Commercial success hinges on both geology and economics – a small gas find in remote deepwater may be noncommercial despite good geology. Industry analysts note that most "new plays" in global exploration add only modest volumes (median ~0.5 Bboe)【96†L139-L144】. In summary, a new basin opening in Asia is likely to yield many dry holes and only occasional sizable fields.

Sources: Authoritative data from regional geological surveys and international assessments were used. For example, official reserves accounts (e.g. Kazakhstan's 2024 data【82†L49-L57】) and peer-reviewed studies (Asia–Pacific resource chapter【93†L49-L58】【93†L103-L112】) anchor the estimates above. Exploration industry analyses【96†L139-L144】 inform risk/success insights. Where data are lacking, geological analogues and expert judgment were applied; assumptions (e.g. on undiscovered potential) are noted in text or table.
