

Deep Technical Research Prompt: Vertical Sugar Farming in Britain

Conduct a comprehensive technical, engineering and economic feasibility study for **growing sugarcane in Britain using controlled-environment agriculture, vertical farming and industrial greenhouse technology**, with the ultimate objective of determining whether Britain could produce sugar competitively or whether the system should instead target premium, specialist or co-product markets.

The study should be written as a serious **agricultural engineering + energy systems + economics + business-investment report**, not as a general discussion of vertical farming.

1. Core Research Question

Investigate:

Can sugarcane be grown at commercially meaningful scale in Britain using highly controlled greenhouse/vertical-farming systems, and could the resulting sugar, syrup, molasses, biomass and other products eventually compete economically with imported sugar?

Do not assume the answer is yes.

Determine objectively:

- whether it is technically feasible;
- whether it is economically feasible;
- what the principal bottlenecks are;
- what technological breakthroughs would be required;
- what scale would be necessary;
- and whether sugarcane is actually the optimal sugar crop for a British controlled environment.

Also compare sugarcane against:

- sugar beet;
 - sweet sorghum;
 - stevia;
 - sugar-producing greenhouse crops;
 - other high-value carbohydrate/sugar crops.
-

2. British Climate Analysis

Model the British climate in detail.

Analyse:

- solar radiation;
- daylight hours;
- winter irradiance;
- summer irradiance;
- temperature;
- humidity;
- rainfall;
- cloud cover;
- frost;
- seasonal variation.

Use representative locations such as:

- Cornwall;
- Devon;
- East Anglia;
- Lincolnshire;
- Yorkshire;
- Scotland.

Determine which British location provides the best combination of:

solar energy + industrial energy + water + land + infrastructure + labour + proximity to consumers.

Do not simply select the warmest location.

The optimal location may instead be somewhere with access to:

- waste heat;
- renewable electricity;
- industrial CO₂;
- anaerobic digestion;
- data-centre waste heat;
- biomass;
- cheap land.

3. Sugarcane Biology

Research the biological requirements of sugarcane in detail.

Analyse:

- optimal temperature;
- minimum temperature;
- photosynthetic requirements;
- CO₂ response;

- water requirements;
- humidity;
- nutrient requirements;
- rooting depth;
- growth rate;
- photoperiod;
- flowering;
- ratooning;
- stalk formation;
- sugar accumulation;
- sucrose concentration;
- biomass production.

Determine whether sugarcane can be manipulated into a **compact, high-density controlled-environment crop**.

Investigate whether dwarf or compact sugarcane varieties exist.

Analyse:

- dwarf varieties;
- high-sucrose varieties;
- high-biomass varieties;
- early-maturing varieties;
- disease-resistant varieties;
- varieties suitable for greenhouse production.

4. Vertical-Farming Architecture

Do not assume a conventional stacked lettuce farm is appropriate.

Design several competing architectures:

Architecture A — Conventional greenhouse

Sugarcane planted directly in soil/substrate.

Architecture B — High-density greenhouse

Maximum sugarcane planting density.

Architecture C — Tall vertical canopy

Sugarcane trained/managed to maximise vertical light interception.

Architecture D — Multi-level production

Investigate whether sugarcane could genuinely be grown on stacked platforms.

Architecture E — Hybrid

Young plants/nursery production vertically stacked, mature plants grown in a high greenhouse.

Determine which architecture maximises:

kg sucrose/m²/year.

That should be the primary metric.

5. Plant Density

Model different densities.

For example:

- 5,000 plants/ha;
- 10,000 plants/ha;
- 20,000 plants/ha;
- 30,000 plants/ha;
- higher-density experimental systems.

Determine the biological and economic optimum.

Investigate whether higher density causes:

- excessive shading;
 - thinner stalks;
 - reduced sucrose;
 - increased disease;
 - reduced root development;
 - increased harvesting difficulty.
-

6. CO₂ Enrichment

Conduct a detailed analysis of elevated CO₂.

Model:

- ambient CO₂;
- 600 ppm;
- 800 ppm;
- 1,000 ppm;
- 1,200 ppm;
- 1,500 ppm.

Research experimental evidence for sugarcane's response to elevated CO₂.

Quantify:

- photosynthetic increase;
- biomass increase;
- stalk yield;
- sucrose concentration;
- water-use efficiency;
- nutrient-use efficiency.

Critically distinguish:

increased photosynthesis

from:

increased recoverable sugar.

Determine the CO₂ concentration at which the marginal value of additional sugar equals the marginal cost of CO₂.

7. The CO₂ + Heat Opportunity

Investigate whether the greenhouse could use:

CHP

where combustion produces:

electricity + heat + CO₂.

Model:

Natural gas CHP

Biomethane CHP

Hydrogen-capable CHP

Biogas CHP

Industrial waste CO₂

Captured CO₂

Determine which system gives the lowest:

£/kg sucrose

and lowest:

kg CO₂e/kg sugar.

Use UK energy prices and current industrial energy tariffs wherever possible.

8. Waste Heat Integration

This should be one of the most important sections.

Investigate integrating the sugar greenhouse with:

Data centres

Anaerobic digesters

Wastewater treatment

Food-processing factories

Breweries/distilleries

Industrial plants

Power stations

Waste-to-energy plants

Model the energy flow:

industrial process

↓

waste heat

↓

greenhouse heating

and, where applicable:

biogas

↓

CHP

↓

heat + electricity + CO₂

↓

sugarcane greenhouse

Determine the reduction in operating costs compared with a standalone greenhouse.

9. Solar Energy

Analyse whether transparent or semi-transparent photovoltaic systems could be integrated into the greenhouse roof.

Compare:

Standard glass

versus

Semi-transparent PV

versus

External solar PV

versus

Solar + battery.

Determine how much electricity could realistically be generated without reducing sugarcane photosynthesis excessively.

Calculate:

lost crop yield from shading

against:

electricity revenue/savings.

10. LED Lighting

Do not assume artificial lighting is automatically economically worthwhile.

Model:

No artificial lighting

Winter-only LEDs

Supplementary LEDs

Full artificial lighting

Calculate:

- photon requirements;
- electricity consumption;
- LED capital cost;
- LED efficiency;
- annual operating cost;
- additional biomass;
- additional sucrose.

Determine the:

marginal kg of sugar produced per kWh of lighting.

Then determine whether lighting is economically justified.

11. Water System

Design a closed-loop water system.

Investigate:

- rainwater harvesting;
- irrigation;
- hydroponics;
- substrate cultivation;
- recirculating fertigation;
- water purification;
- drainage recovery.

Calculate:

litres of water/kg sucrose.

Compare against conventional sugarcane production.

Determine whether British rainfall creates a meaningful advantage.

12. Root-Zone Engineering

Compare:

Soil

Coco coir

Wood fibre

Rockwool

Perlite

Hydroponics

Aeroponics

Deep substrate beds.

Determine which system maximises:

- root growth;
- sugar production;
- water efficiency;
- nutrient efficiency;
- ease of harvesting;
- plant longevity.

13. Fertiliser

Model nutrient requirements for high-yield sugarcane.

Analyse:

- nitrogen;
- phosphorus;
- potassium;
- calcium;
- magnesium;
- sulphur;
- micronutrients.

Determine whether nutrient recycling is possible.

Investigate:

sugarcane biomass → anaerobic digestion → nutrients → sugarcane

as a circular system.

14. Ratooning

Sugarcane has a major potential advantage:

ratooning.

Investigate whether British controlled-environment sugarcane could be harvested repeatedly without completely replanting.

Model:

Plant crop

Ratoon 1

Ratoon 2

Ratoon 3

Ratoon 4+

Determine:

- yield decline;
- sucrose decline;
- disease accumulation;
- labour savings;
- replanting cost.

Calculate lifetime economics per planting cycle.

15. Harvesting

Design a mechanised harvesting system.

Investigate:

- robotic harvesting;
- compact cane harvesters;
- automated stalk cutting;
- conveyor systems;
- machine vision.

Determine whether the greenhouse can be designed around automated harvesting from the beginning.

Calculate:

labour hours/tonne cane.

16. Sugar Extraction

Do not stop at growing the crop.

Design the complete process:

sugarcane

↓

crushing

↓

juice extraction

↓

clarification

↓

evaporation

↓

crystallisation

↓

centrifugation

↓

drying

↓

sugar

Investigate whether a small-scale modular sugar mill can be economically integrated with the greenhouse.

Compare:

On-site processing

versus

Transporting cane to an external sugar mill.

This is critical because sugarcane deteriorates after harvesting.

17. Energy From Bagasse

Analyse the economics of:

bagasse

the fibrous residue remaining after cane crushing.

Model:

bagasse → boiler/CHP

producing:

- steam;
- heat;
- electricity.

Then recycle that energy back into:

- greenhouse heating;
- sugar processing;
- electricity generation.

Determine whether the facility can become:

Energy-positive.

Calculate:

net energy exported per tonne of sugar.

18. Circular Sugar Factory

Design an integrated system:

Sugarcane



Sugar



Bagasse



CHP



Heat + electricity



Greenhouse

Meanwhile:

molasses



fermentation



ethanol / spirits / bioproducts

and:

wastewater



anaerobic digestion



biogas + nutrients



greenhouse

Determine whether the facility could operate as a circular biorefinery.

19. By-Products

Analyse the economics of:

Bagasse

Molasses

Cane syrup

Cane juice

Bioethanol

Biogas

Biochar

Animal feed

Fibre products

Bioplastics

Cellulose products

Determine whether the business should actually be described as:

A sugar refinery

or:

A controlled-environment biorefinery.

20. Yield Modelling

Develop at least five production scenarios.

Scenario 1 — Conventional greenhouse

Scenario 2 — High-density greenhouse

Scenario 3 — CO₂-enhanced greenhouse

Scenario 4 — CO₂ + waste heat + advanced genetics

Scenario 5 — Fully optimised future vertical system

For each calculate:

- tonnes cane/hectare/year;
 - tonnes sucrose/hectare/year;
 - kg sucrose/m²/year;
 - litres ethanol/hectare;
 - tonnes bagasse/hectare;
 - electricity generation;
 - heat generation.
-

21. Economic Model

Build a complete 20-year financial model.

Calculate:

CAPEX

- greenhouse;
- land;
- foundations;
- heating;
- CHP;
- thermal storage;
- CO₂ system;
- irrigation;
- LEDs;
- PV;
- automation;
- sugar mill;
- fermentation;
- storage;
- packaging.

OPEX

- energy;
- labour;
- nutrients;

- water;
 - maintenance;
 - replacement plants;
 - insurance;
 - processing;
 - logistics.
-

22. Cost Per Kilogram of Sugar

Calculate:

£/kg sugar

under every scenario.

Compare against:

- UK wholesale sugar;
- UK retail sugar;
- imported sugar;
- conventional British sugar beet;
- conventional tropical sugarcane.

Calculate the required sugar price for:

- break-even;
 - 10% IRR;
 - 15% IRR;
 - 20% IRR.
-

23. Marginal-Cost Analysis

This is essential.

Calculate the marginal cost of producing:

- another tonne of cane;
- another tonne of sucrose;
- another kilogram of refined sugar.

Separate:

Fixed costs

from

Variable costs.

Determine how much the cost falls as the greenhouse scales from:

1,000 m²

→

10,000 m²

→

1 hectare

→

10 hectares

→

100 hectares.

24. Scale Economics

Model facilities at:

1,000 m²

10,000 m²

1 hectare

10 hectares

50 hectares

100 hectares

Determine whether economies of scale eventually make the technology commercially competitive.

25. Compare Against British Sugar Beet

This is absolutely essential.

British sugar beet already provides a domestic sugar production system.

Compare:

Metric	Vertical sugarcane	British sugar beet
Yield		
Sugar yield/ha		
Land		
Water		
Energy		
CAPEX		
Labour		
CO ₂		
Carbon footprint		
Cost/kg sugar		
Seasonality		
By-products		

The report must explicitly determine whether sugarcane offers any advantage over simply improving sugar-beet production.

26. Compare Against Conventional Tropical Sugarcane

Compare British controlled-environment sugarcane with major producers including:

- Brazil;
- India;
- Thailand;
- Australia;
- Mexico;
- South Africa.

Compare:

- yield;
- sugar yield;
- land;
- energy;
- labour;
- water;
- CAPEX;

- OPEX;
 - carbon emissions;
 - transportation.
-

27. Carbon Analysis

Perform a full lifecycle assessment.

Include:

- greenhouse construction;
- steel;
- glass;
- concrete;
- fertiliser;
- electricity;
- heating;
- CO₂;
- irrigation;
- transport;
- sugar processing;
- packaging.

Then calculate:

kg CO₂e/kg sugar.

Model:

Grid electricity

Renewable electricity

Natural gas CHP

Biomethane CHP

Waste heat

Waste CO₂

Determine which system produces the lowest-carbon sugar.

28. Energy Return

Calculate:

Energy Return on Energy Invested

Compare:

energy contained in sugar + useful by-products

against:

energy required to produce it.

Then investigate whether bagasse CHP can make the facility:

net energy positive.

29. British Food Security

Analyse whether controlled-environment sugar could contribute meaningfully to British food security.

Calculate how much greenhouse area would be necessary to supply:

1%

5%

10%

25%

of British sugar consumption.

Determine the required:

- land;
 - capital;
 - electricity;
 - heat;
 - labour;
 - water.
-

30. Premium Product Opportunity

If commodity sugar is uneconomic, investigate premium products:

British cane sugar

Single-estate sugar

Unrefined cane sugar

Muscovado

Demerara-style sugar

Cane syrup

Fresh cane juice

Premium molasses

British rum

Artisan spirits

Premium chocolate ingredients.

Calculate the value-added opportunity.

31. Geographic Business Strategy

Identify the best British locations for the first demonstration plant.

Rank locations according to:

- waste heat;
- electricity;
- CO₂;
- water;
- land;
- logistics;
- industrial infrastructure;
- proximity to food manufacturers;
- proximity to ports;
- labour availability.

Produce a shortlist of **five candidate regions**.

32. Regulatory Analysis

Investigate:

- planning permission;
- agricultural land rules;
- greenhouse construction;
- environmental permits;
- water abstraction;
- food processing;
- sugar production;
- CHP;
- grid connection;
- CO₂ handling;
- waste regulations;
- alcohol production if ethanol/rum is included.

Use current UK regulations and official sources.

33. Technology Roadmap

Develop a roadmap:

2026–2028

Research/pilot.

2028–2030

1,000–5,000 m² demonstration.

2030–2033

1–5 hectare commercial facility.

2033–2040

10–100 hectare integrated controlled-environment sugar/biorefinery system.

Identify the technological milestones necessary at every stage.

34. Breakthrough Scenario

Finally, construct an ambitious scenario.

Assume future technology provides:

- highly efficient transparent PV;
- extremely efficient LEDs;
- high-yield compact sugarcane;
- robotic harvesting;
- cheap renewable electricity;
- abundant waste heat;
- cheap captured CO₂;
- automated sugar extraction;
- high-density production.

Determine whether sugar production could eventually reach:

5 tonnes sucrose/ha/year

10 tonnes/ha/year

20 tonnes/ha/year

30+ tonnes/ha/year

and what the corresponding production cost would be.

35. Final Question

Conclude with a clear investment recommendation:

- A. Not commercially viable**
- B. Viable only as premium sugar**
- C. Viable with waste heat integration**
- D. Viable as a sugar + energy + biorefinery system**
- E. Potentially competitive with conventional sugar**

Explain precisely which technological and economic assumptions determine the answer.

The final report should contain:

1. Executive summary
2. British climate analysis
3. Sugarcane biology
4. Vertical-farm design
5. Greenhouse engineering
6. CO₂ system
7. Heating/CHP system

8. Renewable energy
9. Irrigation
10. Fertigation
11. Genetics
12. Pollination
13. Harvesting
14. Sugar extraction
15. Bagasse energy
16. Biorefinery
17. Yield model
18. CAPEX
19. OPEX
20. Marginal-cost model
21. 20-year financial model
22. Carbon analysis
23. Comparison with sugar beet
24. Comparison with tropical sugarcane
25. British food-security implications
26. Site-selection analysis
27. Regulatory analysis
28. Technology roadmap
29. Risk analysis
30. Investment recommendation

Use **current 2026 UK energy, construction, agricultural and sugar prices** wherever available.

Cite primary sources wherever possible, particularly:

- UK government;
- DEFRA;
- BEIS/DESNZ;
- ONS;
- AHDB;
- British Sugar;
- FAO;
- USDA;
- ICCO;
- peer-reviewed agricultural research;
- university research;
- engineering sources.

Clearly distinguish:

measured data

from

engineering assumptions

from

theoretical future scenarios.

Do not manufacture precision where evidence does not exist.

Most importantly, do not merely conclude that vertical sugarcane is "expensive". Build a quantitative model showing **exactly what drives the cost, what can be reduced through waste-heat/CO₂ integration, what yield is required for competitiveness, and whether the economics improve sufficiently at scale to justify building the first commercial British facility.**