


Feature			Scenario			Step			
Name	Duration	T	P	F	S	T	P	F	S
Cart feature	2.249 s	1	0	1	0	6	5	1	0
Checkout Step One feature	1.488 s	1	1	0	0	13	13	0	0
Checkout Step Two feature	1.503 s	1	1	0	0	13	13	0	0
Home feature	26.783 s	5	2	3	0	37	34	3	0
Login Sauce Demo App	2.594 s	2	2	0	0	8	8	0	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Cart feature	Check that the cart is not empty
2	Home feature	Check the reset state option
3		Check the reset state option
4		Check the reset state option

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	<u>Cart feature</u>	1	0	1	0	2.249 s
2	Checkout Step One feature	1	1	0	0	1.488 s
3	Checkout Step Two feature	1	1	0	0	1.503 s
4	Home feature	5	2	3	0	26.783 s
5	Login Sauce Demo App	2	2	0	0	2.594 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Cart feature	Check that the cart is not empty	6	5	1	0	2.247 s
2	Checkout Step One feature	Verify error message when fields are empty	13	13	0	0	1.488 s
3	Checkout Step Two feature	Check the total price in the shop summary	13	13	0	0	1.503 s
4	Home feature	Check the reset state option	8	7	1	0	6.986 s
5		Check the reset state option	8	7	1	0	6.966 s
6		Check the reset state option	8	7	1	0	6.983 s
7		Logout works properly	7	7	0	0	1.860 s
8		Check Twitter link	6	6	0	0	3.974 s
9	Login Sauce Demo App	Login to Sauce Demo with valid credentials	4	4	0	0	1.305 s
10		Login to Sauce Demo with valid credentials	4	4	0	0	1.288 s

DETAILED SECTION -- 6 --

### **Cart feature**

FAILED	DURATION - 2.249 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 10:19:38.469 PM //	10:19:40.718 PM /	Pass - 0	1	Pass - 5	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

# **Check that the cart is not empty**




#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	1.921 s
2	When Enter the username as "standard_user"	PASSED	0.076 s
3	And Enter the password as "secret_sauce"	PASSED	0.049 s
4	And Click on the login button	PASSED	0.052 s
5	When Click on the cart icon	PASSED	0.036 s
6	Then Button continuar should be disabled	FAILED	0.020 s
	org.opentest4j.AssertionFailedError: expected: <false> but was: <true> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63) at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36) at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:31) at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:231) at Pages.ShoppingCartPage.validateEmptyCart(ShoppingCartPage.java:25) at StepDefinitions.CartSteps.verifyCartIsNotEmpty(CartSteps.java:14) at ?.Button continuar should be disabled(file:///E:/Documentos/Tareas/PF_Certi2_SD/SauceDemoPF/src/test/resources/Cart.feature:10) * Not displayable characters are replaced by '?'.</true></false>		

DETAILED SECTION -- 7 --

# **Checkout Step One feature**

PASSED	DURATION - 1.488 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 10:19:40.733 PM //	10:19:42.221 PM /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


## Verify error message when fields are empty




#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	1.000 s
2	When Enter the username as "standard_user"	PASSED	0.067 s
3	And Enter the password as "secret_sauce"	PASSED	0.052 s
4	And Click on the login button	PASSED	0.055 s
5	And Add the product "Sauce Labs Backpack" to the cart	PASSED	0.036 s
6	And Add the product "Sauce Labs Bike Light" to the cart	PASSED	0.028 s
7	And Click on the cart icon	PASSED	0.033 s
8	And Click on checkout button	PASSED	0.034 s
9	And Set the first name with ""	PASSED	0.035 s
10	And Set the last name with ""	PASSED	0.032 s
11	And Set the postal code with ""	PASSED	0.031 s
12	And Click on Continue Button	PASSED	0.034 s
13	Then The error message "Error: First Name is required" should be displayed	PASSED	0.018 s

# **Checkout Step Two feature**

DETAILED SECTION -- 8 --




## Check the total price in the shop summary




#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	0.960 s
2	When Enter the username as "standard_user"	PASSED	0.065 s
3	And Enter the password as "secret_sauce"	PASSED	0.055 s
4	And Click on the login button	PASSED	0.057 s
5	And Add the product "Sauce Labs Backpack" to the cart	PASSED	0.032 s
6	And Add the product "Sauce Labs Bike Light" to the cart	PASSED	0.028 s
7	And Click on the cart icon	PASSED	0.038 s
8	And Click on checkout button	PASSED	0.033 s
9	And Set the first name with "Daniel"	PASSED	0.043 s
10	And Set the last name with "Torrico"	PASSED	0.044 s
11	And Set the postal code with "123"	PASSED	0.038 s
12	And Click on Continue Button	PASSED	0.037 s
13	And Check the total price calculated and the total products price	PASSED	0.038 s

### **Home feature**

DETAILED SECTION -- 9 --



## **Check the reset state option**




#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	0.979 s
2	When Enter the username as "standard_user"	PASSED	0.066 s
3	And Enter the password as "secret_sauce"	PASSED	0.054 s
4	And Click on the login button	PASSED	0.054 s
5	Then Add the product "Sauce Labs Backpack" to the cart	PASSED	0.036 s
6	And Select the menu button	PASSED	0.029 s
7	And Reset the app state	PASSED	0.558 s
8	And Check if the app state is reset "Sauce Labs Backpack"	FAILED	5.140 s
	org.opentest4j.AssertionFailedError: expected: <true> but was: <false> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(AssertEquals.java:1145) at Pages.ProductHomePage.verifyResetState(ProductHomePage.java:70) at StepDefinitions.HomeSteps.verifyAppStateReset(HomeSteps.java:31) at ?.Check if the app state is reset "Sauce Labs Backpack"(file:///E:/Documentos/Tareas/PF_Certi2_SD/SauceDemoPF/src/test/resources/Home.feature:12)</false></true>		

DETAILED SECTION -- 10 --

#		Status	Duration
	* Not displayable characters are replaced by '?'.		


# **Check the reset state option**



#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	0.978 s
2	When Enter the username as "standard_user"	PASSED	0.063 s
3	And Enter the password as "secret_sauce"	PASSED	0.054 s
4	And Click on the login button	PASSED	0.055 s
5	Then Add the product "Sauce Labs Bike Light" to the cart	PASSED	0.032 s
6	And Select the menu button	PASSED	0.035 s
7	And Reset the app state	PASSED	0.550 s
8	And Check if the app state is reset "Sauce Labs Bike Light"	FAILED	5.128 s
	org.opentest4j.AssertionFailedError: expected: <true> but was: <false> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1145) at Pages.ProductHomePage.verifyResetState(ProductHomePage.java:70) at StepDefinitions.HomeSteps.verifyAppStateReset(HomeSteps.java:31) at ?.Check if the app state is reset "Sauce Labs Bike Light"(file:///E:/Documentos/Tareas/PF_Certi2_SD/SauceDemoPF/src/test/resources/Home.feature:12) * Not displayable characters are replaced by '?'.</false></true>		

# **Check the reset state option**


DETAILED SECTION -- 11 --



#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	0.962 s
2	When Enter the username as "standard_user"	PASSED	0.068 s
3	And Enter the password as "secret_sauce"	PASSED	0.058 s
4	And Click on the login button	PASSED	0.057 s
5	Then Add the product "Sauce Labs Bolt T-Shirt" to the cart	PASSED	0.034 s
6	And Select the menu button	PASSED	0.028 s
7	And Reset the app state	PASSED	0.557 s
8	And Check if the app state is reset "Sauce Labs Bolt T-Shirt"	FAILED	5.150 s
	org.opentest4j.AssertionFailedError: expected: <true> but was: <false> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182) at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:177) at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1145) at Pages.ProductHomePage.verifyResetState(ProductHomePage.java:70) at StepDefinitions.HomeSteps.verifyAppStateReset(HomeSteps.java:31) at ?.Check if the app state is reset "Sauce Labs Bolt T-Shirt"(file:///E:/Documentos/Tareas/PF_Certi2_SD/SauceDemoPF/src/test/resources/Home.feature:12) * Not displayable characters are replaced by '?'.</false></true>		


# **Logout works properly**

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	0.982 s
2	When Enter the username as "standard_user"	PASSED	0.065 s
3	And Enter the password as "secret_sauce"	PASSED	0.055 s
4	And Click on the login button	PASSED	0.057 s
5	When Select the menu button	PASSED	0.032 s
6	And Click on the logout button	PASSED	0.583 s
7	Then Redirection to login page	PASSED	0.020 s

#### **Check Twitter link**




#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	1.058 s
2	When Enter the username as "standard_user"	PASSED	0.061 s
3	And Enter the password as "secret_sauce"	PASSED	0.054 s
4	And Click on the login button	PASSED	0.056 s
5	When Click Twitter link	PASSED	0.088 s
6	Then Redirection to the Sauce Labs Twitter page	PASSED	2.589 s

# **Login Sauce Demo App**


PASSED	DURATION - 2.594 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 10:20:10.525 Pl	M // 10:20:13.119 PM /	Pass - 2	2	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

#### **Login to Sauce Demo with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	1.066 s
2	Given Enter the username as "problem_user"	PASSED	0.064 s
3	And Enter the password as "secret_sauce"	PASSED	0.054 s
4	When Click on the login button	PASSED	0.056 s

#### **Login to Sauce Demo with valid credentials**



DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
1	Given I am on the Sauce Demo web page	PASSED	1.046 s
2	Given Enter the username as "standard_user"	PASSED	0.063 s
3	And Enter the password as "secret_sauce"	PASSED	0.054 s
4	When Click on the login button	PASSED	0.055 s