Harness Design Platform

Connected harness engineering across systems and projects

Investor presentation
Working product name October 2026

The investment proposition

A common harness design practice across systems and projects

A working design core

System diagrams, schematics, mechanical harness authoring and 3D visualization already exist.

Visible drawing confidence

Saved validation status and project checks expose missing or outdated engineering evidence.

System and project teams

Hardware startups, defense suppliers and system builders need common wiring practices across projects.

Current stage: active product development. Commercial traction and production readiness remain to be demonstrated.

Who the platform serves

Every company that designs systems with harnesses

Customer group	Harness design need
Hardware startups / high tech	Device prototypes and repeatable wiring
Defense / aerospace suppliers	Interfaces and harnesses for complex systems
Hardware and system builders	Wiring for equipment, machines and devices
Project firms / integrators	Common designs across customer projects
Harness manufacturers	Buildable harness definitions

Qualifying buyers design hardware with harnesses, interfaces or cabinet wiring

Common harness engineering across projects

Reusable engineering assets become a company practice

Common definitions

Reuse connector data, drawing templates and engineering rules instead of rebuilding the same information.

Project-specific designs

Apply a common approach to each system while preserving the project drawing identity and revision.

Controlled evolution

Build a managed harness catalog and revision-impact review as the company ecosystem grows.

Common assets reduce repeated work and improve project consistency

Today: local design reuse. Roadmap: controlled common designs and revisions across projects.

The engineering problem

Repeated harness work grows with every new project

Repeated data

Teams repeat connector data, harness layouts and drawing details across systems and projects.

Manual reconciliation

Project drawings can disagree when teams copy information and revise it separately.

Unclear release state

A check performed before an edit can look valid after the drawing has changed.



The harness engineering ecosystem

Engineering stage	Current capability	Status
Project architecture	Nested units, ports, cables and drawings	Available
Schematic design	Connectors, conductors and schematic DRC	Available
Harness design	Wizard, dimensions, coverings and BOM	Available
3D engineering	3D file import, route and length checks during design	Available
Data and checks	Parts, search and saved drawing checks	Available
Electrical CAB wiring	Cabinet components, terminals and wire routing	Proposed
Release management	Approvals, revision compare and PLM / ERP	Proposed

Available = implemented in the current development build. Proposed = future product work.

Proposed Electrical CAB wiring module

Control cabinet wiring within the same project ecosystem

Design area	Proposed capabilities
Components and layout	Cabinet equipment, DIN rails and terminal strips
Wiring definitions	Wire numbers, terminals and from/to connections
Physical routes	Duct routes, wire lengths and segregation checks
Common project data	Reusable cabinet definitions and drawing details

Purpose: consistent harness and cabinet interfaces across complex systems

Proposed module. Detailed functionality, pricing and delivery milestones still need definition.

System design and project architecture

Nested units and modules

Connector and contact data live on each port.

Cables link to a drawing, P/N and revision.

Notes attach to objects.



Electrical schematic design

Contact-level connectivity

Connectors, named wires, splices, shields and twists.

Align and adjust routes.

Find schematic issues and jump to the object.



Mechanical harness authoring

Physical harness engineering

Branches, fanouts and protective coverings.

Dimensions and annotations.

Parts and quantities in the BOM.



The harness build wizard



Engineers arrange connected parts and runs, inspect the live harness preview, and place the resulting drawing.

Design rules that explain the issue



Traffic lights and a legend make rule severity visible



Animated examples explain the fault and its correction.

Findings link engineers back to the relevant drawing object.

Rules can be configured and findings bypassed. A disabled rule is distinct from a successful design check.

Validation status follows the drawing

A pass reflects the current drawing

A green note records a successful design check.

Any drawing edit clears it and requires a new check.

Project checks inspect saved validation evidence.



3D routing and length checks

Harness checks during the design stage

Import 3D system files.

Check harness routing and length in the installation environment.

Reduce time spent on physical trial fitting and rework.



Engineering data and drawing discovery

Find part numbers inside drawings

Search engineering files with match controls.

View matching PDF pages and highlighted results.

Reuse technical data and library symbols.



Project checks across linked drawings

Example: a controller, a sensor and an actuator

Compare drawing data with project expectations.

Review issues by connection or drawing.

Click a finding to jump to its location.



Demonstration includes intentionally missing or outdated data.

Global harness software across hardware industries

$0.25B–$1.04B

Published global harness-software estimates for 2025

Buyers include hardware OEMs, aerospace/defense, machinery and system engineering teams.



2025 publisher estimates differ. Both cover multiple buyer industries. These figures are not additive.

The broader electrical-design ecosystem

$9.81B

Estimated global ECAD ecosystem in 2025

Harness design is the starting scope. Cabinet wiring expands the roadmap into electrical system engineering.



Broad ECAD context includes PCB tools and services beyond this app. It is not the current serviceable market.

Worldwide company landscape

Population	Published count	How to use it
Wire harness manufacturers	1,363 companies	Focused prospecting proxy
Cable and harness manufacturers	6,132 companies	Broader adjacent prospect pool
WHMA members	About 250 members	Industry access and pilot recruitment

Hardware startups, defense and high-tech device firms expand the buyer base beyond these directories.

These directories do not count every eligible hardware startup, device OEM or complex-system builder.

These overlapping industry counts describe one segment, not the complete software customer base.

The main competitors

Product	Established strengths	Primary context
Siemens Capital	Electrical validation, harness and formboard design	Capital engineering ecosystem
Zuken E3.series	Synchronized cable/formboard data and DRC	Electrical design and manufacture
EPLAN Harness proD	3D routes, 2D production drawings, MCAD links	Machine and vehicle cabling
SOLIDWORKS Electrical 3D	Schematic/3D integration and automatic wire routing	SOLIDWORKS mechanical workflows
Cadonix Arcadia	Cloud design, manufacturing reports and component data	Connected design and shop floor
RapidHarness	Harness/system design, DRC and cloud version control	Windows desktop with cloud data

Competitor capabilities come from vendor documentation. This is positioning, not a performance benchmark.

Where this app can win

Local project control

Native Windows authoring and local DWX files suit teams with limited connectivity or local data requirements.

Visible validation state

Canvas pass notes disappear after drawing changes. Project checks expose missing saved evidence.

Explained engineering rules

Animated fault-and-fix previews and issue navigation help engineers understand what to correct.

A lower paid entry price

Drawing starts at $70/month. RapidHarness Standard is $219/month individually. Capability scope differs.

Candidate strengths require pilot validation. Enterprise integration, collaboration and support remain competitor advantages.

Proposed subscription model

Tier	Capability bundle	USD / month	USD / year
Free	Evaluation access, limits to define	$0	$0
Drawing	Harness drawing capabilities	$70	$840
Engineering	Schematic and mechanical harness wizards	$100	$1,200
Complete	3D and system design capabilities	$150	$1,800

Corporate terms

Multiple seats with volume and deployment terms to define during customer pilots.

Single-seat and corporate subscriptions. Prices are the proposed commercial plan, before any discounts or tax.

Revenue when each company buys one seat

A one-seat customer contributes $840–$1,800 per year

Paying companies	Drawing $70/mo	Engineering $100/mo	Complete $150/mo
100	$84,000	$120,000	$180,000
500	$420,000	$600,000	$900,000
1,000	$840,000	$1,200,000	$1,800,000
3,000	$2,520,000	$3,600,000	$5,400,000

One company with one Engineering seat generates $100/month or $1,200/year

One paid seat per company. Illustrative annual revenue only, before costs, discounts, churn and tax.

One-seat and five-seat customer economics

Measure	One seat / company	Five seats / company
Monthly revenue / company	$100	$500
Annual revenue / company	$1,200	$6,000
Companies for 3,000 seats	3,000	600
Annual revenue at 3,000 seats	$3,600,000	$3,600,000

Base cash break-even: 841 Engineering seats, or 841 one-seat customers

Break-even assumes NIS 3.5/USD, 85% cash contribution and NIS 3M annual salary/rent cost.

Initial customers and route to market

First buyers

Hardware startups, defense and high-tech device builders, plus firms with many system projects. Harness suppliers are another segment.

First engagement

Recruit 5–10 partners. Test common harness practices on several live projects, using real engineering drawings.

Commercial proof

Measure time saved through reuse, consistency of project drawings, onboarding effort and willingness to pay.

Expansion path

Land a team on one project, then expand across its project portfolio with common parts, designs and engineering practices.



Ecosystem roadmap

Stage	Product additions	Engineering value
Pilot readiness	Reliability, onboarding and representative drawings	Prove a dependable core workflow
Project intelligence	Shared harness catalog, revision compare and exceptions	Manage common designs across projects
Electrical CAB wiring	Components, terminals, cabinet layouts and wire routes	Extend design into control cabinets
Engineering release	Revision register, approval and drawing packages	Keep project release data consistent
Team ecosystem	Approvals, shared libraries and PLM/ERP integrations	Support controlled work across organizations

The proposed five-person team

Role	Primary responsibility	24-month salary
CEO / Product owner	Product direction, partnerships and company leadership	NIS 960,000
Backend software engineer	Data services, integrations and commercial infrastructure	NIS 960,000
Full stack engineer	Product interfaces and future team services	NIS 960,000
System software engineer	Native CAD engine, routing and engineering rules	NIS 960,000
Promotion and sales	Design-partner recruitment, pipeline and customer adoption	NIS 960,000

Five planned roles. Each budgeted at NIS 40,000 per month. The project owner will serve as CEO.

NIS 6.0 million base funding requirement

24 months

NIS 250,000 per month
for the stated salary and office costs

Cost category	NIS / month	NIS / 24 months
Five salaries	200,000	4,800,000
Office rent	50,000	1,200,000
Base requirement	250,000	6,000,000

Employer costs, equipment, marketing and contingency need explicit budget treatment.

Base budget supplied by the project owner. Funding terms and a fully loaded operating budget remain to be defined.

Investor cash-return assumptions

Model input	Illustrative assumption
Investment / investor ownership	NIS 6M / 20%
Paid-seat price / planning FX	$100/month / NIS 3.5 per USD
Annual salary and rent cost	NIS 3M
Cash contribution after variable costs	85% of subscription revenue
Reserve from positive operating cash	20% for taxes and reinvestment
Investor payments	Annual distributions from Year 3

Investor cash = positive operating cash × 80% × 20% ownership

Illustrative steady-state model. No acquisition ramp, dilution or agreed dividend policy is included.

When distributions return the NIS 6M investment

20% ownership and annual investor cash distributions

Paid seats from Year 3	Annual company revenue	Annual investor cash	Full investment returned
1,500	NIS 6.30M	NIS 0.377M	End of Year 18
3,000	NIS 12.60M	NIS 1.234M	End of Year 7
5,000	NIS 21.00M	NIS 2.376M	End of Year 5

For one-seat customers, 3,000 paid seats require 3,000 paying companies

Payments begin at the end of Year 3. Stable seats and the preceding cash assumptions determine payback.

Investor payback through a company sale

At 20% ownership, a NIS 30M equity sale returns NIS 6M

Hypothetical sale	Exit equity value	Investor receives	Gross ROI
Year 3	NIS 30M	NIS 6M	0%
Year 5	NIS 60M	NIS 12M	100%
Year 7	NIS 90M	NIS 18M	200%

Investment cash returns when a qualifying company sale closes

Hypothetical sale dates and values. Separate exit-only cases, before dilution, preferences, taxes and fees.

Investment priorities and proof milestones

Capital should fund evidence of a reliable, paid engineering workflow

Product evidence

A repeatable demo on real partner designs, dependable file exchange and documented rule coverage.

Commercial evidence

Paid pilots, measured user value, pricing acceptance and a manageable onboarding/support burden.

Ecosystem evidence

A validated release-package workflow and one useful cabinet wiring or project-data integration.

Next step: a technical demonstration followed by design-partner pilots

Market scope and estimate differences

Category / source	2025 estimate	How the deck uses it
Harness software / 360iResearch	$245.71M	Cross-sector software estimate
Harness software / LP Information	$1,039M	Alternative publisher estimate
Broader ECAD / TechSci Research	$9.81B	Adjacent ecosystem including PCB/services
Hardware startups / defense / OEMs	No separate count asserted	Target buyers within engineering demand

These markets overlap. Qualify serviceable hardware accounts and paid-seat demand separately.

Sources and product evidence

Evidence area	Source
Market recheck	360iResearch, LP Information and TechSci Research
Company counts	RevenueBase manufacturer directories (Sep 2026) and WHMA
Electrical CAB proposal	Zuken E3.panel official cabinet-design workflow
Competitor capabilities	Official vendor product, FAQ and pricing pages
App capabilities and examples	Current app source and native UI captures (10 Oct 2026)
Investor return timing	Owner inputs and editable payback assumptions
Buyer focus and roadmap	Hardware/startup/defense buyers and Electrical CAB wiring

Detailed URLs and disclosures appear in the relevant slide notes.