

Totally Integrated Automation Portal

FC_InputReg10_L106_To_Inputs [FC17]

FC_InputReg10_L106_To_Inputs Properties

General

Name	FC_Inpu-tReg10_L106_To_Inputs	Number	17	Type	FC	Language	SCL
Numbering	Automatic						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value	Comment
▼ Input			
▼ Reg	Array[0..200] of Word		
Reg[0]	Word		
Reg[1]	Word		
Reg[2]	Word		
Reg[3]	Word		
Reg[4]	Word		
Reg[5]	Word		
Reg[6]	Word		
Reg[7]	Word		
Reg[8]	Word		
Reg[9]	Word		
Reg[10]	Word		
Reg[11]	Word		
Reg[12]	Word		
Reg[13]	Word		
Reg[14]	Word		
Reg[15]	Word		
Reg[16]	Word		
Reg[17]	Word		
Reg[18]	Word		
Reg[19]	Word		
Reg[20]	Word		
Reg[21]	Word		
Reg[22]	Word		
Reg[23]	Word		
Reg[24]	Word		
Reg[25]	Word		
Reg[26]	Word		
Reg[27]	Word		
Reg[28]	Word		
Reg[29]	Word		
Reg[30]	Word		
Reg[31]	Word		
Reg[32]	Word		
Reg[33]	Word		
Reg[34]	Word		
Reg[35]	Word		
Reg[36]	Word		
Reg[37]	Word		
Reg[38]	Word		
Reg[39]	Word		
Reg[40]	Word		
Reg[41]	Word		
Reg[42]	Word		
Reg[43]	Word		
Reg[44]	Word		
Reg[45]	Word		
Reg[46]	Word		
Reg[47]	Word		
Reg[48]	Word		
Reg[49]	Word		
Reg[50]	Word		
Reg[51]	Word		
Reg[52]	Word		
Reg[53]	Word		
Reg[54]	Word		
Reg[55]	Word		
Reg[56]	Word		
Reg[57]	Word		
Reg[58]	Word		
Reg[59]	Word		
Reg[60]	Word		
Reg[61]	Word		
Reg[62]	Word		
Reg[63]	Word		

Totally Integrated Automation Portal				
Name	Data type	Default value	Comment	
Reg[64]	Word			
Reg[65]	Word			
Reg[66]	Word			
Reg[67]	Word			
Reg[68]	Word			
Reg[69]	Word			
Reg[70]	Word			
Reg[71]	Word			
Reg[72]	Word			
Reg[73]	Word			
Reg[74]	Word			
Reg[75]	Word			
Reg[76]	Word			
Reg[77]	Word			
Reg[78]	Word			
Reg[79]	Word			
Reg[80]	Word			
Reg[81]	Word			
Reg[82]	Word			
Reg[83]	Word			
Reg[84]	Word			
Reg[85]	Word			
Reg[86]	Word			
Reg[87]	Word			
Reg[88]	Word			
Reg[89]	Word			
Reg[90]	Word			
Reg[91]	Word			
Reg[92]	Word			
Reg[93]	Word			
Reg[94]	Word			
Reg[95]	Word			
Reg[96]	Word			
Reg[97]	Word			
Reg[98]	Word			
Reg[99]	Word			
Reg[100]	Word			
Reg[101]	Word			
Reg[102]	Word			
Reg[103]	Word			
Reg[104]	Word			
Reg[105]	Word			
Reg[106]	Word			
Reg[107]	Word			
Reg[108]	Word			
Reg[109]	Word			
Reg[110]	Word			
Reg[111]	Word			
Reg[112]	Word			
Reg[113]	Word			
Reg[114]	Word			
Reg[115]	Word			
Reg[116]	Word			
Reg[117]	Word			
Reg[118]	Word			
Reg[119]	Word			
Reg[120]	Word			
Reg[121]	Word			
Reg[122]	Word			
Reg[123]	Word			
Reg[124]	Word			
Reg[125]	Word			
Reg[126]	Word			
Reg[127]	Word			
Reg[128]	Word			
Reg[129]	Word			
Reg[130]	Word			
Reg[131]	Word			
Reg[132]	Word			
Reg[133]	Word			
Reg[134]	Word			
Reg[135]	Word			
Reg[136]	Word			
Reg[137]	Word			
Reg[138]	Word			
Reg[139]	Word			
Reg[140]	Word			
Reg[141]	Word			
Reg[142]	Word			

Totally Integrated Automation Portal				
Name	Data type	Default value	Comment	
Reg[143]	Word			
Reg[144]	Word			
Reg[145]	Word			
Reg[146]	Word			
Reg[147]	Word			
Reg[148]	Word			
Reg[149]	Word			
Reg[150]	Word			
Reg[151]	Word			
Reg[152]	Word			
Reg[153]	Word			
Reg[154]	Word			
Reg[155]	Word			
Reg[156]	Word			
Reg[157]	Word			
Reg[158]	Word			
Reg[159]	Word			
Reg[160]	Word			
Reg[161]	Word			
Reg[162]	Word			
Reg[163]	Word			
Reg[164]	Word			
Reg[165]	Word			
Reg[166]	Word			
Reg[167]	Word			
Reg[168]	Word			
Reg[169]	Word			
Reg[170]	Word			
Reg[171]	Word			
Reg[172]	Word			
Reg[173]	Word			
Reg[174]	Word			
Reg[175]	Word			
Reg[176]	Word			
Reg[177]	Word			
Reg[178]	Word			
Reg[179]	Word			
Reg[180]	Word			
Reg[181]	Word			
Reg[182]	Word			
Reg[183]	Word			
Reg[184]	Word			
Reg[185]	Word			
Reg[186]	Word			
Reg[187]	Word			
Reg[188]	Word			
Reg[189]	Word			
Reg[190]	Word			
Reg[191]	Word			
Reg[192]	Word			
Reg[193]	Word			
Reg[194]	Word			
Reg[195]	Word			
Reg[196]	Word			
Reg[197]	Word			
Reg[198]	Word			
Reg[199]	Word			
Reg[200]	Word			
Output				
▼ InOut				
▼ Inps	"Skid_Parameters_In-puts"			
DcMs.TotWatt	DInt			
InvMs.DclVol.Stk1	Real			
InvMs.DclVol.Stk2	Real			
InvMs.DclVol.Stk3	Real			
InvMs.TotA.PhsA	DInt			
InvMs.TotA.PhsC	DInt			
InvMs.PF	Real			
GriMs.V.PhsAB	Real			
GriMs.V.PhsBC	Real			
GriMs.V.PhsCA	Real			
TmpCab.Acc	Real			
TmpCab.Dcc	Real			
TmpCab.Rio	Real			
TmpCab.Max	Real			
TmpStk.IgbtMax	Real			
TmpStk.PcbMax	Real			
TmpExl	Real			

Totally Integrated Automation Portal				
Name	Data type	Default value	Comment	
TmpTrf	Real			
DcSw1Stt	DInt			
DcSw2Stt	DInt			
DcSw3Stt	DInt			
AcSwStt	DInt			
CapacSwStt	DInt			
PrchrgSwStt	DInt			
Cnt.TotFeedTm	DInt			
Cnt.TotOpTm	DInt			
Cnt.TotWatthIn	Real			
Cnt.TotWhOut	Real			
Cnt.WatthIn	Real			
Cnt.WhOut	Real			
Cnt.FanCab1Tm	DInt			
Cnt.FanCab2Tm	DInt			
Cnt.FanStkTm	DInt			
Cnt.HtCabTm	DInt			
Cnt.HtLoExlTmpTm	DInt			
Rio.KeySw	DInt			
WaitGriTm	Real			
DevInf.SerNo	DInt			
GfdiSwStt	DInt			
VAMaxSpt	Real			
TrfPro.Pres	DInt			
TrfPro.TmpTrp	DInt			
TrfPro.GasOilLev	DInt			
TrfPro.TmpWrn	DInt			
TmpStk1.lgbt	Real			
TmpStk2.lgbt	Real			
TmpStk3.lgbt	Real			
TmpStk1.Pcb	Real			
TmpStk2.Pcb	Real			
TmpStk3.Pcb	Real			
Cnt.YstdWhOut	Real			
Cpu1UpTime	DInt			
PvGnd.RisIso	Real			
PresTrf	Real			
PresTrf.ErrStt	DInt			
BfpBits	Int			
DcMs.BfpAmp	Real			
GriMs.Vol.PsNom	Real			
Cnt.TotDcWhOut	Real			
Cnt.TotAcWhIn	Real			
Cnt.DcWhOut	Real			
Cnt.AcWhIn	Real			
DclVolSpt	Real			
VolINomSpt	Real			
AuxCtl.LifeSign	Int			
InvPwrVolTyp	DInt			
HzNomSpt	Real			
DrtStt	DInt			
DiagRmgTm	DInt			
Rio.Din.FloatCtl.Wa	Int			
Rio.Din.FloatCtl.Err	Int			
WRtg	DInt			
Gfdi.AmpPrc	Real			
Gfdi.AmpErr	Real			
ActErrNo1	DInt			
ActErrLcn1	DInt			
ActErrNo2	DInt			
ActErrLcn2	DInt			
ActErrNo3	DInt			
ActErrLcn3	DInt			
ActErrNo4	DInt			
ActErrLcn4	DInt			
ActErrNo5	DInt			
ActErrLcn5	DInt			
ActErrNo6	DInt			
ActErrLcn6	DInt			
ActErrNo7	DInt			
ActErrLcn7	DInt			
ActErrNo8	DInt			
ActErrLcn8	DInt			
ActErrNo9	DInt			
ActErrLcn9	DInt			
ActErrNo10	DInt			
ActErrLcn10	DInt			
▼ Inv	"Sunny_inverter"			

Totally Integrated Automation Portal			
Name	Data type	Default value	Comment
InvOpMod	DInt		Operating state of the inverter, setpoint
RemRdy	DInt		Put inverter into operation or standby
GriMng.VArMod	DInt		Utility grid system services: Selection of procedure for setpoint for reactive power
GriMng.WMod	DInt		Utility grid system services: Selection of procedure for setpoint for active power
ErrClr	DInt		Acknowledgment of the present error
ErrClr.ProErr	DInt		Acknowledging of safety- relevant errors
InvMs.TotVA	DInt		Apparent power, total
InvMs.TotW	DInt		Active power, total
InstFunc	DInt		Activation of installation functions
InvMs.TotVAr	DInt		Reactive power, total
GriMs.Hz	Real		Grid frequency
ErrLcn	DInt		Error location of the present error
ErrStt	DInt		Error status of the inverter
ErrNo	DInt		Error number of the present error
OpStt	DInt		Operating state of the inverter
WSpt	DInt		Active power, setpoint
VArSpt	DInt		Reactive power, setpoint
PFSpt	Real		Power factor cos (phi), setpoint
WAval	Real		Currently available active power
VArAval	Real		Currently available reactive power
PwrOffReas	DInt		Current cause of inverter disconnection
▼ Temp			
si16	Int		
ui16	UInt		
di32	DInt		
du32	UDInt		
Constant			
▼ Return			
FC_InputReg10_L106_To_Inputs	Void		

0001

// 10..11 DcMs.TotWatt (S32 FIX0) -> DInt

0002

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[0], LoWord := #Reg[1]);

0003

#Inps."DcMs.TotWatt" := #di32;

0004

0005

// 12..13 InvMs.DclVol.Stk1 (S32 FIX1 /10) -> Real

0006

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[2], LoWord := #Reg[3]);

0007

#Inps."InvMs.DclVol.Stk1" := DINT_TO_REAL(#di32) / 10.0;

0008

0009

// 14..15 InvMs.DclVol.Stk2 (S32 FIX1 /10) -> Real

0010

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[4], LoWord := #Reg[5]);

0011

#Inps."InvMs.DclVol.Stk2" := DINT_TO_REAL(#di32) / 10.0;

0012

0013

// 16..17 InvMs.DclVol.Stk3 (S32 FIX1 /10) -> Real

0014

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[6], LoWord := #Reg[7]);

0015

#Inps."InvMs.DclVol.Stk3" := DINT_TO_REAL(#di32) / 10.0;

0016

0017

// 18..19 InvMs.TotA.PhsA (S32 FIX0) -> DInt

0018

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[8], LoWord := #Reg[9]);

0019

#Inps."InvMs.TotA.PhsA" := #di32;

0020

0021

// 22..23 InvMs.TotA.PhsC (S32 FIX0) -> DInt

0022

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[12], LoWord := #Reg[13]);

0023

#Inps."InvMs.TotA.PhsC" := #di32;

0024

0025

// 24..25 InvMs.PF (S32 FIX4 /10000) -> Real

0026

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[14], LoWord := #Reg[15]);

0027

#Inps."InvMs.PF" := DINT_TO_REAL(#di32) / 10000.0;

0028

0029

// 26..27 InvMs.TotVA (S32 FIX0) -> DInt (in inverter UDT)

0030

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[16], LoWord := #Reg[17]);

0031

#Inv."InvMs.TotVA" := #di32;

0032

0033

// 28..29 InvMs.TotW (S32 FIX0) -> DInt (in inverter UDT)

0034

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[18], LoWord := #Reg[19]);

0035

#Inv."InvMs.TotW" := #di32;

0036

0037

// 30..31 InvMs.TotVAr (S32 FIX0) -> DInt (in inverter UDT)

0038

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[20], LoWord := #Reg[21]);

0039

#Inv."InvMs.TotVAr" := #di32;

0040

0041

// 32..33 GriMs.V.PhsAB (S32 FIX1 /10) -> Real

0042

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[22], LoWord := #Reg[23]);

0043

#Inps."GriMs.V.PhsAB" := DINT_TO_REAL(#di32) / 10.0;

0044

0045

// 34..35 GriMs.V.PhsBC (S32 FIX1 /10) -> Real

0046

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[24], LoWord := #Reg[25]);

0047

#Inps."GriMs.V.PhsBC" := DINT_TO_REAL(#di32) / 10.0;

0048

0049

// 36..37 GriMs.V.PhsCA (S32 FIX1 /10) -> Real

0050

#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[26], LoWord := #Reg[27]);

0051

#Inps."GriMs.V.PhsCA" := DINT_TO_REAL(#di32) / 10.0;

0052

--	--	--

Totally Integrated Automation Portal		
0053	// 38..39 GriMs.Hz (S32 FIX2 /100) -> Real (in inverter UDT)	
0054	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[28], LoWord := #Reg[29]);	
0055	#Inv."GriMs.Hz" := DINT_TO_REAL(#di32) / 100.0;	
0056		
0057	// 40..41 TmpCab.Acc (S32 FIX1 /10) -> Real	
0058	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[30], LoWord := #Reg[31]);	
0059	#Inps."TmpCab.Acc" := DINT_TO_REAL(#di32) / 10.0;	
0060		
0061	// 42..43 TmpCab.Dcc (S32 FIX1 /10) -> Real	
0062	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[32], LoWord := #Reg[33]);	
0063	#Inps."TmpCab.Dcc" := DINT_TO_REAL(#di32) / 10.0;	
0064		
0065	// 44..45 TmpCab.Rio (S32 FIX1 /10) -> Real	
0066	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[34], LoWord := #Reg[35]);	
0067	#Inps."TmpCab.Rio" := DINT_TO_REAL(#di32) / 10.0;	
0068		
0069	// 46..47 TmpCab.Max (S32 FIX1 /10) -> Real	
0070	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[36], LoWord := #Reg[37]);	
0071	#Inps."TmpCab.Max" := DINT_TO_REAL(#di32) / 10.0;	
0072		
0073	// 48..49 TmpStk.IgbtMax (S32 FIX1 /10) -> Real	
0074	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[38], LoWord := #Reg[39]);	
0075	#Inps."TmpStk.IgbtMax" := DINT_TO_REAL(#di32) / 10.0;	
0076		
0077	// 50..51 TmpStk.PcbMax (S32 FIX1 /10) -> Real	
0078	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[40], LoWord := #Reg[41]);	
0079	#Inps."TmpStk.PcbMax" := DINT_TO_REAL(#di32) / 10.0;	
0080		
0081	// 52..53 TmpExl (S32 FIX1 /10) -> Real	
0082	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[42], LoWord := #Reg[43]);	
0083	#Inps."TmpExl" := DINT_TO_REAL(#di32) / 10.0;	
0084		
0085	// 54..55 TmpTrf (S32 FIX1 /10) -> Real	
0086	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[44], LoWord := #Reg[45]);	
0087	#Inps."TmpTrf" := DINT_TO_REAL(#di32) / 10.0;	
0088		
0089	// 56..57 DcSw1Stt (S32 ENUM) -> DInt	
0090	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[46], LoWord := #Reg[47]);	
0091	#Inps."DcSw1Stt" := #di32;	
0092		
0093	// 58..59 DcSw2Stt (S32 ENUM) -> DInt	
0094	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[48], LoWord := #Reg[49]);	
0095	#Inps."DcSw2Stt" := #di32;	
0096		
0097	// 60..61 DcSw3Stt (S32 ENUM) -> DInt	
0098	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[50], LoWord := #Reg[51]);	
0099	#Inps."DcSw3Stt" := #di32;	
0100		
0101	// 62..63 AcSwStt (S32 ENUM) -> DInt	
0102	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[52], LoWord := #Reg[53]);	
0103	#Inps."AcSwStt" := #di32;	
0104		
0105	// 66..67 CapacSwStt (S32 ENUM) -> DInt	
0106	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[56], LoWord := #Reg[57]);	
0107	#Inps."CapacSwStt" := #di32;	
0108		
0109	// 68..69 PrchrgSwStt (S32 ENUM) -> DInt	
0110	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[58], LoWord := #Reg[59]);	
0111	#Inps."PrchrgSwStt" := #di32;	
0112		
0113	// 70..71 Cnt.TotFeedTm (U32 FIX0) -> DInt	
0114	#di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[60], LoWord := #Reg[61]);	
0115	#Inps."Cnt.TotFeedTm" := #di32;	
0116		
0117	// 72..73 Cnt.TotOpTm (U32 FIX0) -> DInt	
0118	#di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[62], LoWord := #Reg[63]);	
0119	#Inps."Cnt.TotOpTm" := #di32;	
0120		
0121	// 74..75 Cnt.TotWatthIn (S32 FIX2 /100) -> Real (MWh)	
0122	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[64], LoWord := #Reg[65]);	
0123	#Inps."Cnt.TotWatthIn" := DINT_TO_REAL(#di32) / 100.0;	
0124		
0125	// 76..77 Cnt.TotWhOut (S32 FIX2 /100) -> Real (MWh)	
0126	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[66], LoWord := #Reg[67]);	
0127	#Inps."Cnt.TotWhOut" := DINT_TO_REAL(#di32) / 100.0;	
0128		
0129	// 78..79 Cnt.WatthIn (S32 FIX2 /100) -> Real (MWh)	
0130	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[68], LoWord := #Reg[69]);	
0131	#Inps."Cnt.WatthIn" := DINT_TO_REAL(#di32) / 100.0;	
0132		
0133	// 80..81 Cnt.WhOut (S32 FIX2 /100) -> Real (MWh)	
0134	#di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[70], LoWord := #Reg[71]);	
0135	#Inps."Cnt.WhOut" := DINT_TO_REAL(#di32) / 100.0;	
0136		
0137	// 82..83 Cnt.FanCab1Tm (U32 FIX0) -> DInt	
0138	#di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[72], LoWord := #Reg[73]);	
0139	#Inps."Cnt.FanCab1Tm" := #di32;	
0140		

Totally Integrated Automation Portal			
<pre>0141 // 84..85 Cnt.FanCab2Tm (U32 FIX0) -> DInt 0142 #di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[74], LoWord := #Reg[75]); 0143 #Inps."Cnt.FanCab2Tm" := #di32; 0144 0145 // 86..87 Cnt.FanStkTm (U32 FIX0) -> DInt 0146 #di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[76], LoWord := #Reg[77]); 0147 #Inps."Cnt.FanStkTm" := #di32; 0148 0149 // 88..89 Cnt.HtCabTm (U32 FIX0) -> DInt 0150 #di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[78], LoWord := #Reg[79]); 0151 #Inps."Cnt.HtCabTm" := #di32; 0152 0153 // 90..91 Cnt.HtLoExlTmpTm (U32 FIX0) -> DInt 0154 #di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[80], LoWord := #Reg[81]); 0155 #Inps."Cnt.HtLoExlTmpTm" := #di32; 0156 0157 // 100..101 Rio.KeySw (S32 ENUM) -> DInt 0158 #di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[90], LoWord := #Reg[91]); 0159 #Inps."Rio.KeySw" := #di32; 0160 0161 // 102..103 WaitGriTm (S32 FIX1 /10) -> Real (s) 0162 #di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[92], LoWord := #Reg[93]); 0163 #Inps."WaitGriTm" := DINT_TO_REAL(#di32) / 10.0; 0164 0165 // 104..105 DevInf.SerNo (U32 FIX0) -> DInt 0166 #di32 := "FC_U32_BE_FromWords"(HiWord := #Reg[94], LoWord := #Reg[95]); 0167 #Inps."DevInf.SerNo" := #di32; 0168 0169 // 106..107 GfdiSwStt (S32 ENUM) -> DInt 0170 #di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[96], LoWord := #Reg[97]); 0171 #Inps."GfdiSwStt" := #di32; 0172 0173 // 108..109 WSpt (S32 FIX0) -> DInt (in inverter UDT) 0174 #di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[98], LoWord := #Reg[99]); 0175 #Inv."WSpt" := #di32; 0176 0177 // #du32 := "FC_U32_BE_FromWords"(HiWord := #Reg[88], LoWord := #Reg[89]); 0178 // #Inv.OpStt := #du32; 0179 #Inv.ErrLcn := "FC_U32_BE_FromWords"(HiWord := #Reg[82], LoWord := #Reg[83]); 0180 #Inv.ErrStt := "FC_S32_BE_FromWords"(HiWord := #Reg[84], LoWord := #Reg[85]); 0181 #Inv.ErrNo := "FC_U32_BE_FromWords"(HiWord := #Reg[86], LoWord := #Reg[87]); 0182 #Inv.OpStt := "FC_S32_BE_FromWords"(HiWord := #Reg[88], LoWord := #Reg[89]); 0183 0184 0185 // 110..111 VAMaxSpt (S32 FIX1 /10) -> Real 0186 #di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[100], LoWord := #Reg[101]); 0187 #Inps."VAMaxSpt" := DINT_TO_REAL(#di32) / 10.0; 0188 0189 // 112..113 VArSpt (S32 FIX0) -> DInt (in inverter UDT) 0190 #di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[102], LoWord := #Reg[103]); 0191 #Inv."VArSpt" := #di32; 0192 0193 // 114..115 PFSpt (S32 FIX4 /10000) -> Real (in inverter UDT) 0194 #di32 := "FC_S32_BE_FromWords"(HiWord := #Reg[104], LoWord := #Reg[105]); 0195 #Inv."PFSpt" := DINT_TO_REAL(#di32) / 10000.0;</pre>			
Symbol	Address	Type	Comment
#di32		DInt	
#Inps."Cnt.FanCab1Tm"		DInt	
#Inps."Cnt.FanCab2Tm"		DInt	
#Inps."Cnt.FanStkTm"		DInt	
#Inps."Cnt.HtCabTm"		DInt	
#Inps."Cnt.HtLoExlTmpTm"		DInt	
#Inps."Cnt.TotFeedTm"		DInt	
#Inps."Cnt.TotOpTm"		DInt	
#Inps."Cnt.TotWatthIn"		Real	
#Inps."Cnt.TotWhOut"		Real	
#Inps."Cnt.WatthIn"		Real	
#Inps."Cnt.WhOut"		Real	
#Inps."DcMs.TotWatt"		DInt	
#Inps."DevInf.SerNo"		DInt	
#Inps."GriMs.V.PhsAB"		Real	
#Inps."GriMs.V.PhsBC"		Real	
#Inps."GriMs.V.PhsCA"		Real	
#Inps."InvMs.DclVol.Stk1"		Real	
#Inps."InvMs.DclVol.Stk2"		Real	
#Inps."InvMs.DclVol.Stk3"		Real	
#Inps."InvMs.PF"		Real	
#Inps."InvMs.TotA.PhsA"		DInt	
#Inps."InvMs.TotA.PhsC"		DInt	
#Inps."Rio.KeySw"		DInt	
#Inps."TmpCab.Acc"		Real	
#Inps."TmpCab.Dcc"		Real	
#Inps."TmpCab.Max"		Real	
#Inps."TmpCab.Rio"		Real	
#Inps."TmpStk.IgbtMax"		Real	
#Inps."TmpStk.PcbMax"		Real	
#Inps.AcSwStt		DInt	

Totally Integrated Automation Portal			
Symbol	Address	Type	Comment
#Inps.CapacSwStt		DInt	
#Inps.DcSw1Stt		DInt	
#Inps.DcSw2Stt		DInt	
#Inps.DcSw3Stt		DInt	
#Inps.GfdiSwStt		DInt	
#Inps.PrchrgSwStt		DInt	
#Inps.TmpExl		Real	
#Inps.TmpTrf		Real	
#Inps.VAMaxSpt		Real	
#Inps.WaitGriTm		Real	
#Inv."GriMs.Hz"		Real	Grid frequency
#Inv."InvMs.TotVA"		DInt	Apparent power, total
#Inv."InvMs.TotVAr"		DInt	Reactive power, total
#Inv."InvMs.TotW"		DInt	Active power, total
#Inv.ErrLcn		DInt	Error location of the present error
#Inv.ErrNo		DInt	Error number of the present error
#Inv.ErrStt		DInt	Error status of the inverter
#Inv.OpStt		DInt	Operating state of the inverter
#Inv.PFSpt		Real	Power factor cos (phi), setpoint
#Inv.VArSpt		DInt	Reactive power, setpoint
#Inv.WSpt		DInt	Active power, setpoint
#Reg[0]		Word	
#Reg[1]		Word	
#Reg[2]		Word	
#Reg[3]		Word	
#Reg[4]		Word	
#Reg[5]		Word	
#Reg[6]		Word	
#Reg[7]		Word	
#Reg[8]		Word	
#Reg[9]		Word	
#Reg[12]		Word	
#Reg[13]		Word	
#Reg[14]		Word	
#Reg[15]		Word	
#Reg[16]		Word	
#Reg[17]		Word	
#Reg[18]		Word	
#Reg[19]		Word	
#Reg[20]		Word	
#Reg[21]		Word	
#Reg[22]		Word	
#Reg[23]		Word	
#Reg[24]		Word	
#Reg[25]		Word	
#Reg[26]		Word	
#Reg[27]		Word	
#Reg[28]		Word	
#Reg[29]		Word	
#Reg[30]		Word	
#Reg[31]		Word	
#Reg[32]		Word	
#Reg[33]		Word	
#Reg[34]		Word	
#Reg[35]		Word	
#Reg[36]		Word	
#Reg[37]		Word	
#Reg[38]		Word	
#Reg[39]		Word	
#Reg[40]		Word	
#Reg[41]		Word	
#Reg[42]		Word	
#Reg[43]		Word	
#Reg[44]		Word	
#Reg[45]		Word	
#Reg[46]		Word	
#Reg[47]		Word	
#Reg[48]		Word	
#Reg[49]		Word	
#Reg[50]		Word	
#Reg[51]		Word	
#Reg[52]		Word	
#Reg[53]		Word	
#Reg[56]		Word	
#Reg[57]		Word	
#Reg[58]		Word	
#Reg[59]		Word	
#Reg[60]		Word	
#Reg[61]		Word	
#Reg[62]		Word	
#Reg[63]		Word	
#Reg[64]		Word	
#Reg[65]		Word	
#Reg[66]		Word	
#Reg[67]		Word	

