

Contents

Xmonad Essentials	1
BLW Keys	2
Favorite Programs	2
Screenshot	2
Switch to Workspace	2
Send Window to Workspace	3
Move Window to WS and Go There	3
Window Navigation	3
Monitors	4
Switch Layouts	4
Window Resizing	4
Floating Windows	4
Window Spacing (Gaps)	4
Increase/Decrease Windows in Master Pane or Stack	5
Sublayouts	5
Scratchpads	5
Mocp music player	6
GridSelect	6
Multimedia keys	7
Emacs	7

Xmonad Essentials

Keybinding	Description	Command
M-d	BLW's Xmonad Documented	<code>spawn "blw-docs"</code>
M-C-r	Recompile XMonad	<code>spawn "xmonad --recompile"</code>
M-S-r	Restart XMonad	<code>spawn "xmonad --restart"</code>
M-S-q	Quit XMonad	<code>sequence_ [spawn (mySoundPlayer ++ shutdownSound), io exitSuccess]</code>
M-q	Kill focused window	<code>kill1</code>
M-S-a	Kill all windows on WS	<code>killAll</code>
M-S-b	Toggle bar show/hide	<code>spawn "dbus-send --session --dest=org.Xmobar.Control ..."</code>
M-S-<Return>	Run prompt	<code>sequence_ [spawn (mySoundPlayer ++ dmenuSound), spawn "~/local/bin/dm-run"]</code>

Keybinding	Description	Command
M-<F1>	Show keybindings (YAD)	showKeybindings

BLW Keys

Keybinding	Description	Command
M-p t t	Random Lazywallpaper	spawn "random-lazywal"
M-p r	Launch Rofi 2	spawn "rofi -show run"
M-p M-p	Take a screenshot (notify)	spawn "notify-send 'hello!'"
M-p t e x	Latex OCR	spawn "pix2tex_gui"

Favorite Programs

Keybinding	Description	Command
M-<Return>	Launch terminal	spawn (myTerminal)
M5-<Return>	Launch Alacritty	spawn "alacritty"
M-v	Launch Document Viewer	spawn (myDocumentViewer)
M-w	Launch web browser	spawn (myBrowser)
M-M1-h	Launch htop	spawn (myTerminal ++ " -e htop")
M-r	Rofi	spawn "rofi -show run"
M-b s	Slack	spawn "/snap/bin/slack"
M-b M-f	Yazi	spawn (myTerminal ++ " yazi")
M-b c	Conky clock	spawn "rofi -show run conky-clock"
M-b M-b	Bluetooth headset switch	spawn "switch-bluetooth-profile"

Screenshot

Keybinding	Description	Command
<print>	"Take screenshot"	spawn "~/local/bin/blw/maimpick"

Switch to Workspace

Keybinding	Description	Command
M-1	Switch to workspace 1	windows \$ W.greedyView \$ myWorkspaces !! 0
M-2	Switch to workspace 2	windows \$ W.greedyView \$ myWorkspaces !! 1
M-3	Switch to workspace 3	windows \$ W.greedyView \$ myWorkspaces !! 2

Keybinding	Description	Command
M-4	Switch to workspace 4	<code>windows \$ W.greedyView \$ myWorkspaces !! 3</code>
M-5	Switch to workspace 5	<code>windows \$ W.greedyView \$ myWorkspaces !! 4</code>
M-6	Switch to workspace 6	<code>windows \$ W.greedyView \$ myWorkspaces !! 5</code>
M-7	Switch to workspace 7	<code>windows \$ W.greedyView \$ myWorkspaces !! 6</code>
M-8	Switch to workspace 8	<code>windows \$ W.greedyView \$ myWorkspaces !! 7</code>
M-9	Switch to workspace 9	<code>windows \$ W.greedyView \$ myWorkspaces !! 8</code>

Send Window to Workspace

Keybinding	Description	Command
M-S-1	Send to workspace 1	<code>windows \$ W.shift \$ myWorkspaces !! 0</code>
M-S-2	Send to workspace 2	<code>windows \$ W.shift \$ myWorkspaces !! 1</code>
M-S-3	Send to workspace 3	<code>windows \$ W.shift \$ myWorkspaces !! 2</code>
M-S-4	Send to workspace 4	<code>windows \$ W.shift \$ myWorkspaces !! 3</code>
M-S-5	Send to workspace 5	<code>windows \$ W.shift \$ myWorkspaces !! 4</code>
M-S-6	Send to workspace 6	<code>windows \$ W.shift \$ myWorkspaces !! 5</code>
M-S-7	Send to workspace 7	<code>windows \$ W.shift \$ myWorkspaces !! 6</code>
M-S-8	Send to workspace 8	<code>windows \$ W.shift \$ myWorkspaces !! 7</code>
M-S-9	Send to workspace 9	<code>windows \$ W.shift \$ myWorkspaces !! 8</code>

Move Window to WS and Go There

Keybinding	Description	Command
M-S-<Page_Up>	Move window to next WS	<code>shiftTo Next nonNSP >> moveTo Next nonNSP</code>
M-S-<Page_Down>	Move window to prev WS	<code>shiftTo Prev nonNSP >> moveTo Prev nonNSP</code>

Window Navigation

Keybinding	Description	Command
M-j	Move focus to next window	<code>windows W.focusDown</code>
M-k	Move focus to prev window	<code>windows W.focusUp</code>
M-m	Move focus to master window	<code>windows W.focusMaster</code>
M-S-j	Swap focused window with next window	<code>windows W.swapDown</code>
M-S-k	Swap focused window with prev window	<code>windows W.swapUp</code>
M-S-m	Swap focused window with master window	<code>windows W.swapMaster</code>
M-<Backspace>	Move focused window to master	<code>promote</code>
M-S-,	Rotate all windows except master	<code>rotSlavesDown</code>

Keybinding	Description	Command
M-S-.	Rotate all windows in current stack	<code>rotAllDown</code>

Monitors

Keybinding	Description	Command
M-.	Switch focus to next monitor	<code>nextScreen</code>
M-,	Switch focus to prev monitor	<code>prevScreen</code>

Switch Layouts

Keybinding	Description	Command
M-<Tab>	Switch to next layout	<code>sendMessage NextLayout</code>
M-<Space>	Toggle noborders/full	<code>sendMessage (MT.Toggle NBFULL) >></code> <code>sendMessage ToggleStruts</code>

Window Resizing

Keybinding	Description	Command
M-h	Shrink window	<code>sendMessage Shrink</code>
M-l	Expand window	<code>sendMessage Expand</code>
M-M1-j	Shrink window vertically	<code>sendMessage MirrorShrink</code>
M-M1-k	Expand window vertically	<code>sendMessage MirrorExpand</code>

Floating Windows

Keybinding	Description	Command
M-f	Toggle float layout	<code>sendMessage (T.Toggle "floats")</code>
M-t	Sink a floating window	<code>withFocused \$ windows . W.sink</code>
M-S-t	Sink all floated windows	<code>sinkAll</code>

Window Spacing (Gaps)

Keybinding	Description	Command
C-M1-j	Decrease window spacing	<code>decWindowSpacing 4</code>

Keybinding	Description	Command
C-M1-k	Increase window spacing	incWindowSpacing 4
C-M1-h	Decrease screen spacing	decScreenSpacing 4
C-M1-l	Increase screen spacing	incScreenSpacing 4

Increase/Decrease Windows in Master Pane or Stack

Keybinding	Description	Command
M-S-<Up>	Increase clients in master pane	sendMessage (IncMasterN 1)
M-S-<Down>	Decrease clients in master pane	sendMessage (IncMasterN (-1))
M-=	Increase max number of windows for layout	increaseLimit
M--	Decrease max number of windows for layout	decreaseLimit

Sublayouts

Keybinding	Description	Command
M-C-h	Pull window/group left	sendMessage \$ pullGroup L
M-C-l	Pull window/group right	sendMessage \$ pullGroup R
M-C-k	Pull window/group up	sendMessage \$ pullGroup U
M-C-j	Pull window/group down	sendMessage \$ pullGroup D
M-C-m	Merge all into sublayout tabs	withFocused (sendMessage . MergeAll)
M-C-/	Unmerge all from sublayout tabs	withFocused (sendMessage . UnMergeAll)
M-C-.	Focus next tab in sublayout	onGroup W.focusUp'
M-C-,	Focus previous tab in sublayout	onGroup W.focusDown'

Scratchpads

Keybinding	Description	Command
M-s t	Toggle scratchpad terminal	namedScratchpadAction myScratchPads "terminal"
M-s m	Toggle scratchpad mocp	namedScratchpadAction myScratchPads "mocp"
M-s c	Toggle scratchpad calculator	namedScratchpadAction myScratchPads "calculator"

Mocp music player

Keybinding	Description	Command
M-u p	Play	spawn "mocp --play"
M-u l	Next	spawn "mocp --next"
M-u h	Previous	spawn "mocp --previous"
M-u <Space>	Toggle pause	spawn "mocp --toggle-pause"

GridSelect

Keybinding	Description	Command
M-M1-<Return>	Select favorite apps (grid)	spawnSelected' (gsGames ++ gsEducation ++ gsInternet ++ gsMultimedia ++ gsOffice ++ gsSettings ++ gsSystem ++ gsUtilities) spawnSelected'
M-M1-c	Select category menu	gsCategories spawnSelected'
M-M1-t	Go to selected window	goToSelected \$ mygridConfig myColorizer
M-M1-b	Bring selected window	bringSelected \$ mygridConfig myColorizer
M-M1-1	Menu of games	spawnSelected' gsGames
M-M1-2	Menu of education apps	spawnSelected' gsEducation
M-M1-3	Menu of Internet apps	spawnSelected' gsInternet

Keybinding	Description	Command
M-M1-4	Menu of multimedia apps	spawnSelected' gsMultimedia
M-M1-5	Menu of office apps	spawnSelected' gsOffice
M-M1-6	Menu of settings apps	spawnSelected' gsSettings
M-M1-7	Menu of system apps	spawnSelected' gsSystem
M-M1-8	Menu of utilities apps	spawnSelected' gsUtilities

Multimedia keys

Keybinding	Description	Command
<XF86AudioPlay>	mocp play	spawn "mocp --play"
<XF86AudioPrev>	mocp previous	spawn "mocp --previous"
<XF86AudioNext>	mocp next	spawn "mocp --next"
<XF86AudioMute>	Toggle audio mute	spawn "amixer set Master toggle"
<XF86AudioLowerVolume>	Lower volume	spawn "amixer set Master 5%- unmute"
<XF86AudioRaiseVolume>	Raise volume	spawn "amixer set Master 5%+ unmute"
<XF86HomePage>	Open home page	spawn (myBrowser ++ " https://www.youtube.com/c/DistroTube")
<XF86Search>	Web search	spawn "dm-websearch"
<XF86Mail>	Email client	runOrRaise "thunderbird" (resource =? "thunderbird")
<XF86Calculator>	Calculator	runOrRaise "qalculate-gtk" (resource =? "qalculate-gtk")
<XF86Eject>	Eject /dev/cdrom	spawn "eject /dev/cdrom"

Emacs

Keybinding	Description	Command
M-e e	Emacsclient	spawn (myEmacs)

Keybinding	Description	Command
M-e n	Emacsclient Dashboard	spawn "emacsclient -a emacs -c"
M-e b	Emacsclient Ibuffer	spawn (myEmacs ++ ("--eval '(ibuffer)'))
M-e d	Emacsclient Dired	spawn (myEmacs ++ ("--eval '(dired nil)'))
M-e i	Emacsclient ERC (IRC)	spawn (myEmacs ++ ("--eval '(erc)'))
M-e s	Emacsclient Eshell	spawn (myEmacs ++ ("--eval '(eshell)'))
M-e v	Emacsclient Vterm	spawn (myEmacs ++ ("--eval '(+vterm/here nil)'))
M-e w	Emacsclient EWW Browser	spawn (myEmacs ++ ("--eval '(doom/window-maximize-buffer(eww \"distro.tube\")'))