

# Who Am I?

---

## *Personal Details*

**Surname** : pedhuru Singhege

**First Name** : Buddhika

**Middle Name** :

**Last Name** : Lakshan

**Birth day** : 1995-11-13

**Nic** : 953180898v

## *Contact Info*

**Address** : 135/1,Ehala karagahamuna,kadawatha.

**Home** : 0112901462

**Mobile** : 0755996086

## *Attended Schools*

**Schools** : Galahitiyawa Central college,Kadawatha Central college.

## *Java institute Information*

Bsc.(Stud) .

JSAD,OCJP,AJDES,AJDMS


Pcjt 51 Batch.

# Concept

---


**W**hat is Software?

This is very easy reloading System. The System Administrator Have a Full responsibility in this Software.  
Admin can use All privileges And card Adding;  
After User Can came this System User Can Bye reloads.




# Mind Map

---




# ER Diagram



# Wireframes

## Index page



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="java.sql.ResultSet"%>

<%@page import="java.sql.Statement"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

```
<script src="js/jzone.js"></script>
```

```
<%  
Statement s=db.Database.Database();  
int max=0;  
ResultSet rs= s.executeQuery("SELECT max(visit) FROM visitours");  
if(rs.next()){  
max=rs.getInt(1);  
  
}  
max++;  
  
s.executeUpdate("INSERT INTO visitours VALUES('"+max+"')");
```

```
%>
```

```
</head>  
<body >  
<br/>
```

```
<div style="margin-left: 8%;margin-right: 8%;">
```

```
<table border="0">
```

```
<tbody>  
<tr>  
<td> </td>  
<td style="width: 40%"></td>  
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>  
<span class="input-group-btn">  
<button class="btn btn-default" type="button">  
<i class="fa fa-search"></i>  
</button>  
</span>
```

```
</div>  
</td>  
</tr>  
</tbody>
```

```
</table>
<hr/>

<!-------
----->
<!-- menu wage aka -->
<div align="right">
<button class="btn btn-outline btn-success" onclick="Signin()" type="button">Sign in</button>
<button class="btn btn-outline btn-info" type="button" onclick="ClickQuickStart()">Quick
Start</button>
<button class="btn btn-outline btn-warning" onclick="window.location='CreateUser.jsp'"
type="button">Create New</button>
<button class="btn btn-outline btn-danger" type="button">Help</button>
</div>
<br/>


<!-- /.row -->


<hr/>
<%@include file="foot.jsp" %>

</div>
</body>
</html>
```

## Smart Online Reload System

### Login page



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

<script src="js/validation.js"></script>

<script src="js/jzone.js"></script>

</head>



```
<body >
<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>

<div class="form-group input-group" style="margin-top: 9%;" align="right">

<input class="form-control" type="text" size="50"
                                placeholder="Search By KeyWord"></input>

<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>

</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
<!-------CONTENT----->
<div class="col-lg-8">
<br>

<iframe src="web animation/index.html" style="width:865px;height:279px;max-
width:100%;overflow:hidden;border:none;padding:0;margin:0 auto;display:block;" marginheight="0"
marginwidth="0"></iframe>
</div>

<div class="col-lg-4" style="border-left: #000 double thin ">
<link href='http://fonts.googleapis.com/css?family=Open+Sans:400,300,700' rel='stylesheet'
type='text/css'>
```

```
<div class="wrap">
<form action="loginAccess" method="post">
<h3>Login</h3>
<input type="email" id="inputUserEmail" name="Email" placeholder="Email" data-
validate="required,email">
<input type="password" id="inputUserPassword" name="pw" placeholder="Password" data-
validate="required,text">
<a href="forgotpassword.jsp">Forgot Your Password</a>
<button type="submit">Log In</button>
</form>

</div>
```

```
<!-- /.panel -->
</div>
<br/>
<style>
.wrap {
font-family: "Open Sans", "Helvetica Neue", "Helvetica", sans-serif;
background: #eee;
padding: 20px;
}

form {
margin: 0 auto;
padding: 20px;
background-color: #fff;
width: 300px;
}

form h3 {
margin: 0;
padding: 0;
color: #555;
}

input,
button {
display: block;
width: 83%;
margin: 20px auto;
border: none;
padding: 10px;
font-size: 14px;
}
```

```
button {  
background-color: #27ae60;  
color: #fff;  
width: 100%  
}
```

```
button:hover {  
background-color: #2ecc71;  
}
```


```
input {  
background: #eee;  
padding-left: 40px;  
}
```

```
input[name="username"] {  
background: #eee url("http://oi59.tinypic.com/e7mr0z.jpg") no-repeat;  
background-position: 10px 50%;  
}
```

```
input[name="password"] {  
background: #eee url("http://oi60.tinypic.com/os92eo.jpg") no-repeat;  
background-position: 10px 50%;  
}  
</style>
```

```
</div>  
<br/><br/><br/><br/><br/><br/><br/><br/><br/><br/><br/><br/><br/><br/><br/><br/><br/>  
>  
<%@include file="footer.jsp" %>  
<br/></body></html>
```

## Login error page



```
<%--
```

```
Document : loginError
```

```
Created on : Jan 27, 2015, 11:35:12 PM
```

```
Author : Buddhika
```

```
--%>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title>JSP Page</title>
```

```
</head>
```

```
<style>
```

```
@font-face {
```

```
font-family: 'Electrolize';
```

```
font-style: normal;
```

```
font-weight: 400;
```

```
src: local('Electrolize'), local('Electrolize-Regular'),
```

```
url(http://themes.googleusercontent.com/static/fonts/electrolize/v2/DDy9sgU2U7S4xAwH5thnJ4bN6U  
DyHWBI620a-IRfuBk.woff) format('woff');
```

```
}
```

```
body {
background: #310404 url(http://web-sonick.zz.mu/images/sl/red_texture.jpg) repeat top left;
font-family: 'Electrolize';
}

.container{
width: 100%;
position: relative;
overflow:hidden;
}

a {
text-decoration:none;
}

h1.main,p.demos {
-webkit-animation-delay: 18s;
-moz-animation-delay: 18s;
-ms-animation-delay: 18s;
animation-delay: 18s;
}

.sp-container {
position: fixed;
top: 0px;
left: 0px;
width: 100%;
height: 100%;
z-index: 0;
background: -webkit-radial-gradient(rgba(0, 0, 0, 0.1), rgba(0, 0, 0, 0.3) 35%, rgba(0, 0, 0, 0.7));
background: -moz-radial-gradient(rgba(0, 0, 0, 0.1), rgba(0, 0, 0, 0.3) 35%, rgba(0, 0, 0, 0.7));
background: -ms-radial-gradient(rgba(0, 0, 0, 0.1), rgba(0, 0, 0, 0.3) 35%, rgba(0, 0, 0, 0.7));
background: radial-gradient(rgba(0, 0, 0, 0.1), rgba(0, 0, 0, 0.3) 35%, rgba(0, 0, 0, 0.7));
}

.sp-content {
position: absolute;
width: 100%;
height: 100%;
left: 0px;
top: 0px;
z-index: 1000;
}

.sp-container h2 {
position: absolute;
top: 50%;
line-height: 100px;
height: 90px;
margin-top: -50px;
font-size: 90px;
```

```
width: 100%;
text-align: center;
color: transparent;
-webkit-animation: blurFadeInOut 3s ease-in backwards;
-moz-animation: blurFadeInOut 3s ease-in backwards;
-ms-animation: blurFadeInOut 3s ease-in backwards;
animation: blurFadeInOut 3s ease-in backwards;
}
.sp-container h2.frame-1 {
-webkit-animation-delay: 0s;
-moz-animation-delay: 0s;
-ms-animation-delay: 0s;
animation-delay: 0s;
}
.sp-container h2.frame-2 {
-webkit-animation-delay: 3s;
-moz-animation-delay: 3s;
-ms-animation-delay: 3s;
animation-delay: 3s;
}
.sp-container h2.frame-3 {
-webkit-animation-delay: 6s;
-moz-animation-delay: 6s;
-ms-animation-delay: 6s;
animation-delay: 6s;
}
.sp-container h2.frame-4 {
font-size: 200px;
-webkit-animation-delay: 9s;
-moz-animation-delay: 9s;
-ms-animation-delay: 9s;
animation-delay: 9s;
}
.sp-container h2.frame-5 {
-webkit-animation: none;
-moz-animation: none;
-ms-animation: none;
animation: none;
color: transparent;
text-shadow: 0px 0px 1px #fff;
}
.sp-container h2.frame-5 span {
-webkit-animation: blurFadeIn 3s ease-in 12s backwards;
-moz-animation: blurFadeIn 1s ease-in 12s backwards;
-ms-animation: blurFadeIn 3s ease-in 12s backwards;
animation: blurFadeIn 3s ease-in 12s backwards;
color: transparent;
text-shadow: 0px 0px 1px #fff;
```

```
}
.sp-container h2.frame-5 span:nth-child(2) {
-webkit-animation-delay: 13s;
-moz-animation-delay: 13s;
-ms-animation-delay: 13s;
animation-delay: 13s;
}
.sp-container h2.frame-5 span:nth-child(3) {
-webkit-animation-delay: 14s;
-moz-animation-delay: 14s;
-ms-animation-delay: 14s;
animation-delay: 14s;
}
.sp-globe {
position: absolute;
width: 282px;
height: 273px;
left: 50%;
top: 50%;
margin: -137px 0 0 -141px;
background: transparent url(http://web-sonick.zz.mu/images/sl/globe.png) no-repeat top left;
-webkit-animation: fadeInBack 3.6s linear 14s backwards;
-moz-animation: fadeInBack 3.6s linear 14s backwards;
-ms-animation: fadeInBack 3.6s linear 14s backwards;
animation: fadeInBack 3.6s linear 14s backwards;
-ms-filter: "progid:DXImageTransform.Microsoft.Alpha(Opacity=30)";
filter: alpha(opacity=30);
opacity: 0.3;
-webkit-transform: scale(5);
-moz-transform: scale(5);
-o-transform: scale(5);
-ms-transform: scale(5);
transform: scale(5);
}
.sp-circle-link {
position: absolute;
left: 50%;
bottom: 100px;
margin-left: -50px;
text-align: center;
line-height: 100px;
width: 100px;
height: 100px;
background: #fff;
color: #3f1616;
font-size: 25px;
-webkit-border-radius: 50%;
-moz-border-radius: 50%;
```

```
border-radius: 50%;
-webkit-animation: fadeInRotate 1s linear 16s backwards;
-moz-animation: fadeInRotate 1s linear 16s backwards;
-ms-animation: fadeInRotate 1s linear 16s backwards;
animation: fadeInRotate 1s linear 16s backwards;
-webkit-transform: scale(1) rotate(0deg);
-moz-transform: scale(1) rotate(0deg);
-o-transform: scale(1) rotate(0deg);
-ms-transform: scale(1) rotate(0deg);
transform: scale(1) rotate(0deg);
}
.sp-circle-link:hover {
background: #85373b;
color: #fff;
}
/**/
@-webkit-keyframes blurFadeInOut{
0%{
opacity: 0;
text-shadow: 0px 0px 40px #fff;
-webkit-transform: scale(1.3);
}
20%,75%{
opacity: 1;
text-shadow: 0px 0px 1px #fff;
-webkit-transform: scale(1);
}
100%{
opacity: 0;
text-shadow: 0px 0px 50px #fff;
-webkit-transform: scale(0);
}
}
@-webkit-keyframes blurFadeIn{
0%{
opacity: 0;
text-shadow: 0px 0px 40px #fff;
-webkit-transform: scale(1.3);
}
50%{
opacity: 0.5;
text-shadow: 0px 0px 10px #fff;
-webkit-transform: scale(1.1);
}
100%{
opacity: 1;
text-shadow: 0px 0px 1px #fff;
-webkit-transform: scale(1);
```



```
}  
}  
@-webkit-keyframes fadeInBack{  
0%{  
opacity: 0;  
-webkit-transform: scale(0);  
}  
50%{  
opacity: 0.4;  
-webkit-transform: scale(2);  
}  
100%{  
opacity: 0.2;  
-webkit-transform: scale(5);  
}  
}  
@-webkit-keyframes fadeInRotate{  
0%{  
opacity: 0;  
-webkit-transform: scale(0) rotate(360deg);  
}  
100%{  
opacity: 1;  
-webkit-transform: scale(1) rotate(0deg);  
}  
}  
/**/  
@-moz-keyframes blurFadeInOut{  
0%{  
opacity: 0;  
text-shadow: 0px 0px 40px #fff;  
-moz-transform: scale(1.3);  
}  
20%,75%{  
opacity: 1;  
text-shadow: 0px 0px 1px #fff;  
-moz-transform: scale(1);  
}  
100%{  
opacity: 0;  
text-shadow: 0px 0px 50px #fff;  
-moz-transform: scale(0);  
}  
}  
@-moz-keyframes blurFadeIn{  
0%{  
opacity: 0;  
text-shadow: 0px 0px 40px #fff;
```

## Smart Online Reload System

```
-moz-transform: scale(1.3);
}
100%{
opacity: 1;
text-shadow: 0px 0px 1px #fff;
-moz-transform: scale(1);
}
}
@-moz-keyframes fadeInBack{
0%{
opacity: 0;
-moz-transform: scale(0);
}
50%{
opacity: 0.4;
-moz-transform: scale(2);
}
100%{
opacity: 0.2;
-moz-transform: scale(5);
}
}
@-moz-keyframes fadeInRotate{
0%{
opacity: 0;
-moz-transform: scale(0) rotate(360deg);
}
100%{
opacity: 1;
-moz-transform: scale(1) rotate(0deg);
}
}
/**/
@keyframes blurFadeInOut{
0%{
opacity: 0;
text-shadow: 0px 0px 40px #fff;
transform: scale(1.3);
}
20%,75%{
opacity: 1;
text-shadow: 0px 0px 1px #fff;
transform: scale(1);
}
100%{
opacity: 0;
text-shadow: 0px 0px 50px #fff;
transform: scale(0);
}
```

## Smart Online Reload System

```
}  
}  
@keyframes blurFadeIn{  
0%{  
opacity: 0;  
text-shadow: 0px 0px 40px #fff;  
transform: scale(1.3);  
}  
50%{  
opacity: 0.5;  
text-shadow: 0px 0px 10px #fff;  
transform: scale(1.1);  
}  
100%{  
opacity: 1;  
text-shadow: 0px 0px 1px #fff;  
transform: scale(1);  
}  
}  
@keyframes fadeInBack{  
0%{  
opacity: 0;  
transform: scale(0);  
}  
50%{  
opacity: 0.4;  
transform: scale(2);  
}  
100%{  
opacity: 0.2;  
transform: scale(5);  
}  
}  
@keyframes fadeInRotate{  
0%{  
opacity: 0;  
transform: scale(0) rotate(360deg);  
}  
100%{  
opacity: 1;  
transform: scale(1) rotate(0deg);  
}  
}  
</style>  
<body>  
v  
<div class="container">  
<div class="header">
```

```
<div class="clr"></div>
</div>
<div class="sp-container">
<div class="sp-content">
<div class="sp-globe"></div>
<h2 class="frame-1">Please Wait</h2>

<h2 class="frame-2">You Are enter the error value</h2>

<h2 class="frame-3">You can Try again</h2>


<h2 class="frame-4">Now!</h2>

<h2 class="frame-5"><span>Insert the Correct</span> <span>Email &</span>
<span>Password.</span></h2>
<a class="sp-circle-link" href="singin.jsp">Sing in!</a>

</div>
</div>
</div>

<script type="text/javascript" src="/path/to/shared/js/EventHelpers.js">
</script>
<script type="text/javascript" src="/path/to/shared/js/cssQuery-p.js">
</script>
<script type="text/javascript" src="/path/to/shared/js/jcoglan.com/sylvester.js">
</script>
<script type="text/javascript" src="/path/to/shared/js/cssSandpaper.js">
</script>
</body>
</html>
```

### *Forgot password page*



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

<script src="js/jzone.js"></script>

```
<script src="swtallerts/sweet-alert.js"> </script>
<script src="swtallerts/sweet-alert.min.js"> </script>
<link rel="stylesheet" href="swtallerts/sweet-alert.css">
<script src="swtallerts/min.js"></script>
```

```
</head>
```

```
<body >
<br/>
```

```
<div style="margin-left: 8%;margin-right: 8%;">
```

```
<header>
<table border="0">
```

```
<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```
</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
```

```
<!-------CONTENT-----
----->
```

```
<div align="center">
<table border="0" >
```

```
<tbody>
```


```
<form action="FPassword">
<tr>
<td><h4>Email</h4></td>
<td>&nbsp;</td>
<td><input type="text" name="email" id="tmail" value="" class="form-control" placeholder="Email"
/></td>
<td> &nbsp;<button type="submit" class="btn btn-info btn-circle"><i class="fa fa-check"></i>
</button></td>

</tr>
</form>
</tbody>
</table>
</div>
```

```
<br/><br/>
<!-------
----->
<%@include file="footer.jsp" %>
</div>
```

```
</body>
</html>
```

## Homepage



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="java.sql.Statement"%>

<%@page import="java.sql.ResultSet"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<link rel="stylesheet" href="css/dashboard.css">

<script src="js/sb-admin-2.js"></script>

<script src="js/jzone.js"></script>



```
<script src="swtallerts/sweet-alert.js"> </script>
<script src="swtallerts/sweet-alert.min.js"> </script>

<link rel="stylesheet" href="swtallerts/sweet-alert.css">
<script src="swtallerts/min.js"></script>
<%
try {
HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM user_privileges
WHERE page_id=(SELECT page_id FROM pages WHERE url ='home.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {
// true
isavailable = true;

}

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");

}
}%>

</head>

<body >
<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
```

```
<td> </td>
<td style="width: 40%"></td>
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<hr/>
```

```
</header>
```

```
<!-------CONTENT----->
----->
```

```
<!--Menu-->
```

```
<div align="center">
```

```
<ul>
```

```
<li onclick="profile()">Profile </li>
```

```
<li onclick="editUser()">Edit your Profile</li>
```

```
<li onclick="bsc()">Buy Scratch Card</li>
```

```
<li onclick="window.location='cart.jsp'">Shopping Cart</li>
```

```
<li>Get Reload</li>
```

```
<li onclick="window.location='onlineHelp.jsp'">Online Help</li>
```

```
<li onclick="window.location='logOut.jsp'">Logout</li>
```

```
<li onclick="window.location='http://about.me/buddhika.lakshan123'">Contact</li>
```

```
<li onclick="ClickDashBoard()">DashBoard</li>
```

```
</ul>
```

```
</div>
```

```
<br/>
```

```
<div align="center">
```

```

```

```
</div>
```

## Smart Online Reload System

```
<br /><br />  
<%@include file="foot.jsp" %>
```

```
<!-------  
----->
```

```
</div>
```

```
</body>  
</html>
```

## User Actions

### View Profile

Profile

First Name  
Buddhika Admin

Middle Name

Last Name  
Last Admin

Address  
135/1, Ehalekaragahamuna, kadawataha.

E-mail  
buddhika.lakshan123@gmail.com

Contact Number  
0755996086

User Name  
buddhika.lakshan123@gmail.com

Password  
0!&Kp@DjZ66

User Type  
ADMIN

Edit Back to HomePage

UserProfile

facebook twitter youtube google

<%--

Document : userProfile

Created on : Jan 3, 2015, 8:19:07 PM

Author : Buddhika

--%>

<%@page import="java.sql.Statement"%>

<%@page import="com.mysql.jdbc.ResultSet"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>Profile</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/dashboard.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

```
<script src="js/sb-admin-2.js"></script>
<script src="js/jzone.js"></script>

<%
int uid=0;
try {
HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
int userid = Integer.parseInt(s.getAttribute("userid").toString());
uid=userid;
java.sql.ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM
user_privileges WHERE page_id=(SELECT page_id FROM pages WHERE url ='profile.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {

isavailable = true;

}

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");
}

Statement s=db.Database.Database();
java.sql.ResultSet rs2= s.executeQuery("SELECT user.name, user.l_name, user.address, user.email,
user.phone_number, user.password, user_type.type, user.id FROM user INNER JOIN user_type ON
user.user_type = user_type.id_user_type WHERE user.id='"+uid+"'");
if(rs2.next()){
%>

</head>
<body>

<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<table border="0">

<tbody>
<tr>
<td> </td>
```

```
<td style="width: 40%"></td>
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```
</div>
</td>
</tr>
</tbody>
</table>
<hr/>
<!--Form-->
```

```
<div class="row" >
<div class="col-lg-12">
<div class="panel panel-yellow">
<div class="panel-heading">
Profile
</div>
<div class="panel-body">
<form action="editUser.jsp" method="Post">
<div class="row show-grid">
<div class="col-md-4">
<h5>First Name</h5><input type="text" readonly="readonly" name="fname"
value="<%=rs2.getString(1)%>" class="form-control" />
<h5>Middle Name</h5><input type="text" readonly="readonly" name="mname" value="" class="form-
control" />
<h5>Last Name</h5><input type="text" readonly="readonly" name="lname"
value="<%=rs2.getString(2)%>" class="form-control" />
<br/><br/><br/>

</div>
<div class="col-md-4">
<h5>Address</h5>
<input type="text" readonly="readonly" name="address" value="<%=rs2.getString(3)%>" class="form-
control" />
<h5>E-mail</h5>
```

```
<input type="text" readonly="readonly" name="email" value="<%=rs2.getString(4)%>" class="form-control" />
<h5>Contact Number</h5>
<input type="text" readonly="readonly" name="tp" value="<%=rs2.getString(5)%>" class="form-control" />
<br/><br/><br/>

</div>
<div class="col-md-4">.
<h5>User Name</h5>
<input type="text" readonly="readonly" name="un" value="<%=rs2.getString(4)%>" class="form-control" />
<h5>Password</h5>
<input type="text" readonly="readonly" name="pw" value="<%=rs2.getString(6)%>" class="form-control" />
<h5>User Type</h5>
<input type="text" readonly="readonly" name="ut" value="<%=rs2.getString(7)%>" class="form-control" />
<br/> <br/>
</div>
<% }%>

</div>
<input type="submit" class="btn btn-warning btn-danger" value="Edit" />


<button type="button" onclick="ClickQuickStart()" class="btn btn-primary">Back to
HomePage</button>
</form>
</div>
<div class="panel-footer">
UserProfile
</div>
</div>

</div></div>

<br/>

<%@include file="foot.jsp" %>

</div> </body></html>
```

## Edit profile

OnlineBuyingCard

localhost:8084/OnlineBuyingCard\_EE/editUser.jsp

Search By Key Word

**Smart Online Phone Card Shop**

User Editor

First Name: Buddhika Admin

Middle Name:

Last Name: Last Admin

Address: 135/1, Ehalakargahemuna, kadawataha.

E-mail: buddhika.lakshan123@gmail.com

Contact Number: 0755996086

User Name: buddhika.lakshan123@gmail.com

Password: admin

User Type: ADMIN

Update User Details Skip

User Profile

Smart Online Scratch Card shop  
www.jzone.online.jp

<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="java.sql.Statement"%>

<%@page import="java.sql.ResultSet"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

<script src="js/jzone.js"></script>

<script src="js/validation.js"></script>



```
<%
int uid = 0;
try {
HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
int userid = Integer.parseInt(s.getAttribute("userid").toString());
uid = userid;
ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM user_privileges
WHERE page_id=(SELECT page_id FROM pages WHERE url ='editUser.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {

isavailable = true;

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");
}

Statement s = db.Database.Database();
String m = null;
ResultSet rs2 = s.executeQuery("SELECT user.name, user.l_name, user.address, user.email,
user.phone_number, AES_DECRYPT(password, SHA1(SHA(PASSWORD(MD5('953180898'))))),
user_type.type, user.id FROM user INNER JOIN user_type ON user.user_type = user_type.id_user_type
WHERE user.id='" + uid + "'");
if (rs2.next()) {
m = rs2.getString(4);
}%>

</head>
<body >
<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
<td> </td>
```

```

<td style="width: 40%"></td>
<td>

<div class="form-group input-group" style="margin-top: 9%;" align="right">

<input class="form-control" type="text" size="50" placeholder="Search By Key Word">
</input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>

</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
<!-------CONTENT----->
<div>
<div class="row" >
<div class="col-lg-12">
<div class="panel panel-yellow">
<div class="panel-heading">
User Editor
</div>
<div class="panel-body">
<form action="editAdmin.jsp" method="POST">
<div class="row show-grid">
<div class="col-md-4">

<h5>First Name</h5><input type="text" name="fname" value="<%=rs2.getString(1)%>" class="form-
control" data-validate="required" />
<h5>Middle Name</h5><input type="text" name="mname" value="" class="form-control" />
<h5>Last Name</h5><input type="text" name="lname" value="<%=rs2.getString(2)%>" class="form-
control" data-validate="required" />
<br/><br/><br/>


</div>
<div class="col-md-4">
<h5>Address</h5>
<input type="text" name="address" value="<%=rs2.getString(3)%>" class="form-control" data-
validate="required" />
<h5>E-mail</h5>

```

```
<input type="text" name="email" value="<%=rs2.getString(4)%>" class="form-control" data-  
validate="required,email" />  
<h5>Contact Number</h5>  
<input type="text" name="tp" value="<%=rs2.getString(5)%>" class="form-control" data-  
validate="required,number" />  
<br/><br/><br/>  
  
</div>  
<div class="col-md-4">  
<h5>User Name</h5>  
<input type="text" name="un" readonly="readonly" value="<%=rs2.getString(4)%>" class="form-  
control" />  
<h5>Password</h5>  
<input type="text" name="pw" value="<%=rs2.getString(6)%>" class="form-control" data-  
validate="required" />  
<h5>User Type</h5>  
<input type="text" readonly="readonly" name="ut" value="<%=rs2.getString(7)%>" class="form-  
control" />  
  
<br/> <br/> <%=}%>  
</div>  
</div>  
  
<button class="btn btn-outline btn-info" type="submit" >Update User Details</button>  
<button type="button" onclick="ClickQuickStart()" class="btn btn-primary">Skip</button>  
</form>  
</div>  
<div class="panel-footer">  
User Profile  
</div>  
</div>  
  
</div></div>  
<%@include file="footer.jsp" %>  
</div>  
</body>  
</html>
```

## Buy a scratch card

*View by network*



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="java.sql.ResultSet"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<link rel="stylesheet" href="css/dashboard.css">

<script src="js/sb-admin-2.js"></script>

<script src="js/jzone.js"></script>

```
<%
try {
HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM user_privileges
WHERE page_id=(SELECT page_id FROM pages WHERE url ='Bscard.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {
// true
isavailable = true;
}

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");
}
}%>

</head>
<body >
<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>

<div class="form-group input-group" style="margin-top: 9%;" align="right">

<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```

</div> </td> </tr> </tbody> </table> <hr/> </header>
<!-------CONTENT----->
<div class="row" >
<div class="col-lg-12">
<div class="panel panel-yellow">
<div class="panel-heading">
Scratch card
</div>

<div class="panel-body">
<%
ResultSet rs = db.Database.Database().executeQuery("SELECT network.id, network.name,
network.website, network.customer_sir_no, network.company_name FROM network");
while (rs.next()) {
%>
<!------->
<div class="col-md-3 col-sm-12 col-xs-12">
<div class="panel back-dash">
<i class="fa fa-cloud fa-3x"></i><strong> &nbsp;<%= rs.getString(2)%></strong>
<p class="text-muted"> See more Detail About This network &nbsp;<a href="#" class="alert-link"> <%=
rs.getString(3)%></a> &nbsp;<%= rs.getString(5)%></a> .<div>
<input type="hidden" name="htInput" id="kk" value="<%= rs.getString(1)%>" />
<button class="btn btn-warning btn-xs" onclick="chooseNetwork(<%= rs.getString(1)%>)">Choose This
Network</button></div> </p>

</div>

</div><% }%>

</div>


<div class="panel-footer">
<button type="button" onclick="ClickQuickStart()" class="btn btn-primary">Back to
HomePage</button>

</div>
</div></div>

</div>
</div> </body>/html>

```

### *After Select Network view existing card models and qty*



<%--

Document : Selectcard

Created on : Jan 4, 2015, 10:34:27 AM

Author : Buddhika

--%>

```
<%@page import="java.sql.ResultSet"%>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title>OnlineBuyingCard</title>
```

```
<link rel="stylesheet" href="css/bootstrap.min.css">
```

```
<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">
```

```
<link rel="stylesheet" href="css/footer.css">
```

```
<link rel="stylesheet" href="css/viewplan.css">
```

```
<link rel="stylesheet" href="css/sb-admin-2.css">
```

```
<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">
```

```
<script src="js/jquery.js"></script>
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<script src="js/plugins/metisMenu/metisMenu.min.js"></script>
```

```
<link rel="stylesheet" href="css/dashboard.css">
```

```
<script src="js/sb-admin-2.js"></script>
```

```
<script src="js/jzone.js"></script>
```

```
<script src="Cart/cart.js"></script>
<link rel="stylesheet" href="Cart/cart.css">

<%
String networkId = request.getParameter("nid");
try {
HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM user_privileges
WHERE page_id=(SELECT page_id FROM pages WHERE url ='Selectcard.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {
// true
isavailable = true;

}

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");

}
%>
</head>
<body>
<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>

<div class="form-group input-group" style="margin-top: 9%;" align="right">

<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
```



```

</button>
</span>

</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>

<!-- content -->
<div class="row" >
<div class="col-lg-12">
<div class="panel panel-yellow">
<div class="panel-heading">
Add to Cart          </div>

<div class="panel-body">
<div class="product_grid">
<%
ResultSet rs = db.Database.Database().executeQuery("SELECT price.price, network.name,
COUNT(pin.cardModle_id) AS Qty FROM card_modle INNER JOIN network ON card_modle.network_id =
network.id INNER JOIN price ON card_modle.price_id = price.id INNER JOIN pin ON pin.cardModle_id =
card_modle.idCard_Modle WHERE network.id = '" + networkId + "' AND pin.state='1' GROUP BY
price.price, card_modle.idCard_Modle, card_modle.network_id, card_modle.price_id, network.id,
network.name, price.id");
while (rs.next()) {
%>

<ul class="product_list list">
<li class="product_item">
<div class="product_sale">
<p>On Sale</p>
</div>
<div class="product_image">
<a href="#"></a>
<div class="product_buttons">
<button class="product_heart"><i class="fa fa-heart"></i></button>
<button class="product_compare"><i class="fa fa-random"></i></button>
<button class="add_to_cart"><i class="fa fa-shopping-cart"></i></button>
<div class="quick_view">
<a href="#"><h6>Quick View</h6></a>
</div>
</div>
</div>
</div>

```

```

<div class="product_values">
<div class="product_title">
<h5><%= rs.getString(2)%></h5>
</div>
<div class="product_price">
<a href="#"><span class="price_old">Rs:<%= rs.getString(1)%></span> <span class="price_new">Rs:<%=
rs.getString(1)%></span></a>
<span class="product_rating"></span>
</div>
<div class="product_desc">
<p class="truncate">30 days valid <br/>Available <%= rs.getString(3)%> <br/> <label><b>$ <%=
0.0076*Double.parseDouble(rs.getString(1)) %></b></label> </p>
</div>
<div class="product_buttons">
<button class="product_heart"><i class="fa fa-heart"></i></button>
<button class="product_compare"><i class="fa fa-random"></i></button>
<button class="add_to_cart" onclick="CreateCookey()"><i class="fa fa-shopping-cart"></i></button>
<br/><br/>
<div align="center">

<a href="create_cookey.jsp?network=<%= rs.getString(2)%>&price=<%= rs.getString(1)%>" class="btn
btn-outline btn-primary btn-xs">Get This Card</a>

</div>
</div>
</div>
</div>
</li>
<%}%>
</div>


<div class="panel-footer">
<button type="button" onclick="ClickQuickStart()" class="btn btn-primary">Back to
HomePage</button>

</div>
</div></div>

</div>
<%@include file="foot.jsp" %>
</div> </body></html>

```

## Cart



<%--

Document : cart

Created on : Jan 13, 2015, 7:16:03 PM

Author : Buddhika

--%>

<%@page import="java.sql.ResultSet"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/viewplan.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<link rel="stylesheet" href="css/dashboard.css">

```
<script src="js/sb-admin-2.js"></script>
<script src="js/jzone.js"></script>
```

```
<script src="Cart/cart.js"></script>
<link rel="stylesheet" href="Cart/cart.css">
<%
```

```
try {
    HttpSession s = request.getSession(true);
    int roleid = Integer.parseInt(s.getAttribute("utype").toString());
    ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM user_privileges
    WHERE page_id=(SELECT page_id FROM pages WHERE url ='Cart.jsp')");
    boolean isavailable = false;
    while (rs.next()) {
        if (rs.getInt(1) == roleid) {
            // true
            isavailable = true;
        }
    }
    if (!isavailable) {
        response.sendRedirect("AccessDenied.jsp");
    }
} catch (NullPointerException e) {
    response.sendRedirect("signin.jsp");
}
%>
</head>
<body>
<div style="margin-left: 8%;margin-right: 8%;">
<header>
<table border="0">

<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>

<div class="form-group input-group" style="margin-top: 9%;" align="right">

<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
```

```
</button>
</span>
```

```
</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
```

```
<div class="row" >
<div class="col-lg-12">
<div class="panel panel-yellow">
<div class="panel-heading">
View Your Cart
</div>
```

```
<div class="panel-body">
```

```
<div align="center" style="background-color: #eeeeee;">
<table border="0" id="table" class="table" >
<script>
function deleterow()
{
document.getElementById("table").deleteRow(1);
}
</script>
<thead>
<tr>
<th width="175">Item</th>
<th width="50">Qty</th>
<th width="112">Price</th>
<th width="123">Sub Total price</th>
<th width="100">Action</th>

</tr>
</thead>
<tbody>
<%
String item;
int qty;
int price = 0;
int totalprice = 0;
%>
```

```

<%
Cookie[] cookies = request.getCookies();
if (cookies != null) {
for (Cookie ck : cookies) {
if ("sl_pincode_save_cart".equals(ck.getName())) {
String cksplit[] = ck.getValue().split("_");
for (int i = 0; i < cksplit.length; i++) {
%>
<tr>
<%
String modlearray[] = cksplit[i].split(",");
for (int j = 0; j < modlearray.length; j++) {

if (modlearray[j].split("=")[0].equals("network")) {
%>

<td><%= modlearray[j].split("=")[1].toString()%></td>
<td>1</td>

<%
// network = modlearray[j].split("=")[1].toString();
} else if (modlearray[j].split("=")[0].equals("price")) {
%>
<td><%= Integer.parseInt(modlearray[j].split("=")[1])%></td>
<td name="total_cell_price">
<%
int pprice = Integer.parseInt(modlearray[j].split("=")[1]) * 1;
totalprice = totalprice + pprice;
%>

<%= pprice%>

</td>
<td>
<form action="fuu.jsp" >
<input type="hidden" name="hidden" value="<%=cksplit[i]%>" />
<input type="submit" value="Delete" class="btn1" />
</form>

<style>
.btn1 {
background: #5bb1eb;
background-image: -webkit-linear-gradient(top, #5bb1eb, #2980b9);
background-image: -moz-linear-gradient(top, #5bb1eb, #2980b9);

```

```
background-image: -ms-linear-gradient(top, #5bb1eb, #2980b9);
background-image: -o-linear-gradient(top, #5bb1eb, #2980b9);
background-image: linear-gradient(to bottom, #5bb1eb, #2980b9);
-webkit-border-radius: 10;
-moz-border-radius: 10;
border-radius: 10px;
font-family: Georgia;
color: #ffffff;
font-size: 12px;
padding: 8px 10px 8px 10px;
border: solid #1f628d 0px;
text-decoration: none;
}
```

```
.btn1:hover {
background: #4a69e6;
background-image: -webkit-linear-gradient(top, #4a69e6, #2ab5e8);
background-image: -moz-linear-gradient(top, #4a69e6, #2ab5e8);
background-image: -ms-linear-gradient(top, #4a69e6, #2ab5e8);
background-image: -o-linear-gradient(top, #4a69e6, #2ab5e8);
background-image: linear-gradient(to bottom, #4a69e6, #2ab5e8);
text-decoration: none;
}
</style>
```

```
</td>
<%
// price = Integer.parseInt(modlearray[j].split("=")[1]);
}
```

```
}
%>
</tr>
<%
}
}
}
}
```

```
%>
```

```
</tbody>
</table>
```

```
</div>
```

```
<div class="alert alert-success">
```

Your Total Price Is(USD) :\$ <b><%= 0.0076 \* totalprice%></b> (Sri lankan Rupees <%= totalprice%>/=)

</div>  
<table border="0" align="center">

<tbody>

<tr>

<!-- <td> <a href="cotinue\_shoping.jsp?p\_tot=<%= totalprice%>" class="">Continue Shopping</a></td>-->

</tr>

</tbody>

</table>

<br/>

</div>

<%

String k = totalprice + "";

session.setAttribute("totalPriceOneCart", k);

%>

<div class="panel-footer">

<button type="button" onclick="ClickQuickStart()" class="btn btn-primary">Back to Home Page</button>

<button type="button" onclick="window.location='Bscard.jsp'" class="btn btn-warning">Scratch Card</button>

<button type="button" onclick="window.location='cart.jsp'" class="btn btn-success">Refresh Cart</button>

<br/><br/>

<form action="CartNext.jsp" method="post">

<input type="hidden" name="hidtot" value="<%= totalprice%>" />

<input type="submit" value="process this Transaction WithOut Paypal" class="btn btn-danger" />

</form>



<br/>

```
<form onload="payPalRedirect();" name="_xclick" action="https://www.paypal.com/cgi-bin/webscr"
method="post">
```

```
<input type="hidden" name="cmd" value="_xclick">
<input type="hidden" name="business" value="srilankaecode@gmail.com">
<input type="hidden" name="currency_code" value="USD">
<input type="hidden" value="http://localhost:8084/OnlineBuyingCard_EE/CartNext.jsp"
name="return">
<input type="hidden" name="item_name" value="You are Redy to Buying To RechargeCard In Smart
App.">
```

```
<input type="hidden" name="amount" id="amount" value="<%= 0.0076*totalprice %>">
```

```
<input type="image" src="http://www.paypalobjects.com/en_US/i/btn/btn_buynow_LG.gif" border="0"
name="submit" alt="Make payments with PayPal - it's fast, free and secure!">
```

```
</form>
```

```
</div>
```

```
</div></div>
```

```
</div>
```


```
<%@include file="foot.jsp" %>
```

```
</div>
```

```
</body>
```

```
</html>
```

## After transaction



<%--

Document : Selectcard

Created on : Jan 4, 2015, 10:34:27 AM

Author : Buddhika

--%>

```
<%@page import="java.util.Date"%>
```

```
<%@page import="java.text.SimpleDateFormat"%>
```

```
<%@page import="java.sql.Statement"%>
```

```
<%@page import="java.sql.ResultSet"%>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title>OnlineBuyingCard</title>
```

```
<link rel="stylesheet" href="css/bootstrap.min.css">
```

```
<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">
```

```
<link rel="stylesheet" href="css/footer.css">
```

```
<link rel="stylesheet" href="css/viewplan.css">
```

```
<link rel="stylesheet" href="css/sb-admin-2.css">
```

```
<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">
```

```
<script src="js/jquery.js"></script>
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<script src="js/plugins/metisMenu/metisMenu.min.js"></script>
<link rel="stylesheet" href="css/dashboard.css">
<link rel="stylesheet" href="css/invoice.css">
<script src="js/sb-admin-2.js"></script>
<script src="js/jzone.js"></script>

<script src="Cart/cart.js"></script>
<link rel="stylesheet" href="Cart/cart.css">

<%
String networkId = request.getParameter("nid");
try {
HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM user_privileges
WHERE page_id=(SELECT page_id FROM pages WHERE url='Selectcard.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {
// true
isavailable = true;

}

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");

}
%>
</head>
<body>
<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>

<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>

</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
<span class="text-info">Full Details Sent To your Email,If you Have a Problem Please Check Your Email
And Please inform us,Thank You!</span>
```

```
<!-- content -->
```

```
<div class="col-md-11">
<div class="grid simple">
<div class="grid-body no-border invoice-body"> <br>

<div class="row">
<div class="col-md-9">
<h4 class="semi-bold">Smart Scratch/Reload Shop</h4>
<address>
<strong>Jzone Holdings.</strong><br>
No 74,<br>
Main Street,Kadawatha.<br>
<abbr title="Phone">P:</abbr> 071-9011-772
</address>
</div>
<div class="col-md-3"> <br>

<div>
<div class="pull-left"> INVOICE DATE : </div>

<div class="pull-right"> <%= new Date() %></div>
<div class="clearfix"></div>
</div>
<br>

</div>
</div>
<table class="table">
```

```

<thead>
<tr>

<th class="text-left">Network</th>
<th style="width:140px" class="text-right">Pin</th>
<th style="width:90px" class="text-right">Price</th>
</tr>
</thead>
<tbody>
<%
int p=0;
int db_real_pin = 0;
// String pin = request.getParameter("953180898");
String pin=session.getAttribute("953180898").toString();
String pinz[] = pin.split("_");
Statement st= db.Database.Database();
Statement st1=db.Database.Database();
// out.write(session.getAttribute("invoiceID").toString());

for (int i = 0; i < pinz.length; i++) {
System.out.println();
ResultSet rs= st.executeQuery(" SELECT n.`name`,AES_DECRYPT(p.pin_no,
SHA1(SHA(PASSWORD(MD5('953180898'))))),q.price FROM network n,pin p,price q WHERE p.pin_id='"+
pinz[i].split("_")[0].toString()+" AND q.id=(SELECT price_id FROM card_modle WHERE
`idCard_Modle`=(SELECT `cardModle_id` FROM pin WHERE pin_no=(SELECT pin_no FROM pin WHERE
pin_id='"+ pinz[i].split("_")[0].toString()+")) AND n.id=(SELECT network_id FROM card_modle WHERE
`idCard_Modle`=(SELECT `cardModle_id` FROM pin WHERE pin_no=(SELECT pin_no FROM pin WHERE
pin_id='"+ pinz[i].split("_")[0].toString()+"))))");

while(rs.next()){
// out.write(rs.getString(1));
// out.write("-----");
// out.write(rs.getString(2));
// out.write("-----");
// out.write(rs.getString(3));
// out.write("-----");
p=p+Integer.parseInt(rs.getString(3));

%>
<tr>

<td><%= rs.getString(1) %></td>
<td class="text-right"><%= rs.getString(2) %></td>
<td class="text-right"><%= rs.getString(3) %></td>
</tr>
<% } } %>

```

```
<tr>
<td></td>
<td class="text-right"><strong>Subtotal</strong></td>
<td class="text-right"><%= p %></td>
</tr>

<tr>
<td></td>
<td class="text-right no-border"><div class=""><strong>Total</strong></div></td>
<td class="text-right"><strong><%= p %></strong></td>
</tr>
</tbody>
</table>
<br>
<br>
<h5 class="text-right text-black">Designer identity</h5>
<h5 class="text-right semi-bold text-black">Buddhika Lakshan</h5>
<br>
<br>
</div>
</div>
</div>

<br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/>
<br/> <br/> <br/> <br/> <br/> <br/> <br/> <br/>

<%@include file="foot.jsp" %>
</div>

</body>
<script type="text/javascript">
window.open("ip.jsp", '_blank');

</script>
</html>
```

## Report Invoice

The screenshot shows a web browser window with the address bar displaying 'localhost:8084/OnlineBuyingCard\_EE/ip.jsp'. The page content includes the 'eMart' logo and the following details:

No 135,  
Main Street,  
Ganemulla Road,  
Kadawatha.

Date : Thursday 12 March 2015  
Time : 11:08:54 AM  
User : Buddhika Admin

**INVOICE**

Network Name	Serial Number	Batch Number	Pin Number	Price
Hutch	100007	100007	1000297	99.00
Your Total Price :				99.00

## Online Help

The screenshot shows a web browser window with the address bar displaying 'localhost:8084/OnlineBuyingCard\_EE/onlineHelp.jsp'. The page has a blue background and contains the following text:

Offline.Call in

**skype™**

Buddhika Lakshan3

<%--

Document : onlineHelp

Created on : Jan 25, 2015, 10:55:19 PM

Author : Buddhika

--%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<link type="text/css" rel="stylesheet" href="onlineHelp/onlinehelp.css">

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>JSP Page</title>

</head>

<body>

<div id="skype">

<div class="circle circle-1"></div>

<div class="circle circle-2"></div>

<div class="circle circle-3"></div>

<div class="circle circle-4"></div>

<div class="circle circle-5"></div>

<div class="circle circle-6"></div>

<div class="circle circle-7"></div>

<div class="circle circle-8"></div>

<div class="circle circle-9"></div>

<div class="circle circle-10"></div>

<div class="circle circle-11"></div>

<div class="circle circle-12"></div>

<div class="circle circle-13"></div>

<div class="circle circle-14"></div>

<h1>skype</h1>

<h2>TM</h2>

<div align="center" > <label style="font-size: 22px;color: #ffffff;">Buddhika.Lakshan3</label> </div>

</div>

<br/>

<div align="center" > <h1 style="color: #ffffff">Offline.Call in</h1></div>

</div>

</body>

</html>



## Admin Actions

### DashBoard

The screenshot displays the Admin Dashboard of the Smart Online Reload System. The interface includes a top navigation bar with links for HOME, CUSTOMER INTERFACE, USER VIEW ALL, REPORTS, NETWORK, CARDMODEL & PIN, SETTINGS, DOWNLOADS, CONTACT, and LOGOUT. The main content area features a search bar and several data tables. The 'View Online Users' table shows two active users with their IP addresses, login times, and email addresses. The 'Today Current Sale' table shows a single sale record for 'Buddhika Admin' with a price of 99 and an invoice ID of 9. The 'Notifications' sidebar displays the 'Today Total Income' as 99.9 and a feedback section with a user comment.

<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

```
<%@page import="java.sql.ResultSet"%>
```

```
<%@page import="java.sql.Statement"%>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title>OnlineBuyingCard</title>
```

```
<link rel="stylesheet" href="css/bootstrap.min.css">
```

```
<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">
```

```
<link rel="stylesheet" href="css/footer.css">
```

```
<link rel="stylesheet" href="css/sb-admin-2.css">
```

```
<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">
```

```
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/plugins/metisMenu/metisMenu.min.js"></script>
<script src="js/sb-admin-2.js"></script>
<script src="js/jzone.js"></script>
```

```
<script src="swtallerts/sweet-alert.js"> </script>
<script src="swtallerts/sweet-alert.min.js"> </script>
<link rel="stylesheet" href="swtallerts/sweet-alert.css">
<script src="swtallerts/min.js"></script>
```

```
</head>
```

```
<body >
<br/>
```

```
<div style="margin-left: 8%;margin-right: 8%;">
```

```
<header>
<table border="0">
```

```
<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```
</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
```

```
<!-------CONTENT-----
----->
```

## Smart Online Reload System

```
<div>
<div class="col-lg-12">
<div class="col-lg-8"></div>
<div class="col-lg-4">
<p>
```

This app for admin use Only.if you are admin ple use this app.then you can manage your site esially.  
You Can download Use this Link &nbsp;<a href="">Download Smart App</a>>

```
<br/> <br/>

<br/>
<div align="center"><a href="SEAPP/SmartSeAPP.rar" class="buttonDownload">Download</a>
<input type="button" value="Dashboard" onclick="window.location='DashBoard.jsp'"class="btn btn-
default" />
</div>
```

```
<style>
```

```
.buttonDownload {
display: inline-block;
position: relative;
padding: 10px 25px;
```

```
background-color: #4CC713;
color: white;
```

```
font-family: sans-serif;
text-decoration: none;
font-size: 0.9em;
text-align: center;
text-indent: 15px;
}
```

```
.buttonDownload:hover {
background-color: #333;
color: white;
}
```

```
.buttonDownload:before, .buttonDownload:after {
content: ' ';
display: block;
position: absolute;
left: 15px;
top: 52%;
}
```

```
/* Download box shape */
```

```
.buttonDownload:before {
width: 10px;
height: 2px;
border-style: solid;
border-width: 0 2px 2px;
}

/* Download arrow shape */
.buttonDownload:after {
width: 0;
height: 0;
margin-left: 3px;
margin-top: -7px;

border-style: solid;
border-width: 4px 4px 0 4px;
border-color: transparent;
border-top-color: inherit;

animation: downloadArrow 2s linear infinite;
animation-play-state: paused;
}

.buttonDownload:hover:before {
border-color: #4CC713;
}

.buttonDownload:hover:after {
border-top-color: #4CC713;
animation-play-state: running;
}

/* keyframes for the download icon anim */
@keyframes downloadArrow {
/* 0% and 0.001% keyframes used as a hackish way of having the button frozen on a nice looking frame
by default */
0% {
margin-top: -7px;
opacity: 1;
}

0.001% {
margin-top: -15px;
opacity: 0;
}

50% {
opacity: 1;
}
```

```
}

100% {
margin-top: 0;
opacity: 0;
}
}
</style>

</p></div>
</div>
<br /><br />
<br /><br />
<br /><br />
<br /><br /> <br />
<br /> <br />
<br /> <br /><br />
<br /><
br /><br />
<br /> <br /><br />
<br /><br />

<footer>
%@include file="foot.jsp" %
</footer>
</div>

<!-------
----->

</div>
</body>
</html>
```

## Smart Online Reload System

### Network Add

OnlineBuyingCard

localhost:8084/OnlineBuyingCard\_EE/networkAdd.jsp

Search By Key Word

Smart

Network Config

Network Name

Company Name

Company Address

Contact Number

Website

Customer Care

Add to Table

Dash Board

Network Name	Company Name	Address	Contact number	Website	Customer Care	Action
Network Config						

Save To the Database

Smart Online Scratch Card shop

www.poneonline.jp

<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="com.mysql.jdbc.ResultSet"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

<script src="js/jzone.js"></script>

<script src="js/validation.js"></script>

```
<script src="swtallerts/sweet-alert.js"> </script>
<script src="swtallerts/sweet-alert.min.js"> </script>

<link rel="stylesheet" href="swtallerts/sweet-alert.css">
<script src="swtallerts/min.js"></script>
```

```
<%
try {
HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
java.sql.ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM
user_privileges WHERE page_id=(SELECT page_id FROM pages WHERE url ='networkAdd.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {
// true
isavailable = true;

}

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");

}

```

```
%>
```

```
</head>
```

```
<body >
<br/>
```

```
<div style="margin-left: 8%;margin-right: 8%;">
```

```
<header>
<table border="0">
```

```
<tbody>
<tr>
```

```
<td> </td>
<td style="width: 40%"></td>
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<hr/>
```

```
</header>
```

```
<!-------CONTENT-----
----->
```

```
<div class="row" class="panel-heading">
```

```
<div class="col-lg-12">
```

```
<div class="panel panel-yellow">
```

```
<div class="panel-heading">
```

```
Network Config
```

```
</div>
```

```
<div class="panel-body">
```

```
<div class="row show-grid">
```

```
<form>
```

```
<div class="col-md-4">
```

```
<h5>Network Name</h5>
```

```
<input type="text" name="networkname" id="netname" value="" class="form-control" data-
validate="required" />
```

```
<h5>Company Name</h5>
```

```
<input type="text" name="companyname" id="cname" value="" class="form-control" data-
validate="required" />
```

```
</div>
```

```
<div class="col-md-4">
```

```
<h5>Company Address</h5>
```

```
<input type="text" name="address" id="address" value="" class="form-control" data-validate="required"
/>
```

```
<h5>Contact Number</h5>
```



```

<input type="number" name="hotline" id="contact" value="" class="form-control" data-
validate="required,number" />
</div>
<div class="col-md-4">
<h5>Website</h5>
<input type="text" name="web" id="web" placeholder="http://www.google.com" value="" class="form-
control" data-validate="required,url" />
<h5>Customer care</h5>
<input type="number" name="customercare" id="ccare" value="" class="form-control" data-
validate="required,number" />
</div>

</form>
</div>

<button type="button" class="btn btn-outline btn-warning" onclick="addRow()">Add to Table</button>
<button type="button" onclick="ClickDashBoard()" class="btn btn-info">Dash Board</button>

<table class="table" id="myTableData">
<thead>
<tr>

<th>Network Name</th>
<th>Company Name</th>
<th>Address</th>
<th>Contact number</th>
<th>Website</th>
<th>Customer Care</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<tr>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
</tr>

</tbody>
</table>
</div>
<!-- /.table-responsive -->

```

```
<div class="panel-footer">
```

```
Network Config
```

```
<div align="right">
```

```
<input type="submit" class="btn btn-outline btn-success" value="Save To the Databse"  
onclick="saveNetworkAdd()" />
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div></div>
```

```
<!-------  
----->
```


```
<%@include file="footer.jsp" %>
```

```
</div>
```

```
</body>
```

```
</html>
```

## Network View All



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="java.sql.ResultSet"%>

<%@page import="java.sql.Statement"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

<script src="js/jzone.js"></script>

<%

```
try {
    HttpSession s = request.getSession(true);
    int roleid = Integer.parseInt(s.getAttribute("utype").toString());
    java.sql.ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM
user_privileges WHERE page_id=(SELECT page_id FROM pages WHERE url ='networkViewAll.jsp')");
    boolean isavailable = false;
    while (rs.next()) {
        if (rs.getInt(1) == roleid) {
            // true
            isavailable = true;
        }
    }
    if (!isavailable) {
        response.sendRedirect("AccessDenied.jsp");
    }
} catch (NullPointerException e) {
    response.sendRedirect("signin.jsp");
}
```

%>

</head>

<body >

<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<header>

<table border="0">

<tbody>

<tr>

<td> </td>

<td style="width: 40%"></td>

<td>

<div class="form-group input-group" style="margin-top: 9%; align="right">

<input class="form-control" type="text" size="50" placeholder="Search By Key  
Word"></input>

```

        <span class="input-group-btn">
            <button class="btn btn-default" type="button">
                <i class="fa fa-search"></i>
            </button>
        </span>

    </div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
<!-------CONTENT-----
----->

```

```

<div class="row" >
    <div class="col-lg-12">
        <div class="panel panel-yellow">
            <div class="panel-heading">
                View Network
            </div>
            <div class="panel-body">

                <table border="0" class="table table-striped table-bordered table-hover">
                    <thead>
                        <tr>
                            <th>Network Name</th>
                            <th>Company Name</th>
                            <th>Network Address</th>
                            <th>Hotline</th>
                            <th>Website</th>
                            <th>Customer Care</th>
                            <th>Network Id</th>
                        </tr>
                    </thead>
                    <tbody>
                        <%
Statement s=db.Database.Database();
ResultSet rs=s.executeQuery("SELECT network.name, network.id, network.company_name,
network.address, network.hotline, network.website, network.customer_sir_no FROM network");
while(rs.next()){
%>

```

## Smart Online Reload System

```
<tr>
<td><%= rs.getString(1) %></td>
<td><%= rs.getString(3) %></td>
<td><%= rs.getString(4) %></td>
<td><%= rs.getString(5) %></td>
<td><%= rs.getString(6) %></td>
<td><%= rs.getString(7) %></td>
<td><%= rs.getString(2) %></td>
```

```
<%
}
```

```
%>
```

```
</tr>
</tbody>
</table>
```

```
<button type="button" onclick="ClickDashBoard()" class="btn btn-primary">Back to
Dashboard</button>
```

```
</div>
<div class="panel-footer">
Network
</div>
</div>
```


```
</div></div>
```

```
<!-------
----->
```

```
<%@include file="footer.jsp" %>
</div>
```

```
</body>
</html>
```

## Add Card Model



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="java.sql.ResultSet"%>

<%@page import="java.sql.Statement"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

```
<script src="js/jzone.js"></script>

<script src="swtallerts/sweet-alert.js"> </script>
<script src="swtallerts/sweet-alert.min.js"> </script>
<link rel="stylesheet" href="swtallerts/sweet-alert.css">
<script src="swtallerts/min.js"></script>

<!--popuo-->
'<script src="bootstrap-modal.js"></script>
<script src="bootstrap-modalmanager.js"></script>
<link rel="stylesheet" href="bootstrap-modal.css">
<script src="js/SaveScCard.js"></script>

<%
    try {

        HttpSession s = request.getSession(true);
        int roleid = Integer.parseInt(s.getAttribute("utype").toString());
        ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM
user_pivilages WHERE page_id=(SELECT page_id FROM pages WHERE url ='Addtocard.jsp')");
        boolean isavailable = false;
        while (rs.next()) {
            if (rs.getInt(1) == roleid) {
                // true
                isavailable = true;

            }

        }
        if (!isavailable) {
            response.sendRedirect("AccessDenied.jsp");
        }
    } catch (NullPointerException e) {
        response.sendRedirect("signin.jsp");
    }
%>

</head>

<body >
    <br/>

    <div style="margin-left: 8%;margin-right: 8%;">
```



```

<header>
  <table border="0">

    <tbody>
      <tr>
        <td> </td>
        <td style="width: 40%"></td>
        <td>

          <div class="form-group input-group" style="margin-top: 9%;" align="right">

            <input class="form-control" type="text" size="50" placeholder="Search By Key
Word"></input>

            <span class="input-group-btn">
              <button class="btn btn-default" type="button">
                <i class="fa fa-search"></i>
              </button>
            </span>

          </div>
        </td>
      </tr>
    </tbody>
  </table>
  <hr/>
</header>
<!-------CONTENT----->
<div class="col-lg-12">
  <div class="col-lg-8">
    <div class="panel panel-primary">
      <div class="panel-heading">
        Add Card Model
      </div>
      <div class="panel-body">
        <table border="0">
          <thead>
            <th>Network</th>
            <th>Price</th>
          </thead>

          <tbody>
            <tr>
              <form method="post" action="SaveCardModel">
                <td><div class="form-group">

                  <select name="Networkaaa" id="nit" class="form-control">
<option>--Select Network--</option>

```

```
<%
String q = "SELECT network.`name`,network.id FROM network";
ResultSet rs1 = db.Database.Database().executeQuery(q);
while (rs1.next()) {
%>
<option id="<%= rs1.getString(1)%>"><%= rs1.getString(1)%></option>
<% }%>
</select>

</div></td>
<td><div class="form-group">
<script>
function m(){
var s=document.getElementById("nit").value;
if(s=='--Select Network--'){
swal("Please Select The Network :)", "error");
}
}
</script>

<input type="text" name="Priceqqq" required="" value="" onchange="m()" onclick="m()" class="form-
control" placeholder="Price" />
</div>
</td>
<td>
<div class="form-group">
<label></label>
<input type="submit" value="Save" class="btn btn-info" />
</div>
</form>
</td>
</tr>
</tbody>
</table>
```

```
</div>
<div class="panel-footer">
Card Model
</div>
</div>
```

```
<div class="panel panel-primary">
<div class="panel-heading">
Add Scratch
```

```

</div>
<div class="panel-body">

<table border="0">
<thead>
<tr>
<th>Network</th>
<th>Price</th>
<th>Pin Number</th>
<th>Batch Number</th>
<th>Serial Number</th>

</tr>
</thead>
<tbody>

<tr><form action="SaveScartchCard" method="POST">
<td><div class="form-group">

<select name="scnetwork" id="cmmnet" onchange="loadPrice()" class="form-control">
<option>--Select Network--</option>
<%
String q1 = "SELECT network.`name`,network.id FROM network";
ResultSet e2 = db.Database.Database().executeQuery(q1);
while (e2.next()) {
%>
<option id="<%= e2.getString(1)%>"><%= e2.getString(1)%></option>
<% }%>
</select>

</div></td>
<td><div class="form-group">
<select name="scPrice" id="xprice" class="form-control">
<option>0000</option>

</select>
</div></td>
<br/>
<td>
<div class="form-group">
<input type="number" required="" name="scPin" value="" class="form-control" />
</div>
</td>
<td><div class="form-group">
<input type="number" required="" name="scbatch" value="" class="form-control" />
</div></td>
<td>
<div class="form-group">

```

```
<input type="number" required="" name="scserial" value="" class="form-control" />
</div>
</td>

</tr>

</tbody>
</table>

<input type="submit" value="Save" class="btn btn-warning" />
</form>
<input type="button" value="Dashboard" onclick="window.location='DashBoard.jsp'" class="btn btn-
default" />

<hr/>
<div class="alert alert-danger">
Please Select .Csv File In correct Format.
<a href="#" class="alert-link">Show Format</a>.

</div>

<form method="post" enctype="multipart/form-data" action="fileUpload">
<input class="btn btn-default" type="file" id="trackfile" name="trackfile" multiple="multiple" size="50">
<button class="btn btn-default" type="submit">Upload</button>
</form>

</div>
<div class="panel-footer">
Scratch
</div>
</div>

</div>
<div class="col-lg-4">
<div class="panel panel-primary">
<div class="panel-heading">
View Last Added
</div>
<div class="panel-body">
<table border="0" class="table">
<thead>
<tr>
<th>Network</th>
<th>Price</th>
<th>Action</th>
```

```
</tr>
</thead>
<tbody>
<%
ResultSet rs = db.Database.Database().executeQuery("SELECT card_modle.idCard_Modle,
network.`name`, price.price FROM card_modle INNER JOIN price ON price.id = card_modle.price_id
INNER JOIN network ON network.id = card_modle.network_id ORDER BY network.id DESC LIMIT 5 ");
while (rs.next()) {

%>
<form action="deletePriceModel" method="POST">
<tr>

<input type="hidden" name="cid" value="<%= rs.getString(1)%>" />
<td><label><%= rs.getString(2)%></label></td>
<td><label><%= rs.getString(3)%></label></td>
<td><button class="btn btn-mini btn-info" type="submit" >Remove<i class="icon-edit bigger-120"></i>
</button></td>
</tr>
</form>
<% }%>
</tbody>
</table>
```

```
</div>
<div class="panel-footer">
Card Model
</div>
</div>
</div>
```

```
<div class="col-lg-4">
<div class="panel panel-primary">
<div class="panel-heading">
Additional Updates
</div>
<div class="panel-body">
<input class="btn bigger-120" onclick="window.location='updateExsistingPin.jsp'" type="button"
value="Update Exsisting Pin" />
```

```
</div>
<div class="panel-footer">
Action Card Model
</div>
</div>
</div>
</div>
```


```
<!-------
----->
```

```
</div>
<br /><br /> <br /><br /><br /><br /> <br /><br /><br /><br /> <br /><br /> <br /><br />
<br /><br /> <br /><br /> <br /><br /> <br /><br />
```

```
<%@include file="foot.jsp" %>
```

```
</body>
</html>
```

### Calculating Profit



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

<%@page import="com.mysql.jdbc.ResultSet"%>

<%@page contentType="text/html" pageEncoding="UTF-8"%>

<!DOCTYPE html>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title>OnlineBuyingCard</title>

<link rel="stylesheet" href="css/bootstrap.min.css">

<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">

<link rel="stylesheet" href="css/footer.css">

<link rel="stylesheet" href="css/sb-admin-2.css">

<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">

<script src="js/jquery.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/plugins/metisMenu/metisMenu.min.js"></script>

<script src="js/sb-admin-2.js"></script>

<script src="js/jzone.js"></script>

```
<script src="swtalerts/sweet-alert.js"> </script>
<script src="swtalerts/sweet-alert.min.js"> </script>
<link rel="stylesheet" href="swtalerts/sweet-alert.css">
<script src="swtalerts/min.js"></script>

<%
    try {
        HttpSession s = request.getSession(true);
        int roleid = Integer.parseInt(s.getAttribute("utype").toString());
        java.sql.ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM
user_privileges WHERE page_id=(SELECT page_id FROM pages WHERE url ='profit.jsp')");
        boolean isavailable = false;
        while (rs.next()) {
            if (rs.getInt(1) == roleid) {
                // true
                isavailable = true;
            }
        }
        if (!isavailable) {
            response.sendRedirect("AccessDenied.jsp");
        }
    } catch (NullPointerException e) {
        response.sendRedirect("signin.jsp");
    }
%>

</head>

<body >
<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
```



```

<td>

<div class="form-group input-group" style="margin-top: 9%;" align="right">

<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>

</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
<!-------CONTENT----->
----->

<div class="row" >
<div class="col-lg-12">
<div class="panel panel-yellow">
<div class="panel-heading">
view Profit
</div>
<div class="panel-body">

<div class="row show-grid">
<table border="0">
<tbody> <form action="ProfitHistoryView.jsp">
<tr>

<td>From</td>
<td><input type="date" id="datepicker1" name="dp1" value="" class="form-control"
placeholder="From" /></td>
<td>to</td>
<td><input type="date" id="datepicker2" name="dp2" value="" class="form-control" placeholder="to"
/></td>
<td>&nbsp;</td>
<td><input type="button" onclick="getTotalProfit()" value="Calculate" class="btn btn-success" /></td>
<td>&nbsp;</td>
<td><input type="submit" value="View History" class="btn btn-success" /></td>
<td>&nbsp;</td>
<td><input type="button" onclick="printProfit()" value="View History Report" class="btn btn-success"
/></td>

```

```
</tr>
</form>
</tbody>
</table>
<br/>
<lable><h5><b>Your Total Profit Is:<input type="text" name="ttt" id="ttt" readonly="" value="000.00
/=" style="color: red" class="form-control" value="" /></h5></lable>
```

```
</div>
```

```
<button type="button" onclick="ClickQuickStart()" class="btn btn-primary">Skip</button>
```

```
</div>
<div class="panel-footer">
Profit
</div>
</div>
```


```
</div></div>
```

```
<!-------
----->
<%@include file="footer.jsp" %>
```

```
</div>
```

```
</body>
</html>
```

### Downloads



<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

```
<%@page import="java.sql.ResultSet"%>
```

```
<%@page import="java.sql.Statement"%>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title>OnlineBuyingCard</title>
```

```
<link rel="stylesheet" href="css/bootstrap.min.css">
```

```
<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">
```

```
<link rel="stylesheet" href="css/footer.css">
```

```
<link rel="stylesheet" href="css/sb-admin-2.css">
```

```
<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">
```

```
<script src="js/jquery.js"></script>
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<script src="js/plugins/metisMenu/metisMenu.min.js"></script>
```

```
<script src="js/sb-admin-2.js"></script>
```

```
<script src="js/jzone.js"></script>
```

```
<script src="swtallerts/sweet-alert.js"> </script>
<script src="swtallerts/sweet-alert.min.js"> </script>
<link rel="stylesheet" href="swtallerts/sweet-alert.css">
<script src="swtallerts/min.js"></script>
```

```
</head>
```

```
<body >
<br/>
```

```
<div style="margin-left: 8%;margin-right: 8%;">
```

```
<header>
<table border="0">
```

```
<tbody>
<tr>
<td> </td>
<td style="width: 40%"></td>
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```
</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
<div>
<div class="col-lg-12">
<div class="col-lg-8"></div>
<div class="col-lg-4">
<p>
```

This app for admin use Only.if you are admin ple use this app.then you can manage your site esially.

## Smart Online Reload System

You Can download Use this Link < &nbsp; <a href="">Download Smart App</a>>

<br/> <br/>



<br/>

<div align="center"><a href="SEAPP/SmartSeAPP.rar" class="buttonDownload">Download</a>

<input type="button" value="Dashboard" onclick="window.location='DashBoard.jsp'" class="btn btn-default" />

</div>

<style>

.buttonDownload {  
display: inline-block;  
position: relative;  
padding: 10px 25px;

background-color: #4CC713;  
color: white;

font-family: sans-serif;  
text-decoration: none;  
font-size: 0.9em;  
text-align: center;  
text-indent: 15px;  
}

.buttonDownload:hover {  
background-color: #333;  
color: white;  
}

.buttonDownload:before, .buttonDownload:after {  
content: ' ';  
display: block;  
position: absolute;  
left: 15px;  
top: 52%;  
}

/\* Download box shape \*/  
.buttonDownload:before {  
width: 10px;  
height: 2px;  
border-style: solid;  
border-width: 0 2px 2px;  
}

## Smart Online Reload System

```
/* Download arrow shape */
.buttonDownload:after {
width: 0;
height: 0;
margin-left: 3px;
margin-top: -7px;

border-style: solid;
border-width: 4px 4px 0 4px;
border-color: transparent;
border-top-color: inherit;

animation: downloadArrow 2s linear infinite;
animation-play-state: paused;
}

.buttonDownload:hover:before {
border-color: #4CC713;
}

.buttonDownload:hover:after {
border-top-color: #4CC713;
animation-play-state: running;
}

/* keyframes for the download icon anim */
@keyframes downloadArrow {
/* 0% and 0.001% keyframes used as a hackish way of having the button frozen on a nice looking frame
by default */
0% {
margin-top: -7px;
opacity: 1;
}

0.001% {
margin-top: -15px;
opacity: 0;
}

50% {
opacity: 1;
}

100% {
margin-top: 0;
opacity: 0;
}
}
```

</style>

</p></div>

</div>

<br /><br />

<br /><br /> <br /><br /> <br /><br /> <br /><br /> <br /><br /> <br /><br /> <br /><br /> <br /><br /> <br /><br />

<br /><br /> <br /><br />

<footer><%@include file="foot.jsp" %></footer>

</div>

<!-------  
----->

</div>

</body>

</html>

## Smart Online Reload System

### View All Sessions

Email	Type	Activity	Ip	Login time	Log out time	Status
buddhika.lakshan123@gmail.com	ADMIN	BuyCard	0.0.0.0:0.0.0.1	2015-03-12 11:06:16.0	null	Active
buddhika.lakshan123@gmail.com	USER	BuyCard	0.0.0.0:0.0.0.1	2015-03-03 11:50:00.0	2015-03-03 11:54:58.0	Deactive
buddhika.lakshan123@gmail.com	USER	BuyCard	0.0.0.0:0.0.0.1	2015-03-03 11:42:03.0	null	Deactive
buddhika.lakshan123@gmail.com	ADMIN	BuyCard	0.0.0.0:0.0.0.1	2015-03-03 09:27:23.0	2015-03-03 09:29:04.0	Deactive
buddhika.lakshan123@gmail.com	ADMIN	BuyCard	0.0.0.0:0.0.0.1	2015-03-03 08:44:21.0	2015-03-03 08:53:28.0	Deactive
amal@gmail.com	USER	BuyCard	0.0.0.0:0.0.0.1	2015-03-02 08:42:53.0	null	Deactive
user@user.com	USER	BuyCard	0.0.0.0:0.0.0.1	2015-03-02 13:28:35.0	2015-03-02 13:30:12.0	Deactive
buddhika.lakshan123@gmail.com	ADMIN	AddCard	192.168.43.162	2015-02-27 14:22:00.0	null	Deactive
buddhika.lakshan123@gmail.com	ADMIN	BuyCard	0.0.0.0:0.0.0.1	2015-02-27 14:15:10.0	null	Deactive
buddhika.lakshan123@gmail.com	ADMIN	BuyCard	0.0.0.0:0.0.0.1	2015-02-26 18:46:47.0	null	Deactive

<%--

Document : index

Created on : 12-Dec-2014, 19:24:43

Author : Mr.Buddhika

--%>

```
<%@page import="java.sql.ResultSet"%>
<%@page import="java.sql.Statement"%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>OnlineBuyingCard</title>
<link rel="stylesheet" href="css/bootstrap.min.css">
<link rel="stylesheet" href="css/plugins/metisMenu/metisMenu.min.css">
<link rel="stylesheet" href="css/footer.css">
<link rel="stylesheet" href="css/sb-admin-2.css">
<link type="text/css" rel="stylesheet" href="font-awesome-4.1.0/css/font-awesome.min.css">
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/plugins/metisMenu/metisMenu.min.js"></script>
```



```
<script src="js/sb-admin-2.js"></script>
<script src="js/jzone.js"></script>

<script src="swtallerts/sweet-alert.js"> </script>
<script src="swtallerts/sweet-alert.min.js"> </script>
<link rel="stylesheet" href="swtallerts/sweet-alert.css">
<script src="swtallerts/min.js"></script>

<%
try {

HttpSession s = request.getSession(true);
int roleid = Integer.parseInt(s.getAttribute("utype").toString());
ResultSet rs = db.Database.Database().executeQuery("SELECT user_type_id FROM user_privileges
WHERE page_id=(SELECT page_id FROM pages WHERE url ='viewsession.jsp')");
boolean isavailable = false;
while (rs.next()) {
if (rs.getInt(1) == roleid) {
// true
isavailable = true;

}

}
if (!isavailable) {
response.sendRedirect("AccessDenied.jsp");
}
} catch (NullPointerException e) {
response.sendRedirect("signin.jsp");

}
%>

</head>

<body >
<br/>

<div style="margin-left: 8%;margin-right: 8%;">

<header>
<table border="0">

<tbody>
<tr>
```

```
<td> </td>
<td style="width: 40%"></td>
<td>
```

```
<div class="form-group input-group" style="margin-top: 9%;" align="right">
```

```
<input class="form-control" type="text" size="50" placeholder="Search By Key Word"></input>
<span class="input-group-btn">
<button class="btn btn-default" type="button">
<i class="fa fa-search"></i>
</button>
</span>
```

```
</div>
</td>
</tr>
</tbody>
</table>
<hr/>
</header>
```

```
<!-------CONTENT----->
```

```
<div class="panel panel-primary">
<div class="panel-heading">
View Session
</div>
<div class="panel-body">
```

```
<table border="0" class="table">
<thead>
<tr>
<th>Email</th>
<th>Type</th>
<th>Activity</th>
<th>Ip</th>
<th>Login time</th>
<th>Log out time</th>
<th>Status</th>
</tr>
</thead>
<tbody>
<%
```

```
ResultSet rs=db.Database.Database().executeQuery("SELECT `user`.email, user_type.type,
activity.Activity, `session`.ip, `session`.log_in_time, `session`.log_out_time, `session`.state FROM
`session` INNER JOIN session_activities ON `session`.session_id = session_activities.session_id INNER
JOIN `user` ON `session`.user_id = `user`.id INNER JOIN user_type ON `user`.user_type =
user_type.id_user_type INNER JOIN activity ON activity.idActivity = session_activities.activity_id GROUP
BY `session`.log_in_time ORDER BY session_activities.session_id DESC");
```

```
while(rs.next()){
%>
<tr>
<td><%= rs.getString(1) %></td>
<td><%= rs.getString(2) %></td>
<td><%= rs.getString(3) %></td>
<td><%= rs.getString(4) %></td>
<td><%= rs.getString(5) %></td>
<td><%= rs.getString(6) %></td>
<td><%= rs.getString(7) %></td>
</tr>
<% } %>
</tbody>
</table>
```

```
</div>
```

```
<div class="panel-footer">
Session
<input type="button" value="Dashboard" onclick="window.location='DashBoard.jsp'" class="btn btn-
default" />
</div>
</div>
```

```
<!------->
```

```
</div>
```

```
</body>
</html>
```

# Implementation

---

1. Those days I'm planning to marketing this Application.
2. Try to host my own server

# Quotation

---

Jzone solutions ,  
135/1 Ehalajkaragahamuna,  
Kadawatha.

Highway Communication,  
No 32,  
kandy road,  
Kadawatha.

Mr.Salutha Samarathunga  
Dear Sir,

## Quotation For Online Shopping Cart in Smart online Reload Shop

Include System Categories	Amount
Smart Online Shopping Cart Reload System	87,500.00/=
<b>Total Investment</b>	<b>87,500.00/=</b>

Please note that we provide FREE SEVICE for First year And After one year we charge 15% service charge from your company. There is another option for you are not satisfied to pay 15% we can give a special offer for you to pay every visit RS.6000.00/= from your company.

1. Payment Method
  - a. 50% Advance Payment From The Total Investment.
  - b. 25% After blue print sign off.
  - c. 25% After finalizing.
2. Payment Method
  - a. 40% Advance Payment From The Total Investment.
  - b. 30% After blue print sign off.
  - c. 30% After finalizing.

Thank You,  
Yours Faithfully,  
Jzone (pvt) ltd.

-----  
Business Analysis  
Buddhika lakshan

