



default: .  
default: .....  
default: .....  
default: .....  
default: .  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 20%  
default: .. 9.54M 0s  
default: .. 350K .....

default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 22% 13.1M 0s  
default: ..  
default: .. 400K .....

default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 25% 19.2M 0s  
default: .. 450K ...  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 28% 23.8M 0s  
default: .. 500K ...  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 31% 21.4M 0s  
default: .. 550K .....

default: .  
default: .  
default: .  
default: .....  
default: .....  
default: ..  
default: ..  
default: .. 34% 5.49M  
default: .. 0s  
default: .. 600K ....  
default: .....  
default: .....  
default: ..  
default: .. 37% 12.1M 0s  
default: .. 650K .  
default: ....  
default: ....  
default: .....  
default: .....  
default: .....  
default: .....  
default: ..  
default: .. 40% 25.3M 0s  
default: .. 700K ....  
default: .....  
default: .....  
default: .....  
default: ..  
default: ..  
default: .. 42% 30.0M 0s  
default: .. 750K ....  
default: .....  
default: ..  
default: .. 45% 13.6M 0s  
default: .. 800K .....  
default: ..  
default: ..  
default: .. 48% 12.1M 0s  
default: .. 850K .....  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 51% 8.68M 0s  
default: .. 900K .....  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 54% 11.9M 0s  
default: .. 950K ..  
default: .....  
default: .....  
default: ..  
default: ..  
default: .. 57% 38.9M 0s  
default: .. 1000K .....  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 60% 26.3M 0s  
default: .. 1050K .....  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 62% 8.05M 0s  
default: .. 1100K .....

default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: ..  
default: .. 65% 8.57M 0s  
default: .. 1150K .....  
default: .....  
default: .....  
default: ..  
default: ..

```
default: .....
default: ..
default: ..... 68% 26.0M 0s
default: 1200K .....
default: ....
default: ...
default: .....
default: ..... 71% 18.7M 0s
default: 1250K .....
default: .....
default: ..... 74% 28.5M 0s
default: 1300K ..
default: .....
default: .....
default: ..
default: .....
default: .....
default: .....
default: .....
default: .. 77% 6.04M 0s
default: 1350K .....
default: .....
default: .....
default: ..... 80%
default: 26.2M 0s
default: 1400K ....
default: .....
default: ..
default: ...
default: .....
default: .....
default: ..... 82% 10.0M 0s
default: 1450K ..
default: .....
default: .....
default: .....
default: ..... 85% 37.0M 0s
default: 1500K ..
default: .....
default: ..
default: ..
default: .....
default: .....
default: ..... 88% 17.0M 0s
default: 1550K ..
default: .....
default: .....
default: .....
default: .....
default: ..... 91% 9.93M 0s
default: 1600K ....
default: .....
default: ..
default: .....
default: ..... 94% 8.00M 0s
default: 1650K ...
default: .....
default: .....
default: ..... 97% 19.9M 0s
default: 1700K ..
default: ..
default: ..
default: .....
default: ..... 100% 12.9M0.2s
default: 2018-11-21 19:16:42 [10.1 MB/s] - 'GeoLite2-Country.tar.gz' saved [1790601/1790601]
default: GeoLite2-Country_20181120/COPYRIGHT.txt
default: GeoLite2-Country_20181120/LICENSE.txt
default: GeoLite2-Country_20181120/GeoLite2-Country.mmbd
default: cp:
default: cannot create regular file '/etc/buda/share/geoLite/GeoLite2-Country.mmbd'
default: : No such file or directory
default: Scanning for projects...
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-starter-parent/2.0.2.RELEASE/spring-boot-starter-parent-2.0.2.RELEASE.pom (12 KB at 17.1 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-dependencies/2.0.2.RELEASE/spring-boot-dependencies-2.0.2.RELEASE.pom (133 KB at 157.5 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-dependencies/2.0.2.RELEASE/spring-boot-dependencies-2.0.2.RELEASE.pom (133 KB at 157.5 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/glassfish/jersey-bom/2.26/jersey-bom-2.26.pom (22 KB at 437.8 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/io/netty/netty-bom/4.1.24.Final/netty-bom-4.1.24.Final.pom (8 KB at 151.5 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/eclipse/jetty/jetty-bom/9.4.18.v20180803/jetty-bom-9.4.18.v20180803.pom (18 KB at 364.9 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/projectreactor/reactor-bom/Bismuth-SR9/reactor-bom-Bismuth-SR9.pom (4 KB at 80.5 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j-bom/2.10.0/log4j-bom-2.10.0.pom (6 KB at 130.8 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j-bom/2.10.0/log4j-bom-2.10.0.pom (6 KB at 130.8 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/logging/logging-parent/1/logging-parent-1.pom (4 KB at 73.5 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/eclipse/jetty/jetty-bom/9.4.18.v20180803/jetty-bom-9.4.18.v20180803.pom (18 KB at 364.9 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/spring-framework-bom/5.0.6.RELEASE/spring-framework-bom-5.0.6.RELEASE.pom (6 KB at 114.2 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/data/spring-data-releasetrain/Kay-SR7/spring-data-releasetrain-Kay-SR7.pom (5 KB at 101.0 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/data/spring-data-releasetrain/Kay-SR7/spring-data-releasetrain-Kay-SR7.pom (5 KB at 101.0 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/data/build/spring-data-build/2.0.7.RELEASE/spring-data-build-2.0.7.RELEASE.pom (7 KB at 130.6 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/data/build/spring-data-build/2.0.7.RELEASE/spring-data-build-2.0.7.RELEASE.pom (7 KB at 130.6 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/integration/spring-integration-bom/5.0.5.RELEASE/spring-integration-bom-5.0.5.RELEASE.pom (9 KB at 206.2 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/integration/spring-integration-bom/5.0.5.RELEASE/spring-integration-bom-5.0.5.RELEASE.pom (9 KB at 206.2 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/security/spring-security-bom/5.0.5.RELEASE/spring-security-bom-5.0.5.RELEASE.pom (5 KB at 109.4 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/security/spring-security-bom/5.0.5.RELEASE/spring-security-bom-5.0.5.RELEASE.pom (5 KB at 109.4 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/session/spring-session-bom/Apple-SR2/spring-session-bom-Apple-SR2.pom (3 KB at 54.7 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/session/spring-session-bom/Apple-SR2/spring-session-bom-Apple-SR2.pom (3 KB at 54.7 KB/sec)
default: [INFO] Building buda-hyimir 1.0.0-SNAPSHOT
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-maven-plugin/2.0.2.RELEASE/spring-boot-maven-plugin-2.0.2.RELEASE.pom (5 KB at 110.5 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-maven-plugin/2.0.2.RELEASE/spring-boot-maven-plugin-2.0.2.RELEASE.pom (5 KB at 110.5 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-tools/2.0.2.RELEASE/spring-boot-tools-2.0.2.RELEASE.pom (2 KB at 35.5 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-tools/2.0.2.RELEASE/spring-boot-tools-2.0.2.RELEASE.pom (2 KB at 35.5 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-parent/2.0.2.RELEASE/spring-boot-parent-2.0.2.RELEASE.pom (2 KB at 36.3 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-parent/2.0.2.RELEASE/spring-boot-parent-2.0.2.RELEASE.pom (2 KB at 36.3 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-maven-plugin/2.0.2.RELEASE/spring-boot-maven-plugin-2.0.2.RELEASE.jar (63 KB at 1285.5 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-maven-plugin/2.0.2.RELEASE/spring-boot-maven-plugin-2.0.2.RELEASE.jar (63 KB at 1285.5 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-resources-plugin/3.0.1/maven-resources-plugin-3.0.1.pom (7 KB at 145.8 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-resources-plugin/3.0.1/maven-resources-plugin-3.0.1.pom (7 KB at 145.8 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-resources-plugin/3.0.1/maven-resources-plugin-3.0.1.jar (31 KB at 627.3 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-resources-plugin/3.0.1/maven-resources-plugin-3.0.1.jar (31 KB at 627.3 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-compiler-plugin/3.7.0/maven-compiler-plugin-3.7.0.pom (11 KB at 201.2 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-compiler-plugin/3.7.0/maven-compiler-plugin-3.7.0.pom (11 KB at 201.2 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-compiler-plugin/3.7.0/maven-compiler-plugin-3.7.0.jar (57 KB at 1137.1 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-compiler-plugin/3.7.0/maven-compiler-plugin-3.7.0.jar (57 KB at 1137.1 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-surefire-plugin/2.21.0/maven-surefire-plugin-2.21.0.pom (6 KB at 96.1 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-surefire-plugin/2.21.0/maven-surefire-plugin-2.21.0.pom (6 KB at 96.1 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/surefire/2.21.0/surefire-2.21.0.pom (28 KB at 603.2 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/surefire/2.21.0/surefire-2.21.0.pom (28 KB at 603.2 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-surefire-plugin/2.21.0/maven-surefire-plugin-2.21.0.jar (40 KB at 770.7 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-surefire-plugin/2.21.0/maven-surefire-plugin-2.21.0.jar (40 KB at 770.7 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-jar-plugin/3.0.2/maven-jar-plugin-3.0.2.pom (7 KB at 137.1 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-jar-plugin/3.0.2/maven-jar-plugin-3.0.2.pom (7 KB at 137.1 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-jar-plugin/3.0.2/maven-jar-plugin-3.0.2.jar (27 KB at 497.4 KB/sec)
default: [INFO] Downloaded: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-jar-plugin/3.0.2/maven-jar-plugin-3.0.2.jar (27 KB at 497.4 KB/sec)
default: [INFO] Downloading: https://repo.maven.apache.org/maven2/org/springframework/boot/spring-boot-starter-test/2.0.2.RELEASE/spring-boot-starter-test-2.0.2.RELEASE.pom
```













```
, org.springframework.test.context.web.ServletTestExecutionListener, org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener, org.springframework.test.context.support.DependencyInjectionTestExecutionListener, org
springframework.test.context.support.DirtiesContextTestExecutionListener, org.springframework.test.context.transaction.TransactionalTestExecutionListener, org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener}
default: 19:17:06.229 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Skipping candidate TestExecutionListener [org.springframework.test.context.transaction.TransactionalTestExecutionListener] due to a
missing dependency: org.springframework.boot.test.autoconfigure.web.servlet.MockMvcSupportTestExecutionListener
default: 19:17:06.230 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Skipping candidate TestExecutionListener [org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener] due to a missing d
ependency. Specify custom listener classes or make the default listener classes and their required dependencies available. Offending class: [org.springframework.transaction.interceptor.TransactionAttribute]
default: 19:17:06.230 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using TestExecutionListeners: [org.springframework.test.context.web.ServletTestExecutionListener@6a03bc01, org.springframework.test
.context.support.DirtiesContextTestExecutionListener@2102e768, org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@94252917, org.springframework.boot.test.autoconfigure.web.servlet.MockMvcSupportTestExecutionList
ener@689159b, org.springframework.test.context.support.DirtiesContextTestExecutionListener@2118cddf, org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@177f733, org.springframework.boot.test.autoconfigure.res
tdocs.TestExecutionListener@88567c20, org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener@76ed1b7c, org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExc
utionListener@1f5c64b, org.springframework.boot.test.autoconfigure.web.servlet.MockMvcSupportTestExecutionListener@94252917, org.springframework.test.context.transaction.TransactionalTestExecutionListener@94252917]
default: 19:17:06.233 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved @ProfileValueSourceConfiguration [null] for test class [io.bdr.c.iiif.AuthTest]
default: 19:17:06.233 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved ProfileValueSource type [class org.springframework.test.annotation.SystemProfileValueSource] for class [io.bdr.c.iiif.AuthTest]
default: 19:17:06.235 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved @ProfileValueSourceConfiguration [null] for test class [io.bdr.c.iiif.AuthTest]
default: 19:17:06.235 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved ProfileValueSource type [class org.springframework.test.annotation.SystemProfileValueSource] for class [io.bdr.c.iiif.AuthTest]
default: 19:17:06.235 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved @ProfileValueSourceConfiguration [null] for test class [io.bdr.c.iiif.AuthTest]
default: 19:17:06.235 [main] DEBUG org.springframework.test.annotation.ProfileValueUtils - Retrieved ProfileValueSource type [class org.springframework.test.annotation.SystemProfileValueSource] for class [io.bdr.c.iiif.AuthTest]
default: 19:17:06.240 [main] DEBUG org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test class: context [DefaultTestContext@80b00de testClass = AuthTest, testInstance = [null], testMethod = [nul
l], testException = [null], mergedContextConfiguration = [WebMergeContextConfiguration@54ca84b3 testClass = AuthTest, locations = '{}', classes = '{}', classDe digitalCollections.iiif.myhyMir.Application, class de.digitalCollections.iiif.myhyMir.A
pplication], contextInitializerClasses = [{}], activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{}', springFrameworkContext = [org.springframework.boot.test.context.SpringBootTestContextBootstrapper], contextCustomizers = set([org.spr
ingframework.boot.test.context.filter.ExcludeFilterContextCustomizer@709ba3fb, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory@DuplicateJsonObjectContextCustomizer@7f2a664, org.springframework.boot.test.mock.moc
kito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@1931956, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autofoc
nfigure.web.servlet.MockMvcCustomizerFactory@Customizer@80b6fde], resourceBasePath = 'src/main/webapp', contextLoader = [org.springframework.boot.test.context.SpringBootTestContextLoader], parent = [null]), attributes = map[{}], org.springfram
work.test.context.web.ServletTestExecutionListener.activateListener() -> false], class annotated with @DirtiesContext [false] with mode [null].
default: 19:17:06.242 [main] DEBUG org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - After test class: context [DefaultTestContext@80b00de testClass = AuthTest, testInstance = [null], testMethod = [null]
], testException = [null], mergedContextConfiguration = [WebMergeContextConfiguration@54ca84b3 testClass = AuthTest, locations = '{}', classes = '{}', classDe digitalCollections.iiif.myhyMir.Application, class de.digitalCollections.iiif.myhyMir.A
pplication], contextInitializerClasses = [{}], activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{}', springFrameworkContext = [org.springframework.boot.test.context.SpringBootTestContextBootstrapper], contextCustomizers = set([org.spr
ingframework.boot.test.context.filter.ExcludeFilterContextCustomizer@709ba3fb, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory@DuplicateJsonObjectContextCustomizer@7f2a664, org.springframework.boot.test.mock.moc
kito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@1931956, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autofoc
nfigure.web.servlet.MockMvcCustomizerFactory@Customizer@80b6fde], resourceBasePath = 'src/main/webapp', contextLoader = [org.springframework.boot.test.context.SpringBootTestContextLoader], parent = [null]), attributes = map[{}], org.springfram
work.test.context.web.ServletTestExecutionListener.activateListener() -> false], class annotated with @DirtiesContext [false] with mode [null].
default: [ERROR] Tests run: 1, Failures: 0, Errors: 1, Skipped: 0, Time elapsed: 0.551 s <<< FAILURE! - in io.bdr.c.iiif.AuthTest
default: [ERROR] io.bdr.c.iiif.AuthTest Time elapsed: 0.551 s <<< ERROR!
default: java.io.FileNotFoundException: /etc/hosts (No such file or directory)
default: - at io.bdr.c.iiif.AuthTest.init(AuthTest.java:56)
default: [INFO] Running io.bdr.c.iiif.CacheTest
default: 19:17:06.277 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - Instance is null, creating with config [/cache.ccf]
default: 19:17:06.341 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - Setting default auxiliaries to IIIF, IIIF_ZIP
default: 19:17:06.335 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - Creating cache manager from config file: /cache.ccf
default: 19:17:06.336 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheManager - File [/cache.ccf] contained 80 properties
default: 19:17:06.340 [main] INFO org.apache.commons.jcs.util.threadpool.ThreadPoolManager - thread_pool.default.PoolConfiguration = useBoundary = [false] boundarySize = [2000] maximumPoolSize = [150] minimumPoolSize = [4] keepAliveTime =
[300000] whenLockedPolicy = [RUN] startUpSize = [4]
default: 19:17:06.340 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheManager - ThreadPoolManager = org.apache.commons.jcs.util.threadpool.ThreadPoolManager@684947d
default: 19:17:06.341 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - Setting default auxiliaries to IIIF, IIIF_ZIP
default: 19:17:06.341 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheManager - Parsing options for 'jcs.default.cacheattributes'
default: 19:17:06.350 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [memoryCacheName] to [org.apache.commons.jcs.engine.memory.Lru.LRUMemoryCache].
default: 19:17:06.350 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxObjects] to [0].
default: 19:17:06.350 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.default.cacheattributes'.
default: 19:17:06.351 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - setting defaultCompositeCacheAttributes to [useLateral = true, useRemote = true, useDisk = true, maxObjs = 0, maxSpoolPerRun = -1, diskUsa
gePattern = SWAP, spoolChunkSize = 2]
default: 19:17:06.351 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - No special ElementAttribute class defined for key [jcs.default.elementattributes], using default class.
default: 19:17:06.357 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Parsing options for 'jcs.default.elementattributes'
default: 19:17:06.357 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.default.elementattributes'.
default: 19:17:06.357 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - Setting defaultCompositeCacheAttributes to [IS_LATERAL = true, IS_SPOOL = true, IS_REMOTE = true, IS_ETERNAL = true, MaxLifeSeconds = 600, IdleTime =
-1, CreateTime = 154282726351, MaxAccessTime = 154282726351, getLifetimeSeconds() = 399, createTime = 154282726351]
default: 19:17:06.358 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheManager - No special ElementAttribute class defined for key [jcs.region.test.elementattributes], using default class.
default: 19:17:06.358 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheManager - Parsing options for 'jcs.region.test.elementattributes'
default: 19:17:06.358 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxKeySize] to [1000000].
default: 19:17:06.358 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.region.test.cacheattributes'.
default: 19:17:06.359 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Parsing options for 'jcs.region.test.cacheattributes'
default: 19:17:06.359 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxPurgatorySize] to [500].
default: 19:17:06.359 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.auxiliary.IIIFtest.attributes'.
default: 19:17:06.359 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - No cache event logger defined for auxiliary [jcs.auxiliary.IIIFtest]
default: 19:17:06.360 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [memoryCacheName] to [org.apache.commons.jcs.engine.memory.Lru.LRUMemoryCache].
default: 19:17:06.360 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.auxiliary.IIIFtest.attributes'.
default: 19:17:06.367 [main] INFO org.apache.commons.jcs.engine.memory.AbstractDoubleLinkedListedMemoryCache - Initialized MemoryCache for test
default: 19:17:06.367 [main] INFO org.apache.commons.jcs.engine.control.CompositeCache - Constructed cache with name [test] and cache attributes [ useLateral = true, useRemote = true, useDisk = true, maxObjs = 0, maxSpoolPerRun = -1, diskUs
agePattern = SWAP, spoolChunkSize = 2]
default: 19:17:06.368 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing region name 'test', value 'IIIFtest'
default: 19:17:06.368 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing auxiliary named 'IIIFtest'.
default: 19:17:06.368 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - parseAuxiliary IIIFtest
default: 19:17:06.372 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing options for 'jcs.auxiliary.IIIFtest.attributes'
default: 19:17:06.372 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxKeySize] to [1000000].
default: 19:17:06.383 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [diskLimitType] to [SIZE].
default: 19:17:06.383 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxPurgatorySize] to [500].
default: 19:17:06.384 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.auxiliary.IIIFtest.attributes'.
default: 19:17:06.384 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - No cache event logger defined for auxiliary [jcs.auxiliary.IIIFtest]
default: 19:17:06.387 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - Using standard serializer [org.apache.commons.jcs.util.serialization.StandardSerializer@4d465b1] for auxiliary [jcs.auxiliary.IIIFtest]
default: 19:17:06.417 [main] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCacheFactory - Creating DiskCache for attributes = IndexedDiskCacheAttributes
default: diskPath = pdf_cache_test
default: maxPurgatorySize = 500
default: maxKeySize = 1000000
default: optimizeZtRemoveCount = -1
default: shutdownSpoolTimeLimit = 60
default: optimizeZtShutdown = true
default: clearDiskOnStartup = false
default: 19:17:06.400 [main] DEBUG org.apache.commons.jcs.engine.CacheEventQueueFactory - threadPoolName = [null] poolType = null
default: 19:17:06.403 [main] INFO org.apache.commons.jcs.engine.CacheEventQueue - Constructed: CacheEventQueue [listenerId=934534368, cacheName=test]
default: 19:17:06.407 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [test] Cache file root directory: pdf_cache_test
default: 19:17:06.407 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [test] Set maxKeySize to '10000000'
default: 19:17:06.411 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [test] Indexed Disk Cache is alive.
default: 19:17:06.413 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - No special ElementAttribute class defined for key [jcs.region.images.elementattributes], using default class.
default: 19:17:06.413 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing options for 'jcs.region.images.elementattributes'
default: 19:17:06.413 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxKeySize] to [1000000].
default: 19:17:06.413 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.region.images.cacheattributes'.
default: 19:17:06.414 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [memoryCacheName] to [org.apache.commons.jcs.engine.memory.Lru.LRUMemoryCache].
default: 19:17:06.414 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.region.images.cacheattributes'.
default: 19:17:06.415 [main] INFO org.apache.commons.jcs.engine.memory.AbstractDoubleLinkedListedMemoryCache - Initialized MemoryCache for images
default: 19:17:06.415 [main] INFO org.apache.commons.jcs.engine.control.CompositeCache - Constructed cache with name [images] and cache attributes [ useLateral = true, useRemote = true, useDisk = true, maxObjs = 0, maxSpoolPerRun = -1, disk
UsagePattern = SWAP, spoolChunkSize = 2]
default: 19:17:06.415 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing region name 'images', value 'IIIF_IMG'
default: 19:17:06.415 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing auxiliary named 'IIIF_IMG'.
default: 19:17:06.415 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - parseAuxiliary IIIF_IMG
default: 19:17:06.416 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxKeySize] to [1000000].
default: 19:17:06.416 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.auxiliary.IIIF_IMG.attributes'
default: 19:17:06.416 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - No cache event logger defined for auxiliary [jcs.auxiliary.IIIF_IMG]
default: 19:17:06.417 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [diskLimitType] to [SIZE].
default: 19:17:06.417 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxPurgatorySize] to [500].
default: 19:17:06.417 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - No cache event logger defined for auxiliary [jcs.auxiliary.IIIF_IMG]
default: 19:17:06.417 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - Using standard serializer [org.apache.commons.jcs.util.serialization.StandardSerializer@3c7f66c4] for auxiliary [jcs.auxiliary.IIIF_IMG]
default: 19:17:06.417 [main] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCacheFactory - Creating DiskCache for attributes = IndexedDiskCacheAttributes
default: diskPath = pdf_cache
default: maxPurgatorySize = 500
default: maxKeySize = 1000000
default: optimizeZtRemoveCount = -1
default: shutdownSpoolTimeLimit = 60
default: optimizeZtShutdown = true
default: clearDiskOnStartup = false
default: 19:17:06.419 [main] DEBUG org.apache.commons.jcs.engine.CacheEventQueueFactory - threadPoolName = [null] poolType = null
default: 19:17:06.417 [main] INFO org.apache.commons.jcs.engine.CacheEventQueue - Constructed: CacheEventQueue [listenerId=934534368, cacheName=images]
default: 19:17:06.417 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [images] Cache file root directory: pdf_cache
default: 19:17:06.417 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [images] Set maxKeySize to '10000000'
default: 19:17:06.417 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [images] Indexed Disk Cache is alive.
default: 19:17:06.418 [main] INFO org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - No special ElementAttribute class defined for key [jcs.region.testspace.elementattributes], using default class.
default: 19:17:06.419 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing options for 'jcs.region.testspace.elementattributes'
default: 19:17:06.419 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxKeySize] to [1000000].
default: 19:17:06.420 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.region.testspace.cacheattributes'
default: 19:17:06.420 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Parsing options for 'jcs.region.testspace.cacheattributes'
default: 19:17:06.420 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [memoryCacheName] to [org.apache.commons.jcs.engine.memory.Lru.LRUMemoryCache].
default: 19:17:06.420 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.region.testspace.cacheattributes'.
default: 19:17:06.424 [main] INFO org.apache.commons.jcs.engine.memory.AbstractDoubleLinkedListedMemoryCache - Initialized MemoryCache for testspace
default: 19:17:06.424 [main] INFO org.apache.commons.jcs.engine.control.CompositeCache - Constructed cache with name [testspace] and cache attributes [ useLateral = true, useRemote = true, useDisk = true, maxObjs = 0, maxSpoolPerRun = -1, disk
UsagePattern = SWAP, spoolChunkSize = 2]
default: 19:17:06.424 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing region name 'testspace', value 'IIIFtestspace'
default: 19:17:06.424 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing auxiliary named 'IIIFtestspace'.
default: 19:17:06.424 [main] DEBUG org.apache.commons.jcs engine.control.CompositeCacheConfigurator - parseAuxiliary IIIFtestspace
default: 19:17:06.425 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxKeySize] to [1000000].
default: 19:17:06.425 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [diskLimitType] to [SIZE].
default: 19:17:06.425 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxPurgatorySize] to [500].
default: 19:17:06.425 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [diskPath] to [pdf_cache_testspace].
default: 19:17:06.425 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - No cache event logger defined for auxiliary [jcs.auxiliary.IIIFtestspace]
default: 19:17:06.426 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxKeySize] to [1000].
default: 19:17:06.426 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - End of parsing for 'jcs.auxiliary.IIIFtestspace.attributes'
default: 19:17:06.426 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - No cache event logger defined for auxiliary [jcs.auxiliary.IIIFtestspace]
default: 19:17:06.426 [main] INFO org.apache.commons.jcs.auxiliary.AuxiliaryCacheConfigurator - Using standard serializer [org.apache.commons.jcs.util.serialization.StandardSerializer@194bcebf] for auxiliary [jcs.auxiliary.IIIFtestspace]
default: 19:17:06.426 [main] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCacheFactory - Creating DiskCache for attributes = IndexedDiskCacheAttributes
default: diskPath = pdf_cache_testspace
default: maxPurgatorySize = 0
default: maxKeySize = 1000
default: optimizeZtRemoveCount = -1
default: shutdownSpoolTimeLimit = 60
default: optimizeZtShutdown = true
default: clearDiskOnStartup = false
default: 19:17:06.426 [main] DEBUG org.apache.commons.jcs.engine.CacheEventQueueFactory - threadPoolName = [null] poolType = null
default: 19:17:06.426 [main] INFO org.apache.commons.jcs.engine.CacheEventQueue - Constructed: CacheEventQueue [listenerId=934534368, cacheName=testspace]
default: 19:17:06.426 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Cache file root directory: pdf_cache_testspace
default: 19:17:06.426 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Set maxKeySize to '1000'
default: 19:17:06.426 [main] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Indexed Disk Cache is alive.
default: 19:17:06.427 [main] DEBUG org.apache.commons.jcs.engine.control.CompositeCacheConfigurator - Parsing options for 'jcs.region.pdfjobs.elementattributes'
default: 19:17:06.427 [main] DEBUG org.apache.commons.jcs.util.config.PropertySetter - Setting property [maxLife] to [600].
```







```
default: 19:17:06.880 [IndexedDiskCache-DisposalThread] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [test] Closing files, base filename: test
default: 19:17:06.880 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [test] Shutdown complete.
default: 19:17:06.880 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [test] disposing of memory cache.
default: 19:17:06.880 [Thread-0] INFO org.apache.commons.jcs.engine.memory.AbstractMemoryCache - Memory Cache dispose called.
default: 19:17:06.880 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [testspace] fromRemote [false]
default: 19:17:06.880 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [testspace] auxiliary [testspace]
default: 19:17:06.880 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [testspace] put 0 into auxiliary testspace
default: 19:17:06.994 [Thread-4] INFO org.apache.commons.jcs.auxiliary.disk.AbstractDiskCache - No longer waiting for event queue to finish: Cache Event Queue
default: Working = true
default: Alive = true
default: Empty = true
default: Size = 0
default: 19:17:06.985 [Thread-0] INFO org.apache.commons.jcs.auxiliary.disk.AbstractDiskCache - In dispose, destroying event queue.
default: 19:17:06.985 [Thread-0] INFO org.apache.commons.jcs.engine.CacheEventQueue - Destroying queue, stats = Cache Event Queue
default: Working = true
default: Alive = false
default: Empty = true
default: Size = 0
default: 19:17:06.985 [Thread-0] INFO org.apache.commons.jcs.engine.CacheEventQueue - Cache event queue destroyed: CacheEventQueue [listenerId=934534368, cacheName=testspace]
default: 19:17:06.985 [CacheEventQueue.OProcessor-testspace] DEBUG org.apache.commons.jcs.engine.CacheEventQueue - Event from queue = null
default: 19:17:06.985 [CacheEventQueue.OProcessor-testspace] DEBUG org.apache.commons.jcs.engine.CacheEventQueue - OProcessor exiting for testspace
default: 19:17:06.986 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Beginning Optimization #1
default: 19:17:06.992 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Defragmentation took 8ms. File Size (before=11574330) (after=11574330) (truncating to 2774721)
default: 19:17:06.994 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Finished #1 Optimization took 8ms.
default: 19:17:06.995 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Saving keys to: testspace, key count: 2
default: 19:17:06.995 [IndexedDiskCache-DisposalThread] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDisk - Resetting Indexed File [/mnt/data/downloads/buda-iiif-server/pdf_cache_test_space/testspace.key]
default: 19:17:06.997 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Finished saving keys.
default: 19:17:06.997 [IndexedDiskCache-DisposalThread] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [testspace] Closing files, base filename: testspace
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [testspace] disposing of memory cache.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.memory.AbstractMemoryCache - Memory Cache dispose called.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [pdfjobs] fromRemote [false]
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [pdfjobs] disposing of memory cache.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.memory.AbstractMemoryCache - Memory Cache dispose called.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [zipjobs] fromRemote [false]
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [zipjobs] disposing of memory cache.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.memory.AbstractMemoryCache - Memory Cache dispose called.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [infotest] fromRemote [false]
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [infotest] disposing of memory cache.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.memory.AbstractMemoryCache - Memory Cache dispose called.
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [iiif] auxiliary [IIIF]
default: 19:17:06.997 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [IIIF] put 0 into auxiliary IIIF
default: 19:17:07.098 [Thread-5] INFO org.apache.commons.jcs.auxiliary.disk.AbstractDiskCache - No longer waiting for event queue to finish: Cache Event Queue
default: Working = true
default: Alive = false
default: Empty = true
default: Size = 0
default: 19:17:07.099 [Thread-0] INFO org.apache.commons.jcs.auxiliary.disk.AbstractDiskCache - In dispose, destroying event queue.
default: 19:17:07.099 [Thread-0] INFO org.apache.commons.jcs.engine.CacheEventQueue - Destroy was called after queue was destroyed. Doing nothing. Stats = Cache Event Queue
default: Working = true
default: Alive = false
default: Empty = true
default: Size = 0
default: 19:17:07.100 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Saving keys to: IIIF, key count: 0
default: 19:17:07.100 [IndexedDiskCache-DisposalThread] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDisk - Resetting Indexed File [/mnt/data/downloads/buda-iiif-server/pdf_cache/IIIF.key]
default: 19:17:07.100 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Finished saving keys.
default: 19:17:07.100 [IndexedDiskCache-DisposalThread] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Closing files, base filename: IIIF
default: 19:17:07.100 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Shutdown complete.
default: 19:17:07.100 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [IIIF] auxiliary [IIIF]
default: 19:17:07.100 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [IIIF] put 0 into auxiliary IIIF
default: 19:17:07.201 [Thread-6] INFO org.apache.commons.jcs.auxiliary.disk.AbstractDiskCache - No longer waiting for event queue to finish: Cache Event Queue
default: Working = true
default: Alive = false
default: Empty = true
default: Size = 0
default: 19:17:07.201 [Thread-0] INFO org.apache.commons.jcs.auxiliary.disk.AbstractDiskCache - In dispose, destroying event queue.
default: 19:17:07.201 [Thread-0] INFO org.apache.commons.jcs.engine.CacheEventQueue - Destroy was called after queue was destroyed. Doing nothing. Stats = Cache Event Queue
default: Working = true
default: Alive = false
default: Empty = true
default: Size = 0
default: 19:17:07.202 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Saving keys to: IIIF, key count: 0
default: 19:17:07.202 [IndexedDiskCache-DisposalThread] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDisk - Resetting Indexed File [/mnt/data/downloads/buda-iiif-server/pdf_cache/IIIF.key]
default: 19:17:07.203 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Finished saving keys.
default: 19:17:07.203 [IndexedDiskCache-DisposalThread] DEBUG org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Closing files, base filename: IIIF
default: 19:17:07.203 [IndexedDiskCache-DisposalThread] INFO org.apache.commons.jcs.auxiliary.disk.indexed.IndexedDiskCache - Region [IIIF] Shutdown complete.
default: 19:17:07.204 [Thread-0] INFO org.apache.commons.jcs.engine.control.CompositeCache - In DISPOSE, [IIIF] disposing of memory cache.
default: 19:17:07.204 [Thread-0] INFO org.apache.commons.jcs.engine.memory.AbstractMemoryCache - Memory Cache dispose called.
default: [INFO]
default: [INFO] Results:
default: [INFO]
default: [ERROR] Errors:
default: [ERROR] AuthTest.init:56 * FileNotFound /etc/buda/iiifserv/iiifservTest.properties (No...
default: [INFO]
default: [ERROR] Tests run: 5, Failures: 0, Errors: 1, Skipped: 0
default: [INFO]
default: [INFO] -----
default: [INFO] BUILD FAILURE
default: [INFO] -----
default: [INFO] Total time: 22.827 s
default: [INFO] Finished at: 2018-11-21T19:17:07+00:00
default: [INFO] Final Memory: 53M/370M
default: [INFO] -----
default: [ERROR] Failed to execute goal org.apache.maven.plugins:maven-surefire-plugin:2.21.0:test (default-test) on project buda-hyimir: There are test failures.
default: [ERROR]
default: [ERROR] Please refer to /mnt/data/downloads/buda-iiif-server/target/surefire-reports for the individual test results.
default: [ERROR] Please refer to dump files (if any exist) [date]-jvmRun[N].dump, [date].dumpstream and [date]-jvmRun[N].dumpstream.
default: [ERROR] -> [Help 1]
default: [ERROR]
default: [ERROR] To see the full stack trace of the errors, re-run Maven with the -e switch.
default: [ERROR] Re-run Maven using the -X switch to enable full debug logging.
default: [ERROR]
default: [ERROR] For more information about the errors and possible solutions, please read the following articles:
default: [ERROR] [Help 1] http://wiki.apache.org/continuum/display/MAVEN/ MojoFailureException
default: chown:
default: cannot access 'target/*.jar'
default: : No such file or directory
default: cp: cannot stat 'target/buda-hyimir-1.0.0-SNAPSHOT-exec.jar': No such file or directory
default: cp: cannot create regular file '/etc/buda/iiifserv/': No such file or directory
default: >>> fixing permissions
default: >>> setting up buda-iiif-server as service listening on 15580
default: >>> starting iiifserv service
default: Created symlink /etc/systemd/system/multi-user.target.wants/iiifserv.service -> /etc/systemd/system/iiifserv.service.
default: >>> iiifserv service listening on 13580
default: >>> iiifserv provisioning complete
```