

# Quizlet API <sup>3.5</sup>

[ Base URL: [quizlet.com/webapi/3.5](https://quizlet.com/webapi/3.5) ]

## Answers ▼

GET	/answers	Query for existing Answers
POST	/answers	Create new Answers
POST	/answers/save	Create new/update existing Answers
PUT	/answers/save	Create new/update existing Answers
GET	/answers/{ids}	Show existing Answers

## ClassSets ▼

GET	/class-sets	Query for existing ClassSets
POST	/class-sets/save	Create new/update existing ClassSets
PUT	/class-sets/save	Create new/update existing ClassSets

## Sets ▼

GET	/sets	Query for existing Sets
POST	/sets	Create new Sets
POST	/sets/save	Create new/update existing Sets
PUT	/sets/save	Create new/update existing Sets
GET	/sets/{ids}	Show existing Sets
PUT	/sets/{ids}	Update existing Sets
DELETE	/sets/{ids}	Delete existing Sets
GET	/sets/search	Search for existing Sets
GET	/sets/person-recommendations	Get recommendations for the requesting person and provided algorithm
GET	sets/edgy-recommendations	Get school and course recommendations for user

## Terms ▼

GET	/terms	Query for existing Terms

POST	/terms	Create new Terms
POST	/terms/save	Create new/update existing Terms
PUT	/terms/save	Create new/update existing Terms
GET	/terms/{ids}	Show existing Terms
PUT	/terms/{ids}	Update existing Terms
DELETE	/terms/{ids}	Delete existing Terms

AccessCodes

▼

GET	/access-codes	Query for existing AccessCodes
POST	/access-codes/save	Create new/update existing AccessCodes
PUT	/access-codes/save	Create new/update existing AccessCodes

Bookmarks

▼

GET	/bookmarks	Query for existing Bookmarks
POST	/bookmarks/save	Create new/update existing Bookmarks
PUT	/bookmarks/save	Create new/update existing Bookmarks

ClassMemberships

▼

GET	/class-memberships	Query for existing ClassMemberships
POST	/class-memberships/save	Create new/update existing ClassMemberships
PUT	/class-memberships/save	Create new/update existing ClassMemberships

CourseMemberships

▼

GET	/course-memberships	Query for existing CourseMemberships
DELETE	/course-memberships	Delete existing CourseMemberships
PUT	/course-memberships/save	Create new/update existing CourseMemberships

DiagramShapes

▼

GET	/diagram-shapes	Query for existing DiagramShapes
POST	/diagram-shapes/save	Create new/update existing DiagramShapes
PUT	/diagram-shapes/save	Create new/update existing DiagramShapes

DELETE	/diagram-shapes/{ids}	Delete existing DiagramShapes
--------	-----------------------	-------------------------------

EnteredSetPasswords

▼

GET	/entered-set-passwords	Query for existing EnteredSetPasswords
POST	/entered-set-passwords/save	Create new/update existing EnteredSetPasswords
PUT	/entered-set-passwords/save	Create new/update existing EnteredSetPasswords

FolderSets

▼

GET	/folder-sets	Query for existing FolderSets
POST	/folder-sets/save	Create new/update existing FolderSets
PUT	/folder-sets/save	Create new/update existing FolderSets

HelpArticles

▼

GET	/help-articles/{ids}	Show existing HelpArticles
GET	/help-articles/search	Search for existing HelpArticles

ImageRefs

▼

GET	/image-refs	Query for existing ImageRefs
POST	/image-refs/save	Create new/update existing ImageRefs
PUT	/image-refs/save	Create new/update existing ImageRefs
GET	/image-refs/{ids}	Show existing ImageRefs
DELETE	/image-refs/{ids}	Delete existing ImageRefs

ImageSearchCurates

▼

GET	/image-search-curates	Query for existing ImageSearchCurates
POST	/image-search-curates/save	Create new/update existing ImageSearchCurates
PUT	/image-search-curates/save	Create new/update existing ImageSearchCurates
GET	/image-search-curates/{ids}	Show existing ImageSearchCurates
DELETE	/image-search-curates/{ids}	Delete existing ImageSearchCurates

MultipleChoiceOptions

▼

GET	/multiple-choice-options	Query for existing MultipleChoiceOptions

POST	/multiple-choice-options/save	Create new/update existing MultipleChoiceOptions
PUT	/multiple-choice-options/save	Create new/update existing MultipleChoiceOptions
DELETE	/multiple-choice-options/{ids}	Delete existing MultipleChoiceOptions

QuestionAttributes

▼

GET	/question-attributes	Query for existing QuestionAttributes
POST	/question-attributes/save	Create new/update existing QuestionAttributes
PUT	/question-attributes/save	Create new/update existing QuestionAttributes
GET	/question-attributes/{ids}	Show existing QuestionAttributes

Ratings

▼

GET	/ratings	Query for existing Ratings
POST	/ratings/save	Create new/update existing Ratings
PUT	/ratings/save	Create new/update existing Ratings
GET	/ratings/{ids}	Show existing Ratings

Schools

▼

POST	/schools/save	Create new/update existing Schools
PUT	/schools/save	Create new/update existing Schools
GET	/schools/{ids}	Show existing Schools
GET	/schools/search	Search for existing Schools

SelectedTerms

▼

GET	/selected-terms	Query for existing SelectedTerms
POST	/selected-terms/save	Create new/update existing SelectedTerms
PUT	/selected-terms/save	Create new/update existing SelectedTerms

StudiableItems

▼

GET	/studiable-items	Query for existing StudiableItems
POST	/studiable-items/save	Create new/update existing StudiableItems
PUT	/studiable-items/save	Create new/update existing StudiableItems
DELETE	/studiable-items/{ids}	Delete existing StudiableItems

StudiableMediaConnections

▼

GET	/studiable-media-connections	Query for existing StudiableMediaConnections
POST	/studiable-media-connections/save	Create new/update existing StudiableMediaConnections
PUT	/studiable-media-connections/save	Create new/update existing StudiableMediaConnections
DELETE	/studiable-media-connections/{ids}	Delete existing StudiableMediaConnections

StudySettings

▼

GET	/study-settings	Query for existing StudySettings
POST	/study-settings/save	Create new/update existing StudySettings
PUT	/study-settings/save	Create new/update existing StudySettings

Trophies

▼

GET	/trophies	Query for existing Trophies
-----	-----------	-----------------------------

UserContentPurchases

▼

GET	/user-content-purchases	Query for existing UserContentPurchases
POST	/user-content-purchases/save	Create new/update existing UserContentPurchases
PUT	/user-content-purchases/save	Create new/update existing UserContentPurchases

UserStudyables

▼

GET	/user-studyables	Query for existing UserStudyables
POST	/user-studyables/save	Create new/update existing UserStudyables
PUT	/user-studyables/save	Create new/update existing UserStudyables

Users

▼

GET	/users	Query for existing Users
POST	/users/save	Create new/update existing Users
PUT	/users/save	Create new/update existing Users
GET	/users/{ids}	Show existing Users
PUT	/users/{ids}	Update existing Users

GET	/users/search	Search for existing Users
-----	---------------	---------------------------

ClassFolders

▼

GET	/class-folders	Query for existing ClassFolders
POST	/class-folders/save	Create new/update existing ClassFolders
PUT	/class-folders/save	Create new/update existing ClassFolders
GET	/class-folders/{ids}	Show existing ClassFolders
DELETE	/class-folders/{ids}	Delete existing ClassFolders

Departments

▼

GET	/departments	Query for existing Departments
POST	/departments/save	Create new/update existing Departments
PUT	/departments/save	Create new/update existing Departments
GET	/departments/{ids}	Show existing Departments
DELETE	/departments/{ids}	Delete existing Departments

Irrelevant Recommendation

▼

POST	/irrelevant-recommendations	Register irrelevant recommendations
------	-----------------------------	-------------------------------------

ProgressResets

▼

GET	/progress-resets-v2	Query for existing ProgressResets
POST	/progress-resets-v2/save	Create new/update existing ProgressResets
PUT	/progress-resets-v2/save	Create new/update existing ProgressResets

SchoolMemberships

▼

GET	/school-memberships	Query for existing SchoolMemberships
DELETE	/school-memberships	Delete existing SchoolMemberships
POST	/school-memberships/save	Create new/update existing SchoolMemberships
PUT	/school-memberships/save	Create new/update existing SchoolMemberships

StudiableAnswers

▼

GET	/studiable-answers	Query for existing StudiableAnswers

POST	/studiable-answers	Create new StudiableAnswers
POST	/studiable-answers/save	Create new/update existing StudiableAnswers
PUT	/studiable-answers/save	Create new/update existing StudiableAnswers

StudiableContainerConnections

▼

POST	/studiable-container-connections/save	Create new/update existing StudiableContainerConnections
------	---------------------------------------	----------------------------------------------------------

StudiableItemDocuments

▼

GET	/studiable-item-documents	Query for existing StudiableItemDocuments
POST	/studiable-item-documents/save	Create new/update existing StudiableItemDocuments
PUT	/studiable-item-documents/save	Create new/update existing StudiableItemDocuments
DELETE	/studiable-item-documents/{ids}	Delete existing StudiableItemDocuments

ApiTokens

▼

GET	/api-tokens	Query for existing ApiTokens
-----	-------------	------------------------------

AppLogs

▼

POST	/app-logs	Create new AppLogs
POST	/app-logs/save	Create new/update existing AppLogs
PUT	/app-logs/save	Create new/update existing AppLogs

Classes

▼

GET	/classes	Query for existing Classes
POST	/classes	Create new Classes
POST	/classes/save	Create new/update existing Classes
PUT	/classes/save	Create new/update existing Classes
GET	/classes/{ids}	Show existing Classes
PUT	/classes/{ids}	Update existing Classes
DELETE	/classes/{ids}	Delete existing Classes
GET	/classes/search	Search for existing Classes

CompanyFeedItemCategoryConnections

▼

POST	/company-feed-item-category-connections	Create new CompanyFeedItemCategoryConnections
------	-----------------------------------------	-----------------------------------------------

POST	/company-feed-item-category-connections/save	Create new/update existing CompanyFeedItemCategoryConnections
PUT	/company-feed-item-category-connections/save	Create new/update existing CompanyFeedItemCategoryConnections
GET	/company-feed-item-category-connections/{ids}	Show existing CompanyFeedItemCategoryConnections
PUT	/company-feed-item-category-connections/{ids}	Update existing CompanyFeedItemCategoryConnections
DELETE	/company-feed-item-category-connections/{ids}	Delete existing CompanyFeedItemCategoryConnections

CompanyFeedItems

▼

POST	/company-feed-items	Create new CompanyFeedItems
POST	/company-feed-items/save	Create new/update existing CompanyFeedItems
PUT	/company-feed-items/save	Create new/update existing CompanyFeedItems
GET	/company-feed-items/{ids}	Show existing CompanyFeedItems
PUT	/company-feed-items/{ids}	Update existing CompanyFeedItems
DELETE	/company-feed-items/{ids}	Delete existing CompanyFeedItems

Courses

▼

GET	/courses	Query for existing Courses
POST	/courses	Create new Courses
POST	/courses/save	Create new/update existing Courses
PUT	/courses/save	Create new/update existing Courses
GET	/courses/{ids}	Show existing Courses
PUT	/courses/{ids}	Update existing Courses
DELETE	/courses/{ids}	Delete existing Courses
GET	/courses/search	Search for existing Courses

CustomAudios

▼

POST	/custom-audios/save	Create new/update existing CustomAudios
PUT	/custom-audios/save	Create new/update existing CustomAudios
PUT	/custom-audios/{ids}	Update existing CustomAudios

DynamicVariableConfigurations

▼



POST	/dynamic-variable-configurations/save	Create new/update existing DynamicVariableConfigurations
------	---------------------------------------	----------------------------------------------------------

PUT	/dynamic-variable-configurations/save	Create new/update existing DynamicVariableConfigurations
-----	---------------------------------------	----------------------------------------------------------

Feedbacks

▼

POST	/feedbacks	Create new Feedbacks
------	------------	----------------------

POST	/feedbacks/save	Create new/update existing Feedbacks
------	-----------------	--------------------------------------

PUT	/feedbacks/save	Create new/update existing Feedbacks
-----	-----------------	--------------------------------------

Folders

▼

GET	/folders	Query for existing Folders
-----	----------	----------------------------

POST	/folders	Create new Folders
------	----------	--------------------

POST	/folders/save	Create new/update existing Folders
------	---------------	------------------------------------

PUT	/folders/save	Create new/update existing Folders
-----	---------------	------------------------------------

GET	/folders/{ids}	Show existing Folders
-----	----------------	-----------------------

PUT	/folders/{ids}	Update existing Folders
-----	----------------	-------------------------

DELETE	/folders/{ids}	Delete existing Folders
--------	----------------	-------------------------

GameInstances

▼

GET	/game-instances	Query for existing GameInstances
-----	-----------------	----------------------------------

POST	/game-instances	Create new GameInstances
------	-----------------	--------------------------

POST	/game-instances/save	Create new/update existing GameInstances
------	----------------------	------------------------------------------

PUT	/game-instances/save	Create new/update existing GameInstances
-----	----------------------	------------------------------------------

DELETE	/game-instances/{ids}	Delete existing GameInstances
--------	-----------------------	-------------------------------

Images

▼

POST	/images	Create new Images
------	---------	-------------------

POST	/images/save	Create new/update existing Images
------	--------------	-----------------------------------

PUT	/images/save	Create new/update existing Images
-----	--------------	-----------------------------------

GET	/images/search	Search for existing Images
-----	----------------	----------------------------

ImageSearchBlocks

▼

--	--	--

GET	/image-search-blocks	Query for existing ImageSearchBlocks
POST	/image-search-blocks	Create new ImageSearchBlocks
POST	/image-search-blocks/save	Create new/update existing ImageSearchBlocks
PUT	/image-search-blocks/save	Create new/update existing ImageSearchBlocks
GET	/image-search-blocks/{ids}	Show existing ImageSearchBlocks
PUT	/image-search-blocks/{ids}	Update existing ImageSearchBlocks
DELETE	/image-search-blocks/{ids}	Delete existing ImageSearchBlocks

NotifiableDevices

▼

GET	/notifiable-devices	Query for existing NotifiableDevices
POST	/notifiable-devices	Create new NotifiableDevices
POST	/notifiable-devices/save	Create new/update existing NotifiableDevices
PUT	/notifiable-devices/save	Create new/update existing NotifiableDevices
GET	/notifiable-devices/{ids}	Show existing NotifiableDevices
PUT	/notifiable-devices/{ids}	Update existing NotifiableDevices
DELETE	/notifiable-devices/{ids}	Delete existing NotifiableDevices

ProfileImages

▼

GET	/profile-images	Query for existing ProfileImages
-----	-----------------	----------------------------------

Redirects

▼

POST	/redirects	Create new Redirects
POST	/redirects/save	Create new/update existing Redirects
PUT	/redirects/save	Create new/update existing Redirects
GET	/redirects/{ids}	Show existing Redirects
PUT	/redirects/{ids}	Update existing Redirects
DELETE	/redirects/{ids}	Delete existing Redirects

Sessions

▼

GET	/sessions	Query for existing Sessions
POST	/sessions	Create new Sessions

POST	/sessions/save	Create new/update existing Sessions
PUT	/sessions/save	Create new/update existing Sessions
GET	/sessions/{ids}	Show existing Sessions
PUT	/sessions/{ids}	Update existing Sessions

TestbankMarkers

▼

GET	/testbank-markers	Query for existing TestbankMarkers
POST	/testbank-markers	Create new TestbankMarkers
POST	/testbank-markers/save	Create new/update existing TestbankMarkers
PUT	/testbank-markers/save	Create new/update existing TestbankMarkers
DELETE	/testbank-markers/{ids}	Delete existing TestbankMarkers

TestbankRequests

▼

GET	/testbank-requests	Query for existing TestbankRequests
POST	/testbank-requests/save	Create new/update existing TestbankRequests
PUT	/testbank-requests/save	Create new/update existing TestbankRequests

User Settings

▼

POST	/users/change-password	Change a user's password
------	------------------------	--------------------------

Referrals

▼

POST	/referrals-upsert	Upsert logged in user as a referrer (for native mobile clients)
------	-------------------	-----------------------------------------------------------------

default

▼

GET	/sets/{id}/classifications/topicNames	Get translated topic names according to provided set id.
-----	---------------------------------------	----------------------------------------------------------