

|                                                                |                                                                                                                           |
|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Object:</b> helpdesk.ticket<br><b>Name:</b> Helpdesk Ticket | Type: Base<br><br>Abstract: False<br><br>Transient: False<br><br>Apps: crm_helpdesk, helpdesk, helpdesk, website_helpdesk |
|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|

| <b>Security</b>          |   |   |   |   |                                  |
|--------------------------|---|---|---|---|----------------------------------|
| Group                    | R | W | C | U | Name                             |
| Helpdesk / User          | X | X | X | X | Helpdesk Ticket User             |
| Helpdesk / User          | X | X | X | X | Ticket: Internal User            |
| Helpdesk / Administrator | X | X | X | X | Helpdesk Ticket Administrator    |
| Role / Portal            | X |   |   |   | Tickets: portal users: following |
| Role / User              | X |   |   |   | Ticket: Internal User            |
|                          | X | X | X | X | Ticket: multi-company            |

| <b>Fields</b>                   |                               |           |                                                                          |    |    |    |     |          |  |
|---------------------------------|-------------------------------|-----------|--------------------------------------------------------------------------|----|----|----|-----|----------|--|
| Name                            | Label                         | Type      | Attribute                                                                | Rq | Ro | Tr | Idx | Apps     |  |
| access_token                    | Security Token                | char      |                                                                          |    |    |    |     | helpdesk |  |
| access_url                      | Portal Access URL             | char      |                                                                          |    | X  |    |     | helpdesk |  |
| access_warning                  | Access warning                | text      |                                                                          |    | X  |    |     | helpdesk |  |
| active                          | Active                        | boolean   |                                                                          |    |    |    |     | helpdesk |  |
| activity_calendar_event_id      | Next Activity Calendar Event  | many2one  | - relation = calendar.event<br>- ondelete = Set NULL                     |    | X  |    |     | calendar |  |
| activity_date_deadline          | Next Activity Deadline        | date      |                                                                          |    | X  |    |     | helpdesk |  |
| activity_exception_decoration   | Activity Exception Decoration | selection | - selection = [ (warning, Alert), (danger, Error),]                      |    | X  |    |     | helpdesk |  |
| activity_exception_icon         | Icon                          | char      |                                                                          |    | X  |    |     | helpdesk |  |
| activity_ids                    | Activities                    | one2many  | - relation = mail.activity<br>- field = res_id                           |    |    |    |     | helpdesk |  |
| activity_plans_ids              | Activity Plans                | many2many | - relation = mail.activity.plan                                          |    | X  |    |     | helpdesk |  |
| activity_state                  | Activity State                | selection | - selection = [ (overdue, Overdue), (today, Today), (planned, Planned),] |    | X  |    |     | helpdesk |  |
| activity_summary                | Next Activity Summary         | char      |                                                                          |    |    |    |     | helpdesk |  |
| activity_type_icon              | Activity Type Icon            | char      |                                                                          |    | X  |    |     | helpdesk |  |
| activity_type_id                | Next Activity Type            | many2one  | - relation = mail.activity.type                                          |    |    |    |     | helpdesk |  |
| activity_user_id                | Responsible User              | many2one  | - relation = res.users<br>- ondelete = Set NULL                          |    | X  |    |     | helpdesk |  |
| answered_customer_message_count | # Exchanges                   | integer   |                                                                          |    |    |    |     | helpdesk |  |
| assign_date                     | First assignment date         | datetime  |                                                                          |    |    |    |     | helpdesk |  |

|                         |                                  |           |                                                                           |   |   |   |   |                                 |
|-------------------------|----------------------------------|-----------|---------------------------------------------------------------------------|---|---|---|---|---------------------------------|
| assign_hours            | Time to first assignment (hours) | float     |                                                                           |   | X |   |   | helpdesk                        |
| avg_response_hours      | Average Hours to Respond         | float     |                                                                           |   |   |   |   | helpdesk                        |
| campaign_id             | Campaign                         | many2one  | - relation = utm.campaign<br>- ondelete = Set NULL                        |   |   |   | X | helpdesk                        |
| close_date              | Close date                       | datetime  |                                                                           |   |   |   |   | helpdesk                        |
| close_hours             | Time to close (hours)            | float     |                                                                           |   | X |   |   | helpdesk                        |
| closed_by_partner       | Closed by Partner                | boolean   |                                                                           |   | X |   |   | helpdesk                        |
| color                   | Color Index                      | integer   |                                                                           |   |   |   |   | helpdesk                        |
| commercial_partner_id   | Commercial Entity                | many2one  | - relation = res.partner                                                  |   | X |   |   | helpdesk                        |
| company_id              | Company                          | many2one  | - relation = res.company                                                  |   | X |   |   | helpdesk                        |
| create_date             | Created on                       | datetime  |                                                                           |   | X |   |   | helpdesk                        |
| create_uid              | Created by                       | many2one  | - relation = res.users<br>- ondelete = Set NULL                           |   | X |   |   | helpdesk                        |
| date_last_stage_update  | Last Stage Update                | datetime  |                                                                           |   | X |   |   | helpdesk                        |
| description             | Description                      | html      |                                                                           |   |   |   |   | helpdesk                        |
| display_extra_info      | Display Extra Info               | boolean   |                                                                           |   | X |   |   | helpdesk                        |
| display_name            | Display Name                     | char      |                                                                           |   | X |   |   | crm_helpdesk, helpdesk_sms, web |
| domain_user_ids         | Domain User                      | many2many | - relation = res.users                                                    |   | X |   |   | helpdesk                        |
| duration_stage_tracking | Duration Stage Tracking          | json      |                                                                           |   | X |   |   | helpdesk                        |
| duration_tracking       | Status time                      | json      |                                                                           |   | X |   |   | helpdesk                        |
| first_response_hours    | Hours to First Response          | float     |                                                                           |   |   |   |   | helpdesk                        |
| fold                    | Folded                           | boolean   |                                                                           |   | X |   |   | helpdesk                        |
| has_message             | Has Message                      | boolean   |                                                                           |   | X |   |   | helpdesk                        |
| id                      | ID                               | integer   |                                                                           |   | X |   |   | crm_helpdesk, helpdesk_sms, web |
| is_partner_email_update | Is Partner Email Update          | boolean   |                                                                           |   | X |   |   | helpdesk                        |
| is_partner_phone_update | Is Partner Phone Update          | boolean   |                                                                           |   | X |   |   | helpdesk                        |
| is_rotting              | Rotting                          | boolean   |                                                                           |   | X |   |   | helpdesk                        |
| kanban_state            | Kanban State                     | selection | - selection = [(normal, In progress), (done, Ready), (blocked, Blocked),] | X |   |   |   | helpdesk                        |
| kanban_state_label      | Kanban State Label               | char      |                                                                           |   | X |   |   | helpdesk                        |
| legend_blocked          | Kanban Blocked Explanation       | char      |                                                                           |   | X | X |   | helpdesk                        |
| legend_done             | Kanban Valid Explanation         | char      |                                                                           |   | X | X |   | helpdesk                        |
| legend_normal           | Kanban Ongoing Explanation       | char      |                                                                           |   | X | X |   | helpdesk                        |

|                                         |                                                    |            |                                                                                            |   |   |  |   |                  |
|-----------------------------------------|----------------------------------------------------|------------|--------------------------------------------------------------------------------------------|---|---|--|---|------------------|
| medium_id                               | Medium                                             | many2one   | - relation = utm.medium<br>- ondelete = Set NULL                                           |   |   |  | X | helpdesk         |
| message_attachment_count                | Attachment Count                                   | integer    |                                                                                            |   | X |  |   | helpdesk         |
| message_follower_ids                    | Followers                                          | one2many   | - relation = mail.followers<br>- field = res_id                                            |   |   |  |   | helpdesk         |
| message_has_error                       | Message Delivery error                             | boolean    |                                                                                            |   | X |  |   | helpdesk         |
| message_has_error_counter               | Number of errors                                   | integer    |                                                                                            |   | X |  |   | helpdesk         |
| message_has_sms_error                   | SMS Delivery error                                 | boolean    |                                                                                            |   | X |  |   | helpdesk         |
| message_ids                             | Messages                                           | one2many   | - relation = mail.message<br>- field = res_id                                              |   |   |  |   | helpdesk         |
| message_is_follower                     | Is Follower                                        | boolean    |                                                                                            |   | X |  |   | helpdesk         |
| message_needaction                      | Action Needed                                      | boolean    |                                                                                            |   | X |  |   | helpdesk         |
| message_needaction_counter              | Number of Actions                                  | integer    |                                                                                            |   | X |  |   | helpdesk         |
| message_partner_ids                     | Followers (Partners)                               | many2many  | - relation = res.partner                                                                   |   |   |  |   | helpdesk         |
| my_activity_date_deadline               | My Activity Deadline                               | date       |                                                                                            |   | X |  |   | helpdesk         |
| name                                    | Subject                                            | char       |                                                                                            | X |   |  | X | helpdesk         |
| oldest_unanswered_customer_message_date | Oldest Unanswered Customer Message Date            | datetime   |                                                                                            |   |   |  |   | helpdesk         |
| open_hours                              | Open Time (hours)                                  | integer    |                                                                                            |   | X |  |   | helpdesk         |
| partner_company_name                    | Company Name                                       | char       |                                                                                            |   |   |  |   | website_helpdesk |
| partner_email                           | Customer Email                                     | char       |                                                                                            |   |   |  |   | helpdesk         |
| partner_id                              | Customer                                           | many2one   | - relation = res.partner<br>- ondelete = Set NULL                                          |   |   |  | X | helpdesk         |
| partner_name                            | Customer Name                                      | char       |                                                                                            |   |   |  |   | helpdesk         |
| partner_open_ticket_count               | Number of other open tickets from the same partner | integer    |                                                                                            |   | X |  |   | helpdesk         |
| partner_phone                           | Customer Phone                                     | char       |                                                                                            |   |   |  |   | helpdesk         |
| partner_ticket_count                    | Number of other tickets from the same partner      | integer    |                                                                                            |   | X |  |   | helpdesk         |
| partner_ticket_ids                      | Partner Tickets                                    | many2many  | - relation = helpdesk.ticket                                                               |   | X |  |   | helpdesk         |
| priority                                | Priority                                           | selection  | - selection = [ (0, Low priority), (1, Medium priority), (2, High priority), (3, Urgent),] |   |   |  |   | helpdesk         |
| properties                              | Properties                                         | properties |                                                                                            |   |   |  |   | helpdesk         |
| rating_avg                              | Average Rating                                     | float      |                                                                                            |   | X |  |   | helpdesk         |
| rating_avg_text                         | Rating Avg Text                                    | selection  | - selection = [ (top, Happy), (ok, Neutral), (ko, Unhappy), (none, Not Rated yet),]        |   | X |  |   | helpdesk         |
| rating_count                            | Rating count                                       | integer    |                                                                                            |   | X |  |   | helpdesk         |

|                                |                                  |           |                                                         |  |   |  |   |               |
|--------------------------------|----------------------------------|-----------|---------------------------------------------------------|--|---|--|---|---------------|
| rating_ids                     | Ratings                          | one2many  | - relation = rating.rating<br>- field = res_id          |  |   |  |   | helpdesk      |
| rating_last_feedback           | Rating Last Feedback             | text      |                                                         |  | X |  |   | helpdesk      |
| rating_last_image              | Rating Last Image                | binary    |                                                         |  | X |  |   | helpdesk      |
| rating_last_text               | Rating Text                      | selection |                                                         |  | X |  |   | helpdesk      |
| rating_last_value              | Rating Last Value                | float     |                                                         |  | X |  |   | helpdesk      |
| rating_percentage_satisfaction | Rating Satisfaction              | float     |                                                         |  | X |  |   | helpdesk      |
| rotting_days                   | Days Rotting                     | integer   |                                                         |  | X |  |   | helpdesk      |
| sale_order_id                  | Ref. Sales Order                 | many2one  | - relation = sale.order<br>- ondelete = Set NULL        |  |   |  | X | helpdesk_sale |
| sale_order_state               | Status                           | selection |                                                         |  | X |  |   | helpdesk_sale |
| sla_deadline                   | SLA Deadline                     | datetime  |                                                         |  | X |  |   | helpdesk      |
| sla_deadline_hours             | Working Hours until SLA Deadline | float     |                                                         |  | X |  |   | helpdesk      |
| sla_fail                       | Failed SLA Policy                | boolean   |                                                         |  | X |  |   | helpdesk      |
| sla_ids                        | SLAs                             | many2many | - relation = helpdesk.sla                               |  |   |  |   | helpdesk      |
| sla_reached                    | Has SLA reached                  | boolean   |                                                         |  | X |  |   | helpdesk      |
| sla_reached_late               | Has SLA reached late             | boolean   |                                                         |  | X |  |   | helpdesk      |
| sla_status_ids                 | SLA Status                       | one2many  | - relation = helpdesk.sla.status<br>- field = ticket_id |  |   |  |   | helpdesk      |
| sla_success                    | Success SLA Policy               | boolean   |                                                         |  | X |  |   | helpdesk      |
| source_id                      | Source                           | many2one  | - relation = utm.source<br>- ondelete = Set NULL        |  |   |  | X | helpdesk      |
| stage_id                       | Stage                            | many2one  | - relation = helpdesk.stage<br>- ondelete = Restrict    |  |   |  | X | helpdesk      |
| tag_ids                        | Tags                             | many2many | - relation = helpdesk.tag                               |  |   |  |   | helpdesk      |
| team_id                        | Helpdesk Team                    | many2one  | - relation = helpdesk.team<br>- ondelete = Set NULL     |  |   |  | X | helpdesk      |
| team_privacy_visibility        | Visibility                       | selection |                                                         |  | X |  |   | helpdesk      |
| ticket_ref                     | Ticket IDs Sequence              | char      |                                                         |  | X |  | X | helpdesk      |
| total_response_hours           | Total Exchange Time in Hours     | float     |                                                         |  |   |  |   | helpdesk      |
| unanswered                     | Unanswered                       | boolean   |                                                         |  | X |  |   | helpdesk      |
| use_coupons                    | Use Coupons                      | boolean   |                                                         |  | X |  |   | helpdesk      |
| use_credit_notes               | Refunds                          | boolean   |                                                         |  | X |  |   | helpdesk      |
| use_giftcards                  | Use Gift Cards                   | boolean   |                                                         |  | X |  |   | helpdesk      |
| use_product_repairs            | Repairs                          | boolean   |                                                         |  | X |  |   | helpdesk      |

|                          |                  |           |                                                 |  |   |  |   |          |
|--------------------------|------------------|-----------|-------------------------------------------------|--|---|--|---|----------|
| use_product_replacements | Replacements     | boolean   |                                                 |  | X |  |   | helpdesk |
| use_product_returns      | Returns          | boolean   |                                                 |  | X |  |   | helpdesk |
| use_rating               | Customer Ratings | boolean   |                                                 |  | X |  |   | helpdesk |
| use_sla                  | SLA Policies     | boolean   |                                                 |  | X |  |   | helpdesk |
| user_id                  | Assigned to      | many2one  | - relation = res.users<br>- ondelete = Set NULL |  |   |  |   | helpdesk |
| utm_reference            | UTM Reference    | reference |                                                 |  |   |  | X | helpdesk |
| write_date               | Last Updated on  | datetime  |                                                 |  | X |  |   | helpdesk |
| write_uid                | Last Updated by  | many2one  | - relation = res.users<br>- ondelete = Set NULL |  | X |  |   | helpdesk |

Views

| Seq | Type     | Name                                         | XML ID                                                                 | Inherited                              |
|-----|----------|----------------------------------------------|------------------------------------------------------------------------|----------------------------------------|
| 10  | Kanban   | helpdesk.ticket.kanban                       | helpdesk.helpdesk_ticket_view_kanban                                   |                                        |
| 15  | Search   | helpdesk.ticket.search                       | helpdesk.helpdesk_tickets_view_search                                  | helpdesk.helpdesk_tickets_view_search_ |
| 16  | Activity | helpdesk.ticket.activity                     | helpdesk.helpdesk_ticket_view_activity                                 |                                        |
| 16  | Form     | helpdesk.ticket.form                         | helpdesk.helpdesk_ticket_view_form                                     |                                        |
| 16  | Form     | helpdesk.ticket.form.inherit.invoicing       | helpdesk_sale.helpdesk_ticket_view_form_inherit_helpdesk_invoicing     | helpdesk.helpdesk_ticket_view_form     |
| 16  | List     | helpdesk.ticket.form.inherit.sale            | helpdesk_sale.helpdesk_tickets_view_tree_inherit_helpdesk_sale         | helpdesk.helpdesk_tickets_view_tree    |
| 16  | Form     | helpdesk.ticket.form.quick_create            | helpdesk_sale.quick_create_ticket_form                                 | helpdesk.quick_create_ticket_form      |
| 16  | Graph    | helpdesk.ticket.graph                        | helpdesk.helpdesk_ticket_view_graph_main                               |                                        |
| 16  | Graph    | helpdesk.ticket.graph                        | helpdesk.helpdesk_team_view_graph_analysis                             |                                        |
| 16  | Graph    | helpdesk.ticket.graph.7days.inherit          | helpdesk.helpdesk_ticket_view_graph_7days_inherit_dashboard            | helpdesk.helpdesk_ticket_view_graph_m  |
| 16  | List     | helpdesk.ticket.list                         | helpdesk.helpdesk_tickets_view_tree                                    |                                        |
| 16  | List     | helpdesk.ticket.list                         | helpdesk.helpdesk_tickets_view_tree_res_partner                        | helpdesk.helpdesk_tickets_view_tree    |
| 16  | List     | helpdesk.ticket.list.group.stage             | helpdesk.ticket_list_view_group_stage                                  | helpdesk.helpdesk_tickets_view_tree    |
| 16  | Pivot    | helpdesk.ticket.pivot                        | helpdesk.helpdesk_ticket_view_pivot_main                               |                                        |
| 16  | Pivot    | helpdesk.ticket.pivot                        | helpdesk.helpdesk_team_view_pivot_analysis                             |                                        |
| 16  | Pivot    | helpdesk.ticket.pivot.7days.inherit          | helpdesk.helpdesk_ticket_pivot_view_7days_inherit_dashboard            | helpdesk.helpdesk_ticket_view_pivot_ma |
| 16  | Pivot    | helpdesk.ticket.pivot.group.stage            | helpdesk.ticket_pivot_view_group_stage                                 | helpdesk.helpdesk_ticket_view_pivot_ma |
| 16  | Search   | helpdesk.ticket.search                       | helpdesk.helpdesk_ticket_view_search_analysis_closed                   |                                        |
| 16  | Search   | helpdesk.ticket.search                       | helpdesk.helpdesk_ticket_view_search_analysis                          |                                        |
| 16  | Search   | helpdesk.ticket.search.inherit.sale          | helpdesk_sale.helpdesk_ticket_view_search_inherit_helpdesk_sale        | helpdesk.helpdesk_tickets_view_search_ |
| 16  | Cohort   | helpdesk.ticket.view.cohort                  | helpdesk.helpdesk_ticket_view_cohort                                   |                                        |
| 80  | Pivot    | helpdesk.ticket.close.analysis.pivot.inherit | helpdesk.helpdesk_ticket_action_close_analysis_pivot_inherit_dashboard | helpdesk.helpdesk_ticket_view_pivot_ma |
| 80  | Graph    | helpdesk.ticket.graph.inherit.all.ticket     | helpdesk.helpdesk_ticket_view_graph_main_inherit_all_ticket            | helpdesk.helpdesk_ticket_view_graph_m  |
| 81  | Pivot    | helpdesk.ticket.pivot.inherit.all.ticket     | helpdesk.helpdesk_ticket_view_pivot_main_inherit_all_ticket            | helpdesk.helpdesk_ticket_view_pivot_ma |

|       |        |                                   |                                            |  |
|-------|--------|-----------------------------------|--------------------------------------------|--|
| 999   | Search | helpdesk.ticket.search.base       | helpdesk.helpdesk_tickets_view_search_base |  |
| 1,000 | Form   | helpdesk.ticket.form.quick_create | helpdesk.quick_create_ticket_form          |  |