





SECTION  
SCALE 1:5




PLAN  
SCALE 1:5


25MM POWER CONDUIT: VERTICAL RUN CONCEALED IN NEW BRICKWORK TO CEILING VOID

ELECTRIC LOCK CASE AS PER IRONMONGERY SPECIFICATION CONNECTED TO ACCESS CONTROL

NEW 1.2MM GALVANISED PRESSED STEEL PURPOSED MADE DOUBLE DOOR FRAME.



ELEVATION (PUSH SIDE)



PLAN

|             |                                                                                                                                                                                                                                       |                |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| LOCATION    | PASSAGE                                                                                                                                                                                                                               |                |
| TYPE        | INTERNAL TIMBER DOOR                                                                                                                                                                                                                  |                |
| DOOR FRAME  | EXISTING FRAME AND FANLIGHT TO BE REMOVED. NEW PURPOSE MADE DOOR FRAME. NO REBATE. TO HOUSE ELECTRIC LOCKCASE AS PER SECTION<br><b>CONTRACTOR TO VERIFY EXISTING FRAME OPENING PRIOR TO MANUFACTURE OF NEW DOOR FRAME &amp; LEAF.</b> | WALL THICKNESS |
|             |                                                                                                                                                                                                                                       | VARIOUS        |
| DOOR LEAF   | 2X 2032 x 850 x 44mm SOLID CORE DOORS.(including HW edging) REBATED MEETING STILES<br>12mm HARDWOOD EDGE ALL ROUND, ALL FOR PAINTING.                                                                                                 |                |
| GLAZING     | 6.38mm CLEARVUE GLASS WITH NEOPRENE GASKET SEALS. - ALL SAFETY GLAZING SHALL BE PERMANENTLY MARKED,TO NBR PART N, SABS 0137, SANS 10400,SABS 11236. GLAZING TO VIEWING PANEL - FANLIGHT TO BE BRICKED UP                              |                |
| FINISH      | REFER TO PAINT SPECIFICATION.                                                                                                                                                                                                         |                |
| IRONMONGERY | REFER TO IRONMONGERY SCHEDULE.                                                                                                                                                                                                        |                |
| OTHER       | 1.2MM STAINLESS STEEL TROLLEY PLATE TO BOTH SIDES OF DOOR LEAFS. SEE IRONMONGERY SCHEDULE<br><br>CONTRACTOR TO PROVIDE APPROPRIATE PROTECTION TO INSTALLED DOOR FRAME & LEAF DURING CONSTRUCTION                                      |                |

QUANTITY

3

DOOR No's

W19\_D020  
W19\_D016  
W19\_D048  
  
W91\_D038  
W91\_D050  
  
W95\_D018  
W95\_D042  
  
WH\_D018  
WH\_D036

This drawing is the copyright of SBMS Architects do not scale and refer to figured dimensions only. All levels and dimensions must be checked on site prior to setting out and or manufacture. Any discrepancies must be reported to Architects immediately.

| REV. | DESCRIPTION      | DATE       | BY |
|------|------------------|------------|----|
| A    | ISSUE FOR TENDER | 03.07.2026 | BB |

Western Cape Government

FOR YOU

Infrastructure

PGWC PROJECT NO.  
HCI 860041

PROJECT TITLE  
Lentegour Hospital  
Renovation & Refurbishment  
CAPE TOWN

WBHO

BRINK  
STOKES  
MKHIZE  
architects + landscape architects

2020  
ARCHITECTS

ARCHITECT:  
Francois Engelbrecht  
SACAP: PrArch 20325

DRAWING TITLE  
TYPICAL MAGNETIC ACCESS  
CONTROL DOUBLE DOOR  
LOCK DETAIL

SCALE:  
1:20

DATE:  
02.07.2026

AUTHOR:  
BB

PROJECT NO:  
408

DWG NO:  
408

REV:  
A