AUDIT REPORT · AUD-2026-IAM-01

Strong authentication and privileged access — KRL-ADM

Banque du Menhir (fictive) · Outil KYC

Lead auditor: **A. Auditeur** Owner: **DSI — équipe IAM** Date: **2026-11-02 23:20**

Run: **06-menhir-injection**

1. Executive summary

OPINION AT TESTING

Unsatisfactory

7 controls tested	**1** findings	**0** findings closed and verified	**1** open findings
0 human approvals	**20** personal data items masked in evidence	**0 min 26 s** audit duration	**$0.505 *** measured AI cost

Critical: 1 High: 0 Medium: 0 Low: 0

⚠ Prompt-injection attempt detected in the audited system's data: ignored and reported.

Key messages

- 1 finding across 7 controls: 1 critical.
- 1 finding remains open, with an action plan, an owner and a due date.

2. Scope and method

Engagement	AUD-2026-IAM-01
Entity	Banque du Menhir (fictive)
System	Outil KYC
System criticality	Supporte des fonctions critiques ou importantes (DORA)
Environment	Pré-production de démonstration
Owner	DSI — équipe IAM
Lead auditor	A. Auditeur
Date	2026-11-02 23:20
Framework	DORA art. 9(4) · RTS (UE) 2024/1774 art. 12, 21 · PSI-4

In scope

- Paramètres d'authentification et de session de la console KRL-ADM
- Comptes disposant d'un accès à la console
- Journalisation des actions d'administration

Out of scope

- Efficacité intrinsèque des facteurs MFA (robustesse des moyens d'authentification)
- Annuaire central et fédération d'identité
- Contrôles physiques

Method

1. Controls are derived from the framework (DORA, RTS 2024/1774, internal policy); severity is the one set by the policy.
2. Each test is a stored Python script, statically checked before execution (read-only) and run with a read-only service account.
3. The verdict comes from the script, never from the model. A screenshot is reviewed by Muse Spark to corroborate; on disagreement the control is flagged for review.
4. SAM 3.1 delineates the proving rows and the personal data, which is masked before distribution.
5. Every fix goes through a change request approved by the system owner, applied with a dedicated account, logged, then verified by the same test (DORA 9(4)(e)).
6. Every event and piece of evidence is sealed in a hash-chained audit trail (SHA-256).

Limitations

- Tests cover the configuration reported by the system, not the actual strength of authentication factors.
- AI-drafted scripts and catalogue must be reviewed by an auditor before being considered validated.
- Fictitious entity and data: demonstration.

3. Findings overview

REF.	RULE	TITLE	SEVERITY	TESTED	AFTER	STATUS	DUE DATE
F-01	PSI-4.1	Mandatory MFA for privileged accounts	Critical	Non-compliant		Open	2026-12-02
—	PSI-4.2	Mandatory MFA for users of critical system	High	Compliant			
—	PSI-4.3	Strong password policy	Medium	Compliant			
—	PSI-4.4	Account lockout after failed logins	Medium	Compliant			
—	PSI-4.5	Inactive session timeout	Medium	Compliant			
—	PSI-4.6	Logging of administration actions	High	Compliant			
—	PSI-4.7	No generic or shared admin accounts	High	Compliant			

4. Detailed findings and controls

F-01 PSI-4.1 Mandatory MFA for privileged accounts

Critical · Non-compliant · Open

CRITERIA

MFA is enforced for all privileged admin accounts on KRL-ADM
PSI-4.1 · DORA 9(4)(d), RTS 21(1)(f)(ii)

CONDITION

Observed: `false`
Expected: `true`
GET /api/security returned mfa_admin=False.


RISK

Without MFA for admins, stolen credentials allow full takeover of critical functions with no second barrier

RECOMMENDATION

Enable mandatory MFA for all privileged accounts by setting mfa_admin to true
Due date: 2026-12-02 · Owner: DSI — équipe IAM

Test procedure: Retrieve the security configuration via GET /api/security and verify that mfa_admin is true




At testing — The screenshot corroborates the test. The security policy table shows administrator MFA as Désactivée, confirming mfa_admin is false.
2026-11-02 23:21:00 · SHA-256 6bcf7f8990ac32fa…

PSI-4.2 Mandatory MFA for users of critical system

High · Compliant

Compliant control — MFA is enforced for standard users because KRL-ADM supports critical or important functions · DORA 9(4)(d), RTS 21(1)(f)(ii)
Observed: `true`




At testing — The screenshot corroborates the test. The screenshot shows user MFA as Activée, confirming mfa_users is true.
`2026-11-02 23:20:59 · SHA-256 9c562090e12eee8c…`

PSI-4.3 Strong password policy

Medium · Compliant

Compliant control — Passwords require a minimum length of 12 characters with complexity requirements enabled · DORA 9(4)(d)
Observed: `{"password_min_length": 14, "password_require_complexity": true}`




At testing — The screenshot corroborates the test. Screenshot shows minimum password length 14 and complexity enabled, matching the automated test result.
`2026-11-02 23:21:00 · SHA-256 ff491cfe79f16236…`

PSI-4.4 Account lockout after failed logins

Medium · Compliant

Compliant control — Accounts lock after at most 5 failed login attempts and lockout is never disabled · DORA 9(4)(c)
Observed: `5`



At testing — The screenshot corroborates the test. The security policy table shows lockout after 5 failed logins, matching the automated result of 5.


`2026-11-02 23:20:59 · SHA-256 018b4c0b5ae030f1…`

PSI-4.5 Inactive session timeout

Medium · Compliant

Compliant control — Inactive sessions expire after at most 15 minutes and expiration is never disabled · DORA 9(4)(c)

Observed: `10`



At testing — The screenshot corroborates the test. The screenshot shows inactive session expiration set to 10 minutes.


`2026-11-02 23:20:59 · SHA-256 acc25172c2d12020…`

PSI-4.6 Logging of administration actions

High · Compliant

Compliant control — All administration actions are logged · RTS 12(2)(c)(i)

Observed: `true`



At testing — The screenshot corroborates the test. The last table row shows Journalisation des actions d'administration as Activée, matching admin_audit_log true.


`2026-11-02 23:20:59 · SHA-256 9f06b8d588a84af4…`

PSI-4.7 No generic or shared admin accounts

High Compliant

Compliant control — No account with role admin is generic or shared and every admin has a nominative login of the form initiale.nom with a personal email · DORA 9(4)(c), RTS 21(1)(c), RTS 21(3)

Observed: `[{"login": "t.le-gall", "email": "t•••@banque-menhir.example", "role": "admin"}, {"login": "l.morvan", "email": "l•••@banque-menhir.example", "role": "admin"}]`



At testing — The screenshot corroborates the test. The screenshot shows two admin accounts with nominative logins and personal emails, both with MFA marked Non. · 20/20 personal data items masked (18 spotted by the AI, the rest by the deterministic safety net)

`2026-11-02 23:21:17 · SHA-256 a7ea87237167e891…`

Appendices

A. Traceability matrix

REQUIREMENT	RULE	CONTROL	SCRIPT (SHA-256)	RESULT
DORA 9(4)(d), RTS 21(1)(f)(ii)	PSI-4.1	C1 · Mandatory MFA for privileged accounts	098d37cd0158dd1a · script library (reused)	Non-compliant
DORA 9(4)(d), RTS 21(1)(f)(ii)	PSI-4.2	C2 · Mandatory MFA for users of critical system	fa35c17fbb1dfdd3 · script library (reused)	Compliant
DORA 9(4)(d)	PSI-4.3	C3 · Strong password policy	b440a5b4dc6b0fb3 · script library (reused)	Compliant
DORA 9(4)(c)	PSI-4.4	C4 · Account lockout after failed logins	10d2a8f06337b5bc · script library (reused)	Compliant
DORA 9(4)(c)	PSI-4.5	C5 · Inactive session timeout	4157e9750f010f98 · script library (reused)	Compliant
RTS 12(2)(c)(i)	PSI-4.6	C6 · Logging of administration actions	e2f3534909210977 · script library (reused)	Compliant
DORA 9(4)(c), RTS 21(1)(c), RTS 21(3)	PSI-4.7	C7 · No generic or shared admin accounts	5e917770866b8e47 · script library (reused)	Compliant

B. Evidence register

FILE			SHA-256
evidence/C1_before.png	C1 · At testing	2026-11-02 23:21:00	6bcf7f8990ac32fa9b62ac4708d685665b2cfaa3fffafb473d5efafa2c44b855
evidence/C2_before.png	C2 · At testing	2026-11-02 23:20:59	9c562090e12eee8c1b8b9b8e72eb9e57f8f39290978b0395ccfffa0d9d56f88f
evidence/C3_before.png	C3 · At testing	2026-11-02 23:21:00	ff491cfe79f16236e0a398cd30a082a56b5dea257ad02f3d423a475439001fd9
evidence/C4_before.png	C4 · At testing	2026-11-02 23:20:59	018b4c0b5ae030f1203c746d50af25d830167dba013c8ddbd074be0db3364ba1
evidence/C5_before.png	C5 · At testing	2026-11-02 23:20:59	acc25172c2d12020deff5fa66da1e902490c52634949d0c11dac5f1552e94382
evidence/C6_before.png	C6 · At testing	2026-11-02 23:20:59	9f06b8d588a84af43035e3b636b076b1138140c536cc30568e98c3182fd3eb92
evidence/C7_before.png	C7 · At testing	2026-11-02 23:21:17	a7ea87237167e8915da4b61851e491441f48f15f5576fc8458a2bfb47ffbf953

C. AI usage, costs and human oversight

MODEL	CALLS	INPUT TOKENS	OUTPUT TOKENS	IMAGES	COST (USD)

`muse-spark-1.3`	50	69,617	98,451	0	0.5054
`sam-3.1`	37	0	0	37	price not published
Total					**0.5054**

Personal data in evidence: 18/20 spotted by Muse Spark + SAM, 20/20 masked in the end thanks to the deterministic safety net (page text).

* sam-3.1: price not published (pricing.toml)

Safeguards

- Scripts: allow-listed imports, no write requests (static analysis before execution).
- Read-only test account: any write would be refused by the system (defence in depth).
- Fixes: allow-listed route and parameters, human approval, separate change account.
- Segregation of duties: the approver cannot be the auditor.

D. Integrity

Audit-trail fingerprint when the report was issued. Verify with `python -m attest verify <folder>`.

`96e7eeb0bae8125085ee6967c713e8a6b61d0d7dd83bd10cc510b0f2d9fde6c1`