Mentor Engineers - Auto Service Center

External WhatsApp Send-Report API Specification & Integration Guide

Environment: Production Gateway
Standard: RESTful JSON / GET API
ACTIVE & VERIFIED · V2.0 (AUDITED)

1. OVERVIEW & SYSTEM ARCHITECTURE

The `send-report-mentor-engineeros` API provides external billing software, Point-of-Sale (POS) terminals, enterprise ERPs, and diagnostic scanners with a direct, authenticated gateway to dispatch vehicle inspection reports, customer invoices, repair estimates, and service alerts via the official **Mentor Engineers WhatsApp Business Account**.

Core Capabilities & Features:

- **Real-time Dashboard Audit Trail:** Every sent message and PDF is instantly archived into the workshop conversations database for customer service staff to review in real time.
- **Direct WhatsApp Delivery:** High-performance instant delivery directly into customer WhatsApp chats without intermediary third-party delays.
- **Flexible Input Formats:** Supports JSON payloads, multipart/URL-encoded form data, and standard GET query parameters.
- **Automatic Phone Normalization:** Automatically handles Sri Lankan 10-digit mobile numbers (e.g. `074...` is automatically converted to international standard `9474...`).
- **Batch Dispatch:** Supports sending to multiple phone numbers (up to 15 per request) in a single API invocation.

2. PRODUCTION ENDPOINTS & AUTHENTICATION

POST GET **`https://supabase.buildstart.io/functions/v1/send-report-mentor-engineeros`**

Required HTTP Request Headers:

Header Name	Header Value	Description & Security Rules
`Authorization`	`Bearer BqYyRuLErSkzhymBZmfGrTZhFPhdmX`	Mandatory Bearer API key authentication token.
`Content-Type`	`application/json`	Required for POST requests when sending JSON payload bodies.

3. REQUEST PARAMETERS REFERENCE

Field Name	Type	Required?	Description & Validation Rules
`number` / `numbers`	String / Array	REQUIRED	Recipient phone number (e.g. `"94778428102"` or `"0778428102"`). Comma-separated string or JSON array for bulk (max 15 numbers).
`message`	String	Optional*	Text message body or document caption. Optional if `document_url` is supplied.
`document_url`	String / Array	Optional*	Direct public URL of PDF, Image, or Document (Aliases: `file_url`, `url`, `pdf_url`). Must start with `http://` or `https://`.
`sessionId`	String	Optional	Custom session identifier for multi-account routing. Defaults to Mentor Engineers business profile.

**Note: Either `message` or `document_url` (or both) must be present in the request payload.*

4. END-TO-END DELIVERY SEQUENCE

STEP 1
Trigger API
Billing or ERP software sends POST request with recipient number and PDF report link.

STEP 2
Authentication
API verifies the Bearer token and validates phone formatting & batch limits.

STEP 3
WhatsApp Dispatch
Document and caption are delivered straight to customer WhatsApp chat.

STEP 4
Audit Logging
Delivery record is saved into conversations table for workshop staff visibility.

5. CORE PAYLOAD SPECIFICATIONS (JSON & CURL)

A. Vehicle Inspection PDF with Caption

```
{
  "number": "94740237915",
  "document_url": "https://example.com/inspection.pdf",
  "message": "Inspection report for WP-CAB-1234 is ready."
}
```

B. Plain Text Service Ready Alert

```
{
  "number": "94740237915",
  "message": "Dear Sir, vehicle service completed. Car ready for pickup."
}
```

C. Multiple Documents (Batch Attachments)

```
{
  "number": "94740237915",
  "document_url": "https://example.com/diagnostic.pdf, https://example.com/bill.pdf",
  "message": "Diagnostic Report & Service Bill attached."
}
```

D. cURL Command Line Integration

```
curl -X POST "https://supabase.buildstart.io/functions/v1/send-report-mentor-eng
  -H "Authorization: Bearer BqYyRuLErSkzhymBZmfGrTZhFPhdmX" \
  -H "Content-Type: application/json" \
  -d '{"number":"94740237915","document_url":"https://example.com/bill.pdf","mes
```

6. PROGRAMMING LANGUAGE INTEGRATION CODE

A. Python Integration Snippet

```python
import requests

url = "https://supabase.buildstart.io/functions/v1/send-report-mentor-engineeros"
headers = {
    "Authorization": "Bearer BqYyRuLErSkzhymBZmfGrTZhFPhdmX",
    "Content-Type": "application/json"
}
payload = {
    "number": "94740237915",
    "document_url": "https://example.com/invoice.pdf",
    "message": "Mentor Engineers: Vehicle bill ready."
}
res = requests.post(url, json=payload, headers=headers)
print(res.status_code, res.json())
```

B. PHP Integration Snippet (ERP & Billing Systems)

```php
<?php
$payload = [
    "number" => "94740237915",
    "document_url" => "https://example.com/invoice.pdf",
    "message" => "Invoice for vehicle CAB-1234."
];
$ch = curl_init("https://supabase.buildstart.io/functions/v1/send-report-mentor-engi
curl_setopt($ch, CURLOPT_HTTPHEADER, [
    "Authorization: Bearer BqYyRuLErSkzhymBZmfGrTZhFPhdmX",
    "Content-Type: application/json"
]);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, json_encode($payload));
curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
$result = curl_exec($ch);
curl_close($ch);
?>
```

C. Node.js / JavaScript (Fetch API)

```javascript
const response = await fetch("https://supabase.buildstart.io/functions/v1/send-report-mentor-engineeros", {
  method: "POST",
  headers: {
    "Authorization": "Bearer BqYyRuLErSkzhymBZmfGrTZhFPhdmX",
    "Content-Type": "application/json"
  },
  body: JSON.stringify({
    number: "94740237915",
    document_url: "https://example.com/invoice.pdf",
    message: "Dear customer, your vehicle service invoice is ready."
  })
});
const result = await response.json();
console.log(result);
```

7. API RESPONSE SPECIFICATIONS & ERROR CODES

Success Response (HTTP 200 OK):

```json
{
  "success": true,
  "message": "Processed 1 numbers. Sent: 1, Failed: 0",
  "details": [
    { "number": "94740237915", "success": true }
  ]
}
```

Failure Response Example (HTTP 400 Bad Request):

```json
{
  "success": false,
  "error": "Batch limit exceeded: Maximum 15 numbers allowed per request (received 18)."
}
```

HTTP Status Codes & Resolution Guide:

HTTP Code	Error Type	Root Cause & Resolution Guide
`200 OK`	Success	Request processed successfully. Check `details` array for per-recipient status.
`401`	Unauthorized	Missing or invalid `Authorization: Bearer ...` header. Verify your API token.
`400`	Batch Limit Exceeded	Maximum 15 numbers allowed per request. Split larger recipient batches into chunks of 15.
`400`	Invalid Document URL	Document URL must be public and start with `http://` or `https://`.
`400`	Missing Payload	Both `message` and `document_url` are missing. Provide at least one valid field.

8. DATA STORAGE ARCHITECTURE & PRIVACY POLICY

Storage Architecture & Document Privacy:

The `send-report` API streams the document directly from your public URL to WhatsApp. The binary document file is **not stored** on the server hard disk or database, preventing storage bloat and ensuring strict customer privacy. Only the delivery audit record (recipient phone, timestamp, caption, and URL reference) is securely logged in the workshop's private database for staff reference.

9. DEVELOPER BEST PRACTICES & DELIVERY CHECKLIST

Integration Checklist:

- **Direct Public Links:** Ensure document URLs point directly to the binary file (e.g. `.pdf` or `.png`) and are publicly reachable without requiring logins or CAPTCHAs.
- **Delivery Verification:** Always inspect the returned `details` array in the response to confirm individual recipient delivery status.
- **Backoff & Retries:** If sending multiple batches, add a 1-second delay between consecutive requests to ensure smooth delivery.