Customized mobile apps

Configured by a Reliable Controls Authorized Dealer, the myControl mobile app offers a fully customized mobile interface to your Reliable Controls MACH-System.

ISO 9001 14001 QUALITY ENVIRONMENTAL ASSURANCE

Member of BACnet International

USGBC

Better by design

WWW.RELIABLECONTROLS.COM/MYCONTROL

TECHNICAL SPECIFICATIONS

Recommended Operating Systems
- Android 4.1.0 or higher.
- iOS 9.0 or higher.

App Stores
- Google Play.
- Apple App Store.

Configuration
- Views can be programmed directly in a MACH-ProView using RC-Studio.
- Use a myControl graphic template to configure views in MACH-System controllers other than the MACH-ProView.

FEATURES

Multiple Views
- One myControl app installation can be used to display multiple views programmed in multiple MACH-System controllers.
- Choose the app view that's right for you. Current app views include SPACEview, LISTview, and STATview.
- The number of views configured within the myControl app is limited only by the memory of the mobile device.

Multiple Setpoints
- Supports single setpoints.
- Supports dual setpoints.
- Supports tristate setpoints.

Multiple System Connections
- Easily switch between multiple system connections saved in the app.

Fully Customizable
- Any configurable object from anywhere in the MACH-System can be accessed from the myControl app (See view-specific configurable objects in the App Views section).

Popular Mobile Support
- Android devices.
- Apple devices.

Supported Host Devices
- MACH-ProView, all models.
- RC-WebView 3.
- MACH-ProWebCom, MACH-ProWebSys.

Configurable Themes
- Choose from five different themes for your mobile device: normal, high contrast, black, green, and blue sky.

ORDERING

Contact your local Reliable Controls Authorized Dealer to configure your MACH-System for myControl app graphics and access credentials.

## APP VIEWS*

iOS

Android

SPACEview

Allows up to 9 objects to be configured in a simple and sleek interface. Configurations can include:
- Room temperature.
- Fan (on, off, low, medium, high, auto).
- Lights (on, off, dimmable).
- Sunshades (open, close, adjustable).
- Occupancy.
- Humidity and setpoint.
- CO_2 and setpoint.
- Single temperature setpoint.
- Dual temperature setpoint (heat/cool).
- Tristate setpoint (cool/heat/auto).
- Up to 3 ambient objects (any analog input, output, or value).
- Location name customizable by the end user.

*Views may appear slightly different when served by MACH-ProView controller.

APP VIEWS

iOS

Android

LISTview

Allows the flexibility to configure up to 12 objects of the following types:

- Input (IN, AI, BI).
- Output (OUT, AO, BO, MO).
- Variable (VAR, AV, BV, MV).
- Location name customizable by the end user.

iOS

Android

STATview

Allows up to 12 objects to be configured into a display that resembles a familiar thermostat. Configurations can include:

- Fan mode (on, off, low, medium, high, auto).
- Fan status (on, off, low, medium, high).
- System mode (off, heat, cool, auto).
- System status (off, heat, cool).
- Room temperature.
- Dual setpoint (heat/cool).
- Occupancy.
- Up to 2 space objects (any input, output, or value).
- Up to 3 ambient objects (any analog input, output, or value).
- Location name customizable by the end user.

THEMES

Normal

High Contrast

Black

Green

Blue Sky

myControl®

Dealer Information: