

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
144	1.037871352	CpPlus_93:fe:c7	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.46
145	1.037871485	CpPlus_93:ff:b5	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.22
146	1.037871504	CpPlus_93:fe:5d	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.41
147	1.037871552	CpPlus_93:fd:ec	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.49
148	1.041153734	CpPlus_93:fd:d0	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.39
149	1.043547678	CpPlus_93:f8:aa	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.25
150	1.043547972	CpPlus_93:ff:7d	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.32
151	1.045302813	CpPlus_93:fc:59	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.35
152	1.048815261	CpPlus_93:ff:82	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.26
153	1.048815392	7e:07:73:b8:1c:80	Broadcast	ARP	60	Who has 10.10.0.1? Tell 10.10.30.90
154	1.048815410	CpPlus_93:fe:03	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.31
155	1.053612348	CpPlus_93:fb:63	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.30
156	1.053612523	CpPlus_93:fa:fa	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.50
157	1.055205571	CpPlus_93:fd:9c	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.51
158	1.055205807	CpPlus_93:ff:8a	Broadcast	ARP	60	Who has 192.168.1.1? Tell 192.168.1.52
159	1.055205826	BilianElectr_93:a1:...	Broadcast	ARP	60	Who has 10.10.39.184? Tell 10.10.51.108
160	1.055205845	CloadNetwork_20:8f:...	Broadcast	ARP	60	Who has 10.10.21.250? (ARP Probe)
161	1.055205865	fe80::1b7b:4287:b23...	ff02::2	ICMPv6	70	Router Solicitation from 5c:61:99:20:8f:1f
162	1.055205907	FNLINKTECHNO_27:81:...	Broadcast	ARP	60	Who has 10.10.42.90? Tell 10.10.48.43
163	1.055205926	Sophos_fc:00:09	Broadcast	ARP	60	Who has 10.10.25.40? Tell 10.10.0.1
164	1.131450105	Intel_4f:43:36	Broadcast	ARP	60	Who has 10.10.26.237? Tell 10.10.30.142
165	1.137224981	Sophos_fc:00:09	Broadcast	ARP	60	Who has 10.10.17.88? Tell 10.10.0.1

Frame 1: Packet, 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface eth0, id 0

Ethernet II, Src: a2:81:28:8d:73:25 (a2:81:28:8d:73:25), Dst: IPv6mcast_ff:10:90:d1 (33:33:ff:10:90:d1)

Internet Protocol Version 6, Src: fe80::4ef:abca:e1e3:2a96, Dst: ff02::1:ff10:90d1

Internet Control Message Protocol v6

eth0: <live capture in progress>

Packets: 1303 Profile: Default



Test Website for [Acunetix Web Vulnerability Scanner](#)

[about](#) [news](#) [login](#) [signup](#) [network scanner](#) [network vuln help](#)

[RSS](#)

Username:

Password:

☒ Remember me

August 2026						
≤						≥
Sun	Mon	Tue	Wed	Thu	Fri	Sat
26	27	28	29	30	31	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31	1	2	3	4	5

[Get RSS feed](#)

Wireshark interface showing a packet capture on eth0. The packet list displays two HTTP packets. The selected packet (No. 1646) is a POST request to /login.aspx. The packet details pane shows the structure of the packet, including Ethernet II, Internet Protocol Version 4, Transmission Control Protocol, and Hypertext Transfer Protocol. The packet bytes pane displays the raw data in hexadecimal and ASCII.

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
1646	-83.962350980	10.10.14.70	44.238.29.244	HTTP	1826	[TCP Previous segment not captured] POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
1757	-83.237872667	44.238.29.244	10.10.14.70	HTTP	624	HTTP/1.1 200 OK (text/html)

Frame 1646: Packet, 1826 bytes on wire (14608 bits), 1826 bytes captured (14608 bits) on interface eth0

- Ethernet II, Src: PCSysstemtec_1f:b7:23 (08:00:27:1f:b7:23), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)
- Internet Protocol Version 4, Src: 10.10.14.70, Dst: 44.238.29.244
- Transmission Control Protocol, Src Port: 41614, Dst Port: 80, Seq: 2, Ack: 1, Len: 1760
- Hypertext Transfer Protocol
- HTML Form URL Encoded: application/x-www-form-urlencoded

0000 c8 4f 86 fc 00 09 08 00 27 1f b7 23 08 00 45 00 .O.....!...#...E.
0010 07 14 c0 5b 40 00 40 06 10 57 0a 0a 0e 46 2c ee ...[@@...W...F...
0020 1d f4 a2 8e 00 50 ed 91 c5 6a ea e8 24 de 80 18P...j...\$...
0030 02 dc 6a 38 00 00 01 01 08 0a 28 95 28 3b 19 a0 ...j8.....{...;
0040 c1 06 50 4f 53 54 20 2f 6c 6f 67 69 6e 2e 61 73 ...POST / login.as
0050 70 78 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73 px HTTP/ 1.1 Hos
0060 74 3a 20 74 65 73 74 61 73 70 6e 65 74 2e 76 75 t: testa spnet.vu
0070 6c 6e 77 65 62 2e 63 6f 6d 0d 0a 55 73 65 72 2d lnweb.co m User-
0080 41 67 65 6e 74 3a 20 4d 6f 7a 69 6c 6c 61 2f 35 Agent: M ozilla/5
0090 2e 30 20 28 58 31 31 3b 20 4c 69 6e 75 78 20 78 .0 (X11; Linux x
00a0 38 36 5f 36 34 3b 20 72 76 3a 31 32 38 2e 30 29 86_64; r v:128.0)
00b0 20 47 65 63 6b 6f 2f 32 30 31 30 30 31 30 31 20 Gecko/2 0100101
00c0 46 69 72 65 66 6f 78 2f 31 32 38 2e 30 0d 0a 41 Firefox/ 128.0 A
00d0 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 6d 6c ccept: t ext/html
00e0 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 68 74 ,applica tion/xht
00f0 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 74 69 ml+xml,a pplicati
0100 6f 6e 2f 78 6d 6c 3b 71 3d 30 2e 39 2c 2a 2f 2a on/xml;q =0.9,*/*
0110 3b 71 3d 30 2e 38 0d 0a 41 63 63 65 70 74 2d 4c ;q=0.8 Accept-L
0120 61 6e 67 75 61 67 65 3a 20 65 6e 2d 55 53 2c 65 anguage: en-US,e

wireshark_eth0LUOMT3.pcapng | Packets: 15037 - Displayed: 2 (0.0%) | Profile: Default

Wireshark interface showing network traffic capture from eth0. The packet list displays four packets, with packet 1646 selected, showing its details and raw data.

No.	Time	Source	Destination	Protocol	Length	Info
1646	83.962350980	10.10.14.70	44.238.29.244	HTTP	1826	[TCP Previous segment not captured] POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)
1757	83.237872667	44.238.29.244	10.10.14.70	HTTP	624	HTTP/1.1 200 OK (text/html)
17757	23.677294933	10.10.14.70	172.16.103.254	HTTP	387	GET /live?mode=192&username=99240040338&a=1785998468701&producttype=0 HTTP/1.1
17759	23.685444473	172.16.103.254	10.10.14.70	HTTP/X...	312	HTTP/1.1 200 OK

Packet 1646 Details:

- Frame 1646: Packet, 1826 bytes on wire (14608 bits), 1826 bytes captured (14608 bits) on interface eth0
- Ethernet II, Src: PCSSystemtec_1f:b7:23 (08:00:27:1f:b7:23), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)
- Internet Protocol Version 4, Src: 10.10.14.70, Dst: 44.238.29.244
- Transmission Control Protocol, Src Port: 41614, Dst Port: 80, Seq: 2, Ack: 1, Len: 1760**
- Hypertext Transfer Protocol
 - POST /login.aspx HTTP/1.1\r\n
 - Host: testaspnet.vulnweb.com\r\n
 - User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:128.0) Gecko/20100101 Firefox/128.0\r\n
 - Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8\r\n
 - Accept-Language: en-US,en;q=0.5\r\n
 - Accept-Encoding: gzip, deflate\r\n
 - Content-Type: application/x-www-form-urlencoded\r\n
 - Content-Length: 1194\r\n
 - Origin: http://testaspnet.vulnweb.com\r\n
 - Connection: keep-alive\r\n
 - Referer: http://testaspnet.vulnweb.com/login.aspx\r\n
 - Cookie: ASP.NET_SessionId=walfsb45sgrf4njkujdk1eh\r\n
 - Upgrade-Insecure-Requests: 1\r\n
 - Priority: u=0, i\r\n
 - \r\n
 - [Response in frame: 1757]
 - [Full request URI: http://testaspnet.vulnweb.com/login.aspx]
 - File Data: 1194 bytes
- HTML Form URL Encoded: application/x-www-form-urlencoded

Raw Data (Hex/ASCII):

```
0000 c8 4f 86 fc 00 09 08 00 27 1f b7 23 08 00 45 00  .O.....'..#..E..
0010 07 14 c0 5b 40 00 40 06 10 57 0a 0a 0e 46 2c ee  ...[@@..W...F..
0020 1d f4 a2 8e 00 50 ed 91 c5 6a ea e8 24 de 80 18  ....P...j..$...
0030 02 dc 6a 38 00 00 01 01 08 0a 28 95 28 3b 19 a0  ..j8.....(:;...
0040 c1 06 50 4f 53 54 20 2f 6c 6f 67 69 6e 2e 61 73  ..POST / login.as
0050 70 78 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73  px HTTP/ 1.1. Hos
0060 74 3a 20 74 65 73 74 61 73 70 6e 65 74 2e 76 75  t: testa spnet.vu
0070 6c 6e 77 65 02 2e 03 6f 6d 0d 0a 55 73 65 72 2d  lnweb.co m..User-
0080 41 67 65 6e 74 3a 20 4d 6f 7a 69 6c 6c 61 2f 35  Agent: M ozilla/5
0090 2e 30 20 28 58 31 31 3b 20 4c 69 6e 75 78 20 78  .0 (X11; Linux x
00a0 38 36 5f 36 34 3b 20 72 76 3a 31 32 38 2e 30 29  86 64; r v:128.0)
00b0 20 47 65 63 6b 6f 2f 32 30 31 30 30 31 30 31 20  Gecko/2 0100101
00c0 46 69 72 65 66 6f 78 2f 31 32 38 2e 30 0d 0a 41  Firefox/ 128.0 .A
00d0 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 6d 6c  ccept: t ext/html
00e0 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 68 74  ,applica tion/xht
00f0 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 74 69  ml+xml,a pplicati
0100 6f 6e 2f 78 6d 6c 3b 71 3d 30 2e 39 2c 2a 2f 2a  on/xml;q =0.9,*/*
0110 3b 71 3d 30 2e 38 0d 0a 41 63 63 65 70 74 2d 4c  ;q=0.8 . Accept-L
0120 61 6e 67 75 61 67 65 3a 20 65 6e 2d 55 53 2c 65  anguage: en-US,e
0130 6e 3b 71 3d 30 2e 35 0d 0a 41 63 63 65 70 74 2d  n;q=0.5 -Accept-
0140 45 6e 63 6f 64 69 6e 67 3a 20 6f 7a 69 70 2c 20  Encoding : gzip,
0150 64 65 66 6c 61 74 65 0d 0a 43 6f 6e 74 65 6e 74  deflate-Content
0160 2d 54 79 70 65 3a 20 61 70 70 6c 69 63 61 74 69  -Type: a pplicati
0170 6f 6e 2f 78 2d 77 77 77 2d 66 6f 72 6d 2d 75 72  on/x-www -form-ur
0180 6c 65 6e 63 6f 64 65 64 0d 0a 43 6f 6e 74 65 6e  lencoded . Conten
```

Summary: Hypertext Transfer Protocol: Protocol | Packets: 20754 · Displayed: 4 (0.0%) | Profile: Default

Wireshark interface showing a captured HTTP POST request to /login.aspx. The packet list shows the request details, including headers and the HTML form data. The packet details pane shows the request body, which is an HTML form URL encoded. The packet bytes pane shows the raw data in hexadecimal and ASCII.

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
455	5.810068411	10.10.14.70	44.238.29.244	HTTP	1826	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)

Accept-Language: en-US,en;q=0.5\r\n
Accept-Encoding: gzip, deflate\r\n
Content-Type: application/x-www-form-urlencoded\r\n
Content-Length: 1194\r\n
Origin: http://testaspnet.vulnweb.com\r\n
Connection: keep-alive\r\n
Referer: http://testaspnet.vulnweb.com/login.aspx\r\n
Cookie: ASP.NET_SessionId=walfsb45sgrf4njkujdk1eh\r\n
Upgrade-Insecure-Requests: 1\r\n
Priority: u=0, i\r\n
\r\n
[Response in frame: 564]
[Full request URI: http://testaspnet.vulnweb.com/login.aspx]
File Data: 1194 bytes
HTML Form URL Encoded: application/x-www-form-urlencoded
Form item: "__EVENTTARGET" = ""
Form item: "__EVENTARGUMENT" = ""
[...] Form item: "__VIEWSTATE" = "/wEPDwUKLTiYmzk20TgxMQ9kFgICAQ9kFgICAQ9kFgQCAQ8WBB4EaHJLZgUKbG9naW4u
Form item: "__VIEWSTATEGENERATOR" = "C2EE9ABB"
[...] Form item: "__EVENTVALIDATION" = "/wEWwWLoz/fGCgLStq24BwK3jsrkBALtufvLDQKC3IeGDAKR1ca+DALi++jXCA
Form item: "tbUsername" = "Tonystark_44"
Form item: "tbPassword" = "tony@1234"
Form item: "cbPersistCookie" = "on"
Form item: "btnLogin" = "Login"

0000 c8 4f 86 fc 00 09 08 00 27 1f b7 23 08 00 45 00 .O.....'...#...E.
0010 07 14 3f d7 40 00 40 06 90 db 0a 0a 0e 46 2c ee ..?..@.....F..
0020 1d f4 a0 70 00 50 46 02 ea 19 6a f1 94 94 80 18 ...p.PF...j.....
0030 01 f6 6a 38 00 00 01 01 08 0a 28 99 43 b5 19 a1 ...j8.....(.C...
0040 2a d3 50 4f 53 54 20 2f 6c 6f 67 69 6e 2e 61 73 *.POST / login.as
0050 70 78 20 48 54 54 50 2f 31 2e 31 0d 0a 48 6f 73 px HTTP/ 1.1. Hos
0060 74 3a 20 74 65 73 74 61 73 70 6e 65 74 2e 76 75 t: testa spnet.vu
0070 6c 6e 77 65 62 2e 63 6f 6d 0d 0a 55 73 65 72 2d lnweb.co m. User-
0080 41 67 65 6e 74 3a 20 4d 6f 7a 69 6c 6c 61 2f 35 Agent: M ozilla/5
0090 2e 30 20 28 58 31 31 3b 20 4c 69 6e 75 78 20 78 .0 (X11; Linux x
00a0 38 36 5f 36 34 3b 20 72 76 3a 31 32 38 2e 30 29 86.64; r v:128.0)
00b0 20 47 65 63 6b 6f 2f 32 30 31 30 30 31 30 31 20 Gecko/2.0.0.101
00c0 46 69 72 65 66 6f 78 2f 31 32 38 2e 30 0d 0a 41 Firefox/ 128.0. A
00d0 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 6d 6c ccept: t ext/html
00e0 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 68 74 , applica tion/xht
00f0 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 74 69 ml+xml,a pplicati
0100 6f 6e 2f 78 6d 6c 3b 71 3d 30 2e 39 2c 2a 2f 2a on/xml;q =0.9,*/*
0110 3b 71 3d 30 2e 38 0d 0a 41 63 63 65 70 74 2d 4c ;q=0.8. Accept-L
0120 61 6e 67 75 61 67 65 3a 20 65 6e 2d 55 53 2c 65 anguage: en-US,e
0130 6e 3b 71 3d 30 2e 35 0d 0a 41 63 63 65 70 74 2d n;q=0.5. Accept-
0140 45 6e 63 6f 64 69 6e 67 3a 20 67 7a 69 70 2c 20 Encoding : gzip,
0150 64 65 66 6c 61 74 65 0d 0a 43 6f 6e 74 65 6e 74 deflate. Content
0160 2d 54 79 70 65 3a 20 61 70 70 6c 69 63 61 74 69 -Type: a pplicati
0170 6f 6e 2f 78 2d 77 77 77 2d 66 6f 72 6d 2d 75 72 on/x-www -form-ur
0180 6c 65 6e 63 6f 64 65 64 0d 0a 43 6f 6e 74 65 6e lencoded . Conten

Packets: 22277 · Displayed: 1 (0.0%) Profile: Default