


LAB 2: AGILE BACKLOG CREATION & SPRINT SIMULATION IN JIRA

Name: Vrunda C


SRN: PES1UG24CS541

Section: I

1. Jira Scrum Project and Empty Backlog



2. Jira Project Backlog – Created Epics



3. Jira Product Backlog with User Stories, Priorities, Story Points and Epics

The screenshot displays the Jira Product Backlog for the 'IEORE board'. The 'Backlog' tab is active, showing 10 work items. The sidebar on the left provides details for the 'Epic' 'IEORE-2', including its key, work items count (2), completed count (0), and estimate (8 points). The main backlog list includes items like 'Create Rotation Schedule', 'Configure Multi-Tier Escalation Ladder', and 'Ingest and Route Incident Alerts', each with a priority, status, and story points.


Item	Key	Priority	Status	Story Points
1	IEORE-6	On-Call Rotation M...	To Do	5
2	IEORE-7	Escalation Policy C...	To Do	5
3	IEORE-8	Alert Ingestion & E...	To Do	5
4	IEORE-11	Alert Ingestion & E...	To Do	8
5	IEORE-9	Incident Response...	To Do	5
6	IEORE-10	Performance, Sec...	To Do	8
7	IEORE-12	Performance, Sec...	To Do	5
8	IEORE-15	Escalation Policy C...	To Do	3
9	IEORE-14	On-Call Rotation M...	To Do	3
10	IEORE-13	Incident Response...	To Do	5

4. Sprint 1 Planning with Selected User Stories and Story Points


The screenshot displays the Jira Product Backlog for 'IEORE Sprint 1'. The 'Sprint 1' tab is active, showing 5 work items. The 'Start sprint' button is visible at the top right. The main backlog list includes items like 'Create Rotation Schedule', 'Configure Multi-Tier Escalation Ladder', and 'Ingest and Route Incident Alerts', each with a priority, status, and story points.

Item	Key	Priority	Status	Story Points
1	IEORE-6	On-Call R...	To Do	5
2	IEORE-7	Escalation...	To Do	5
3	IEORE-8	Alert Inge...	To Do	5
4	IEORE-9	Incident ...	To Do	5
5	IEORE-10	Performa...	To Do	8


5. Active Sprint 1 Board Before Work Execution




6. Sprint 1 Progress — Completed and In-Progress Work Items




7. Sprint 1 Progress — Two Stories Completed and One In Progress




8. Sprint 1 Progress — Three Stories Completed and One In Progress




9. Sprint 1 Near Completion — Four Stories Done and One In Progress




10. Sprint 1 Completed — All Planned User Stories Done



11. Sprint 2 Initial Board with All Planned Stories in To Do




12. Sprint 2 Completed Board with All Planned Stories Done



13. Sprint 1 Burndown Chart



14. Sprint 2 Burndown Chart



Reflection Questions

1. Did your estimations reflect the actual effort?

Answer:

Yes, the estimations gave a reasonable representation of the relative effort of each user story. Story points were assigned using the Fibonacci scale based on complexity, amount of work and uncertainty. The two 8-point stories, Dispatch Alerts Within 3 Seconds Securely and Auto-Escalate Unacknowledged Incidents, involve the most logic and risk, such as multi-channel dispatch, a strict latency target, security checks and escalation timers. The 3-point stories, View Schedule and Request Shift Swap and Set Notification Channels per Tier, are mainly configuration features and required comparatively less effort. Overall, the estimations were useful for balancing the workload across the two sprints and tracking progress.

2. Was your backlog well-prioritized?

Answer:

Yes, the backlog was prioritized according to the importance of each feature and the dependencies between them. All High-priority stories were ranked above the Medium-priority ones. Sprint 1 delivered the end-to-end path of an incident alert: creating the rotation schedule, configuring the multi-tier escalation ladder, ingesting and routing alerts to the active on-call engineer, dispatching alerts within 3 seconds, and acknowledging and resolving incidents. Sprint 2 built on this foundation with the 5-minute auto-escalation to the secondary engineer, reliability during node failure, and the Medium-priority features: post-mortems, shift swaps and per-tier notification channels. This ensured that the core alerting functionality from Lab 1 was completed before the supporting features.

3. How did your simulated sprint align with your plan?

Answer:

The simulated sprints aligned well with the planned backlog. Sprint 1 contained five stories (IEORE-6 to IEORE-10) totalling 28 story points, and all five stories were completed. Sprint 2 contained five stories (IEORE-11 to IEORE-15) totalling 24 story points, and these were also completed. The stories were moved one at a time through the To Do → In Progress → Done workflow in priority order, allowing the sprint progress to be demonstrated clearly. No stories were added to or removed from either sprint after it started, so there was no change in scope.

4. What insights did the burndown chart give about your team's capacity?

Answer:

The burndown charts showed that the planned workload was completed in both simulated sprints. In Sprint 1, the remaining work stayed at 28 story points at first and remained above the guideline, then fell in steps of 5, 5, 5, 5 and 8 points to 0, finishing before the end of the sprint. This showed that work started late, which is an early warning sign in a real sprint. In Sprint 2, the remaining work fell from 24 to 0 story points (8, 5, 5, 3 and 3) and stayed well below the guideline. This indicates that the simulated team capacity was sufficient to handle approximately 24–28 story points per sprint. The charts also showed that completing the 8-point stories caused the largest drops in the remaining workload, and that the sharp, quick drops are a result of simulating the sprints within a few minutes.