

- State the name given to this process of communication.

.....[1]

-

Fig. 1.1

-[1]

- 

In your answer, you should use appropriate technical terms, spelt correctly.

..... [3]

- (iii) Outline the importance of the junctions between neurones in the functioning of the nervous system.

.....

.....

.....

.....

.....

.....

.....

.....

..... [3]

The nervous system and the hormonal system are involved in the maintenance of core body temperature.

- (c) Give the **most suitable** word or term that has the same meaning as each of the following descriptions:

- (i) animals that are able to regulate and maintain their core body temperature within narrow limits;

..... [1]

- (ii) the increase in the diameter of the lumen of an arteriole to allow more blood to flow through.

..... [1]

- (d) (i) Name a hormone that increases the metabolic rate and so generates heat.

..... [1]

- (ii) Name the part of the brain where the thermoregulatory centre is located.

..... [1]

[Total: 12]

2 The kidney is composed of many nephrons.

Fig. 2.1 is a diagrammatic representation of a nephron. The numbers represent the relative concentrations of solutes in the tubule and the tissue fluid surrounding the tubule.




Fig. 2.1

(a) **Name** the parts of the nephron labelled **L**, **M** and **N**.

L

M

N [3]

[5]



..... [5]

[5]

- 3 The compound 2,3,5-triphenyl-tetrazolium chloride (TTC) is an electron acceptor. TTC will diffuse into actively respiring cells and accept electrons from the electron transport chain.

When TTC accepts electrons and becomes reduced, it changes from colourless to pink. The tissues in which this reaction takes place will be stained a pink colour.

- (a) State the **precise** location of the electron transport chain in the cell.

..... [1]

- (b) A student carried out an investigation into the respiratory activity of plant tissue. She used three groups of germinating broad bean seeds. These were first treated as shown in Table 3.1.

Table 3.1

seed	treatment
group A	kept at 22 °C for 24 hours before the investigation
group B	kept at 6 °C for 24 hours before the investigation
group C	kept at 22 °C for 24 hours and then placed in water at 90 °C for 5 minutes before the investigation

The groups of seeds were then sliced longitudinally and placed, cut surface down, in a shallow dish containing a small volume of TTC solution. The cut surfaces remained in contact with the solution for 10 minutes.

The seeds were then removed from the dish. The excess TTC solution was wiped off and the cut surfaces of the seeds in each group were observed.

The appearance of the seeds in each group is shown in Fig. 3.1. The shaded areas are the regions where the tissues have stained a pink colour.




Fig. 3.1

- (i) Describe the differences observed in the seeds in groups **A**, **B** and **C**.

.....

.....

.....

..... [1]

- (ii) Suggest reasons for the results observed in the seeds in group **A**.

.....

.....

.....

.....

.....

..... [2]

- (iii) Suggest reasons for the difference in the amount of staining observed in the seeds in groups **B** and **C** when compared to those in group **A**.

.....

.....

.....

.....

.....

.....

..... [2]

(c) If oxygen is not present or is in short supply, respiration can take an anaerobic pathway **after glycolysis**. In plant cells, this pathway is the same as the one used in yeast cells.

(i) Name the hydrogen acceptor in this pathway.

..... [1]

(ii) Name the intermediate compound in this pathway.

..... [1]

(iii) Name the products of this pathway.

..... [1]

(iv) Explain why this pathway is important for the plant cell.

.....
.....
.....
.....
.....
.....
.....
..... [2]

[Total: 11]

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

QUESTION 4 STARTS ON PAGE 10

4 One way to determine the rate of photosynthesis is to measure the uptake of carbon dioxide.

- (a) Discuss why measuring carbon dioxide uptake may or may not give a better indication of photosynthetic activity than measuring oxygen production.

.....

.....

.....

.....

.....

..... [2]

- (b) Fig. 4.1 shows the relationship between light intensity and the relative carbon dioxide uptake and production in a plant.




Fig. 4.1

- (i) State the factor that is limiting the rate of photosynthesis at **A** on the graph.

..... [1]

- (ii) Suggest **one** factor that may limit the rate of photosynthesis at **B**.

..... [1]

- (iii) Carbon dioxide is given off by the plant when the light intensity is lower than **X**.

Name the process that **produces** carbon dioxide in the plant.

..... [1]

- (iv) With reference to Fig. 4.1, explain the biochemical processes that are occurring in the plant:

- as light intensity increases from 0 (zero) to **X**.
- at light intensity **X**.
- at light intensities greater than **X**.

[3]

- (c) (i)** Name the products of the light-dependent stage of photosynthesis.

.....

.....

..... [3]

- (ii)** Paraquat is a weedkiller. It binds with electrons in photosystem I.

Suggest how paraquat results in the death of a plant.

[2]

[Total: 13]

- 5 The regulation of blood glucose concentration is important for homeostasis and involves hormonal control.

(a) (i) Name the endocrine tissue in the pancreas that is responsible for secretion of hormones.


..... [1]

(ii) Identify the **specific** cell type in pancreatic tissue that secretes the hormone insulin.

..... [1]

(b) The incomplete flowchart below outlines the way in which the secretion of insulin from a pancreatic cell is controlled.

Complete the flowchart by inserting the most appropriate word(s) in the spaces provided.



[5]

- (c) (i) Insulin is a polypeptide molecule.

State where in a pancreatic **cell** insulin molecules are synthesised.

..... [1]

- (ii) Outline the events that occur after the synthesis of an insulin molecule until it is ready to be secreted from the pancreatic cell.

.....
.....
.....
.....
.....
.....
.....
.....
..... [3]

[Total: 11]

END OF QUESTION PAPER