

BELAJAR PHALCON

BELAJAR PHALCON

Buku Phalcon Untuk Pemula

Rolly M. Awangga
Politeknik Pos Indonesia



Kreatif Industri Nusantara

Copyright ©2007 by Kreatif Industri Nusantara. All rights reserved.

Published Kreatif Industri Nusantara, Bandung.
Published simultaneously in Indonesia.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 646-8600, or on the web at www.copyright.com. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services please contact our Customer Care Department with the U.S. at 877-762-2974, outside the U.S. at 317-572-3993 or fax 317-572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print, however, may not be available in electronic format.

Library of Congress Cataloging-in-Publication Data:

Survey Methodology / Robert M. Groves . . . [et al.].
p. cm.—(Wiley series in survey methodology)
“Wiley-Interscience.”
Includes bibliographical references and index.
ISBN 0-471-48348-6 (pbk.)
1. Surveys—Methodology. 2. Social sciences—Research—Statistical methods. I. Groves, Robert M. II. Series.

HA31.2.S873 2007
001.4'33—dc22 2004044064
Printed in the United States of America.

10 9 8 7 6 5 4 3 2 1

To my parents

CONTRIBUTORS

MASAYKI ABE, Fujitsu Laboratories Ltd., Fujitsu Limited, Atsugi, Japan

L. A. AKERS, Center for Solid State Electronics Research, Arizona State University,
Tempe, Arizona

G. H. BERNSTEIN, Department of Electrical and Computer Engineering, University
of Notre Dame, Notre Dame, South Bend, Indiana; formerly of Center for Solid
State Electronics Research, Arizona State University, Tempe, Arizona

CONTENTS IN BRIEF

1 Phalcon - Overview	1
2 Enviromental Setup	5
3 Struktur Aplikasi	11
4 Second Edited Book Sample Chapter Title	13
George Smeal, Ph.D., Sally Smith, M.D. and Stanley Kubrick	

CONTENTS

List of Figures	xi
List of Tables	xiii
Foreword	xv
Preface	xvii
Acknowledgments	xix
Acronyms	xxi
Glossary	xxiii
List of Symbols	xxv
Introduction	xxvii
<i>Catherine Clark, PhD.</i>	
1 Phalcon - Overview	1
1.1 Pengenalan	1
1.1.1 Performance	2
1.2 Tips On Special Section Heads	3
1.3 This Version of Section Head will be sent Contents	3
	ix

1.4	This show how to explicitly break lines in Table of Contents	3
1.5	How to get lower case in section head: pH	3
1.6	How to use a macro that has both upper and lower case parts: V_{Txyz}	3
1.7	Equation	3
2	Enviromental Setup	5
2.1	Aplikasi yang dibutuhkan	5
3	Struktur Aplikasi	11
3.1	Struktur Aplikasi	11
4	Second Edited Book Sample Chapter Title	13
	George Smeal, Ph.D., Sally Smith, M.D. and Stanley Kubrick	
4.1	Sample Section	13
4.2	Example, Figure and Tables	14
4.2.1	Side by Side Tables and Figures	14
4.3	Algorithm	15
	Problems	16
	Exercises	16
4.4	Summary	17
	References	17
	Appendix: This is the Chapter Appendix Title	18
	Chapter Appendix	18
A	This is the Appendix Title	19
B	Appendix	21
C	Alternate Reference Styles	23
	References	25

LIST OF FIGURES

2.1	Masukkan file extension-nya disini	6
2.2	Apa yang harus di-edit di file php.ini	7
2.3	Jika berhasil memasukkan ekstensi phalcon-nya	8
2.4	Masukkan path phalcon-devtools nya	8
2.5	Test di cmd apakah phalcon-devtools sudah terinstall atau belum	9
2.6	Menambahkan Project Baru	9
2.7	Hasil new project	9
3.1	Struktur yang ada didalam folder project Phalcon Framework	12
4.1	Short figure caption.	14
4.2	Oscilloscope for memory address access operations, showing 500 ps address access time and superimposed signals of address access in 1 kbit memory plane.	14
4.3	This caption will go on the left side of the page. It is the initial caption of two side-by-side captions.	14
		xi

4.4	This caption will go on the right side of the page. It is the second of two side-by-side captions.	14
4-A.1	This is an appendix figure caption.	18
A.1	This is an appendix figure caption.	19

LIST OF TABLES

1.1	Perbandingan Performa Antar Framework	2
4.1	Small Table	14
4.2	Effects of the two types of $\alpha\beta \sum_B^A$ scaling proposed by Dennard and co-workers ^{a,b}	14
4.3	Table Caption	15
4.4	Table Caption	15
4-A.1	This is an appendix table caption	18
A.1	Appendix table caption	19

FOREWORD

This is the foreword to the book.

PREFACE

This is an example preface. This is an example preface. This is an example preface.
This is an example preface.

R. K. WATTS

Durham, North Carolina
September, 2007

ACKNOWLEDGMENTS

From Dr. Jay Young, consultant from Silver Spring, Maryland, I received the initial push to even consider writing this book. Jay was a constant “peer reader” and very welcome advisor during this year-long process.

To all these wonderful people I owe a deep sense of gratitude especially now that this project has been completed.

G. T. S.

ACRONYMS

ACGIH	American Conference of Governmental Industrial Hygienists
AEC	Atomic Energy Commission
OSHA	Occupational Health and Safety Commission
SAMA	Scientific Apparatus Makers Association

GLOSSARY

NormGibbs	Draw a sample from a posterior distribution of data with an unknown mean and variance using Gibbs sampling.
pNull	Test a one sided hypothesis from a numerically specified posterior CDF or from a sample from the posterior
sintegral	A numerical integration using Simpson's rule

SYMBOLS

- A Amplitude
- $\&$ Propositional logic symbol
- a Filter Coefficient

- \mathcal{B} Number of Beats

INTRODUCTION

CATHERINE CLARK, PhD.

Harvard School of Public Health
Boston, MA, USA

CHAPTER 1

PHALCON - OVERVIEW

Phalcon -
Overview

1.1 Pengenalan

Phalcon diperkenalkan sebagai salah satu Framework PHP terbaru, yang dikembangkan oleh sekelompok pengembang yang antusias. Phalcon adalah Framework yang digabungkan secara longgar, yang berarti memungkinkannya bisa membuat komponen objek menempel seperti lem, berdasarkan kebutuhan aplikasi.

Phalcon memberikan beberapa fitur yang unik sebagai keunggulan dibandingkan framework yang lain (baik framework tradisional atau yang sering dipakai) di pemrograman PHP. Diantaranya:

- Framework yang full-stack open source
- User hanya membutuhkan code yang lebih sedikit untuk mendapatkan keuntungan di beberapa komponen

- bisa dipakai untuk membuat framework independen seperti yang dibutuhkan. Contohnya, jika kita hanya membutuhkan komponen cache yang dimiliki Phalcon, kita bisa menggunakannya di aplikasi apapun baik yang dibuat PHP atau menggunakan framework lain.
- Di sisi developer, mereka memounyai konsep MVC (Model-View-Controller) dan ORM (Object-Relational Modeling), bekerja dengan mudahnya dalam pemrograman Phalcon.

1.1.1 Performance

Perbedaan Framework Phalcon dengan Framework Yii dan Laravel [1].

Table 1.1 Perbandingan Performa Antar Framework

-	Yii	Laravel	Phalcon
Tipe dalam Proyek	Yii adalah spesialis membuat proyek skala besar seperti forums, portals, CMS, RESTful web services, dll.	Laravel biasa digunakan untuk aplikasi berbasis web, laravel terkenal karena sintaks nya yang sangat indah dan canggih	Phalcon digunakan untuk semua variasi proyek
Database yang Mendukung	Yii mendukung semua RDBMS dan non-RDBMS	Laravel mendukung semua RDBMS	Phalcon memberikan dukungan secara equal (sama) baik RDBMS maupun non-RDBMS
Bahasa Pemrograman	Framework Yii menggunakan bahasa pemrograman PHP saja	Laravel menggunakan bahasa pemrograman PHP dan mengikuti pattern MVC	Phalcon menggunakan bahasa pemrograman PHP dan C
Keterjangkauan	Yii cukup baik di gunakan di skala proyek kecil ke menengah	Laravel punya keterjangkauan yang tinggi dalam skala proyek	Phalcon cocok untuk proyek skala menengah
Performa	Sedikit lambat	Performa tinggi namun masih dibawah Phalcon	Performa Tinggi

1.1.1.1 This is the subsection Here is some text after the subsection. Here is some text after the subsection. Here is some text after the subsection.

This is the paragraph Here is some normal text. Here is some normal text. Here is some normal text. Here is some normal text.

1.2 Tips On Special Section Heads

Here are some things you can do for a special section head.

1.3 Break Long Section heads with double backslash

Here is some normal text. Here is some normal text. Here is some normal text.

1.4 Here is a Section Title

See this section head for information on how to explicitly break lines in table of contents.

1.5 How to get lower case in section head: pH

Here is some normal text. Here is some normal text. Here is some normal text.

1.6 How to use a macro that has both upper and lower case parts:

V_{Txyz}

See the top of this file where the definition and box were set.

1.7 Equation

For optimal vertical spacing, no blank lines before or after equations

$$\alpha\beta\Gamma\Delta \tag{1.1}$$

as you see here.

CHAPTER 2

ENVIROMENTAL SETUP

2.1 Aplikasi yang dibutuhkan

Memerlukan XAMPP untuk instalasi Framework Phalcon.

- Step 1: Download Install lah file DLL (Dynamic Link Library) Phalcon di link <https://phalconphp.com/en/download>, sesuaikan file dll nya dengan konfigurasi versi XAMPP Anda.
- Step 2: Extract phalcon-php.dll file ke direktori /php/ext di folder XAMPP.
- Step 3: Edit file php.ini didalam folder /XAMPP/php/php.ini. Tambahkan "extension=php_phalcon.dll" tanpa tanda kutip ke baris akhir php.ini. Sesuai dengan gambar 2.2
- Step 4: Setelah itu, cek di localhost/dashboard/phpinfo.php, akan terdaftar library phalcon disana.

6 ENVIROMENTAL SETUP

: PC > New Volume (D:) > xampp > php > ext

Name	Date modified	Type	Size
php_com_dotnet.dll	7/18/2018 5:59 PM	Application extens...	73 KB
php_curl.dll	7/18/2018 5:59 PM	Application extens...	458 KB
php_dba.dll	7/18/2018 5:59 PM	Application extens...	111 KB
php_enchant.dll	7/18/2018 5:59 PM	Application extens...	20 KB
php_exif.dll	7/18/2018 5:59 PM	Application extens...	55 KB
php_fileinfo.dll	7/18/2018 5:59 PM	Application extens...	4,892 KB
php_ftp.dll	7/18/2018 5:59 PM	Application extens...	41 KB
php_gd2.dll	7/18/2018 5:59 PM	Application extens...	1,419 KB
php_gettext.dll	7/18/2018 5:59 PM	Application extens...	44 KB
php_gmp.dll	7/18/2018 5:59 PM	Application extens...	234 KB
php_imap.dll	7/18/2018 5:59 PM	Application extens...	799 KB
php_interbase.dll	7/18/2018 5:59 PM	Application extens...	65 KB
php_intl.dll	7/18/2018 5:59 PM	Application extens...	357 KB
php_ldap.dll	7/18/2018 5:59 PM	Application extens...	181 KB
php_mbstring.dll	7/18/2018 5:59 PM	Application extens...	1,268 KB
php_mysql.dll	7/18/2018 5:59 PM	Application extens...	88 KB
php_oci8_12c.dll	7/18/2018 5:59 PM	Application extens...	127 KB
php_odbc.dll	7/18/2018 5:59 PM	Application extens...	47 KB
php_opcache.dll	7/18/2018 5:59 PM	Application extens...	343 KB
php_openssl.dll	7/18/2018 5:59 PM	Application extens...	102 KB
php_pdo_firebird.dll	7/18/2018 5:59 PM	Application extens...	24 KB
php_pdo_mysql.dll	7/18/2018 5:59 PM	Application extens...	26 KB
php_pdo_oci.dll	7/18/2018 5:59 PM	Application extens...	26 KB
php_pdo_odbc.dll	7/18/2018 5:59 PM	Application extens...	22 KB
php_pdo_pgsql.dll	7/18/2018 5:59 PM	Application extens...	33 KB
php_pdo_sqlite.dll	7/18/2018 5:59 PM	Application extens...	751 KB
php_pgsql.dll	7/18/2018 5:59 PM	Application extens...	92 KB
php_phalcon.dll	2/26/2019 10:21 PM	Application extens...	4,050 KB

Figure 2.1 Masukkan file extension-nya disini

- Step 5: Install devtools master di situs <https://github.com/phalcon/phalcon-devtools>, simpan di direktori C, lalu Set Path Variable nya dengan menekan windows+R di keyboard, lalu ketikkan "sysdm.cpl SystemProperties" tanpa tanda kutip, masuk tab advance, lalu enviromental variables, klik new, dan masukkan path nya:
- Step 6: Path variable ini membantu Anda agar bisa menjalankan Phalcon Framework via cmd, terutama jika ingin membuat project yang baru:
- Step 7: Setelah masuk cmd, ketikkan command seperti di 2.1.

Listing 2.1 Command untuk cara menambah project baru

```
phalcon create --project <project --name>
```

- Step 8: Project berhasil dibuat! masuk ke URL localhost/namaprojectanda



```
; tab-width: 4
; End:
[Syslog]
define_syslog_variables=Off
[Session]
define_syslog_variables=Off
[Date]
date.timezone=Europe/Berlin
[MySQL]
mysql.allow_local_infile=On
mysql.allow_persistent=On
mysql.cache_size=2000
mysql.max_persistent=-1
mysql.max_link=-1
mysql.default_port=3306
mysql.default_socket="MySQL"
mysql.connect_timeout=3
mysql.trace_mode=Off
[Sybase-CT]
sybct.allow_persistent=On
sybct.max_persistent=-1
sybct.max_links=-1
sybct.min_server_severity=10
sybct.min_client_severity=10
[MSSQL]
mssql.allow_persistent=On
mssql.max_persistent=-1
mssql.max_links=-1
mssql.min_error_severity=10
mssql.min_message_severity=10
mssql.compatability_mode=Off
mssql.secure_connection=Off
extension=php_phalcon.dll
```

Figure 2.2 Apa yang harus di-edit di file php.ini

8 ENVIROMENTAL SETUP

localhost/dashboard/phpinfo.php

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.20.1

phalcon

Web framework delivered as a C-extension for PHP

phalcon	enabled
Author	Phalcon Team and contributors
Version	3.4.3
Build Date	Feb 24 2019 21:36:36
Powered by Zephir	Version 0.10.15

Directive	Local Value	Master Value
phalcon.db.escape_identifiers	On	On
phalcon.db.force_casting	Off	Off
phalcon.orm.cast_on_hydrate	Off	Off
phalcon.orm.column_renaming	On	On
phalcon.orm.disable_assign_setters	Off	Off
phalcon.orm.enable_implicit_joins	On	On
phalcon.orm.enable_literals	On	On
phalcon.orm.events	On	On
phalcon.orm.exception_on_failed_save	Off	Off
phalcon.orm.ignore_unknown_columns	Off	Off
phalcon.orm.state_binding	Off	Off

Figure 2.3 Jika berhasil memasukkan ekstensi phalcon-nya




Figure 2.4 Masukkan path phalcon-devtools nya

```

C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.18240]
(c) 2015 Microsoft Corporation. All rights reserved.

C:\Users\Sagara>phalcon
'phalcon' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Sagara>phalcon
Phalcon DevTools (3.4.0)

Available commands:
info           (alias of: i)
commands      (alias of: list, enumerate)
controller    (alias of: create-controller)
module        (alias of: create-module)
model         (alias of: create-model)
all-models    (alias of: create-all-models)
project       (alias of: create-project)
scaffold      (alias of: create-scaffold)
migration     (alias of: create-migration)
webtools      (alias of: create-webtools)
serve         (alias of: server)
console       (alias of: shell, psysh)

C:\Users\Sagara>

```

Figure 2.5 Test di cmd apakah phalcon-devtools sudah terinstall atau belum

```

C:\Windows\system32\cmd.exe
info           (alias of: i)
commands      (alias of: list, enumerate)
controller    (alias of: create-controller)
module        (alias of: create-module)
model         (alias of: create-model)
all-models    (alias of: create-all-models)
project       (alias of: create-project)
scaffold      (alias of: create-scaffold)
migration     (alias of: create-migration)
webtools      (alias of: create-webtools)
serve         (alias of: server)
console       (alias of: shell, psysh)

C:\Users\Sagara>phalcon create-project latihan1
Phalcon DevTools (3.4.0)

Success: Controller "Index" was successfully created.
C:\Users\Sagara>cd latihan1\app\controllers\IndexController.php

Success: Project "latihan1" was successfully created.
Please choose a password and username to use Database connection.Used default:'root' without password.

C:\Users\Sagara>

```

Figure 2.6 Menambahkan Project Baru




Figure 2.7 Hasil new project

CHAPTER 3

STRUKTUR APLIKASI

3.1 Struktur Aplikasi

Didalam project Framework Phalcon, ada beberapa folder dan file penting dan menjadikan sebuah struktur aplikasi, berikut strukturnya sesuai dengan gambar 3.1 Berikut penjelasan dari setiap struktur folder dan filenya:

3.1.1 App

folder ini berisikan script yang paling penting di project. Sebagai bagian terkomplit dari aplikasi web.

3.1.1.1 Config folder *config* berfungsi untuk membantu konfigurasi yang pasti dijalankan untuk menjalankan aplikasi secara lancar. Contohnya konfigurasi basis data, *library*, dan *services*.

3.1.1.2 Controllers Berfungsi untuk memproses *requests* dan menjalankan *response* dari *requests* tersebut.

3.1.1.3 Library Berisikan *library* dari luar *library* bawaan Phalcon.




Figure 3.1 Struktur yang ada didalam folder project Phalcon Framework

3.1.1.4 Migrations Berisikan semua *file* yang berhubungan dengan migrasi data. Dimana data tersebut juga bisa dipakai di framework lain.

3.1.1.5 Models Berisikan logika-logika yang dibutuhkan untuk berinteraksi dengan basis data yang dipakai. Biasanya dipakai untuk representasi data.

3.1.1.6 Views Di folder ini terdapat semua *view* yang berhubungan dengan aplikasi web. Bisa dilihat oleh *end-user* menggunakan bantuan dari *Controller*

CHAPTER 4

SECOND EDITED BOOK SAMPLE CHAPTER TITLE

GEORGE SMEAL, PH.D.¹, SALLY SMITH, M.D.² AND STANLEY KUBRICK¹

¹AT&T Bell Laboratories Murray Hill, New Jersey

²Harvard Medical School, Boston, Massachusetts

4.1 Sample Section

Here is some sample text.

4.2 Example, Figure and Tables

EXAMPLE 4.1 Optional Example Name

Use Black’s law [Equation (6.3)] to estimate the reduction in useful product life if a metal line is initially run at 55°C at a maximum line current density.

illustration here

Figure 4.1 Short figure caption.

Figure 4.2 Oscillograph for memory address access operations, showing 500 ps address access time and superimposed signals of address access in 1 kbit memory plane.

Table 4.1 Small Table			
one	two	three	four
C	D	E	F

Table 4.2 Effects of the two types of $\alpha\beta\sum_B^A$ scaling proposed by Dennard and co-workers^{a,b}

Parameter	κ Scaling	κ, λ Scaling
Dimension	κ^{-1}	λ^{-1}
Voltage	κ^{-1}	κ^{-1}
Currant	κ^{-1}	λ/κ^2
Dopant Concentration	κ	λ^2/κ

^aRefs. 19 and 20.

^b $\kappa, \lambda > 1$.

4.2.1 Side by Side Tables and Figures

Space for figure...

Figure 4.3 This caption will go on the left side of the page. It is the initial caption of two side-by-side captions.

Space for second figure...

Figure 4.4 This caption will go on the right side of the page. It is the second of two side-by-side captions.

Table 4.3 Table Caption

one	two	three	four
a	little	sample	table

Table 4.4 Table Caption

A	B	C	D
a	second little	sample	table

The command `\sidebyside{ }{ }` works similarly for tables:

When using `\sidebyside`, one must use the cross referencing command `\label{ }` after and *outside* of `\caption{ }`:

```
\begin{table}
\sidebyside{\caption{Table Caption}\label{tab1}
first table}
{\caption{Table Caption}\label{tab2} second table}
\end{table}
```

or,

```
\begin{figure}
\sidebyside{\vskip<dimen>\caption{fig caption}\label{fig1}}
{\vskip<dimen>\caption{fig caption}\label{fig2}}
\end{figure}
```

4.3 Algorithm

This is a sample algorithm.

Algorithm 4.1

```
state.transition algorithm {
  for each neuron  $j \in \{0, 1, \dots, M-1\}$ 
  {
    calculate the weighted sum  $S_j$  using Eq. (6);
    if ( $S_j > t_j$ )
      {turn ON neuron;  $Y_1 = +1$ }
    else if ( $S_j < t_j$ )
      {turn OFF neuron;  $Y_1 = -1$ }
    else
      {no change in neuron state;  $y_j$  remains unchanged;}
  }
}
```

Here is some normal text. Here is some normal text. Here is some normal text.
 Here is some normal text. Here is some normal text. Here is some normal text. Here
 is some normal text. Here is some normal text. Here is some normal text. Here is
 some normal text. Here is some normal text. Here is some normal text. Here is some
 normal text. Here is some normal text.

This is a sample of extract or quotation. This is a sample of extract or quotation.
This is a sample of extract or quotation.

1. This is the first item in the numbered list.
 2. This is the second item in the numbered list. This is the second item in the numbered list. This is the second item in the numbered list.
- This is the first item in the itemized list.
 - This is the first item in the itemized list. This is the first item in the itemized list. This is the first item in the itemized list.

This is the first item in the itemized list.

This is the first item in the itemized list. This is the first item in the itemized list. This is the first item in the itemized list.

PROBLEMS

4.1 For Hooker's data, Problem 1.2, use the Box and Cox and Atkinson procedures to determine a appropriate transformation of PRES in the regression of PRES on TEMP. find $\hat{\lambda}$, $\tilde{\lambda}$, the score test, and the added variable plot for the score. Summarize the results.

4.2 The following data were collected in a study of the effect of dissolved sulfur on the surface tension of liquid copper (Baes and Killogg, 1953).

$x = \text{Weight \% sulfur}$		$Y = \text{Decrease in Surface Tension}$ (dynes/cm), two Replicates	
0.	034	301	316
0.	093	430	422
0.	30	593	586

- a) Find the transformations of X and Y sot that in the transformed scale the regression is linear.
 - b) Assuming that X is transformed to $\ln(X)$, which choice of Y gives better results, Y or $\ln(Y)$? (Sclove, 1972).
 - c) In the case of α_1 ?
 - d) In the case of α_2 ?
- 4.3** Examine the Longley data, Problem 3.3, for applicability of assumptions of the linear model.
- 4.4** In the case of Γ_1 ?
- 4.5** In the case of Γ_2 ?

EXERCISES

4.1 For Hooker's data, Exercise 1.2, use the Box and Cox and Atkinson procedures to determine a appropriate transformation of PRES in the regression of PRES on TEMP. find $\hat{\lambda}$, $\tilde{\lambda}$, the score test, and the added variable plot for the score. Summarize the results.

4.2 The following data were collected in a study of the effect of dissolved sulfur on the surface tension of liquid copper (Baes and Killogg, 1953).

$x = \text{Weight \% sulfur}$		$Y = \text{Decrease in Surface Tension}$ (dynes/cm), two Replicates	
0.	034	301	316
0.	093	430	422
0.	30	593	586

- Find the transformations of X and Y sot that in the transformed scale the regression is linear.
- Assuming that X is transformed to $\ln(X)$, which choice of Y gives better results, Y or $\ln(Y)$? (Sclove, 1972).
- In the case of Δ_1 ?
- In the case of Δ_2 ?

4.3 Examine the Longley data, Problem 3.3, for applicability of assumptions of the linear model.

4.4 In the case of Γ_1 ?

4.5 In the case of Γ_2 ?

4.4 Summary

This is a summary of this chapter. Here are some references: [1], [4].

REFERENCES

- J. S. Kilby, "Invention of the Integrated Circuit," *IEEE Trans. Electron Devices*, **ED-23**, 648 (1976).
- R. W. Hamming, *Numerical Methods for Scientists and Engineers*, Chapter N-1, McGraw-Hill, New York, 1962.
- J. Lee, K. Mayaram, and C. Hu, "A Theoretical Study of Gate/Drain Offset in LDD MOSFETs" *IEEE Electron Device Lett.*, **EDL-7**(3). 152 (1986).
- A. Berenbaum, B. W. Colbry, D.R. Ditzel, R. D Freeman, and K.J. O'Connor, "A Pipelined 32b Microprocessor with 13 kb of Cache Memory," it Int. Solid State Circuit Conf., Dig. Tech. Pap., p. 34 (1987).

Appendix: This is the Chapter Appendix Title

This is an appendix with a title.

$$\alpha\beta\Gamma\Delta \tag{A.1}$$

Figure 4-A.1 This is an appendix figure caption.

Table 4-A.1 This is an appendix table caption

Date	Event
1867	Maxwell speculated the existence of electromagnetic waves.
1887	Hertz showed the existence of electromagnetic waves.
1890	Branly developed technique for detecting radio waves.
1896	Marconi demonstrated wireless telegraph.
1897	Marconi patented wireless telegraph.
1898	Marconi awarded patent for tuned communication.
1898	Wireless telegraphic connection between England and France established.

Appendix

This is a Chapter Appendix without a title.

Here is a math test to show the difference between using Computer Modern math fonts and MathTimes math fonts. When MathTimes math fonts are used the letters in an equation will match TimesRoman italic in the text. (*g, i, y, x, P, F, n, f, etc.*) Caligraphic fonts, used for \mathcal{ABC} below, will stay the same in either case.

$$g_i(y|f) = \sum_x P(x|F_n) f_i(y|x) \mathcal{ABC} \tag{B.1}$$

where $g_i(y|F_n)$ is the function specifying the probability an object will display a value y on a dimension i given F_n the observed feature structure of all the objects.

APPENDIX A

THIS IS THE APPENDIX TITLE

This is an appendix with a title.

$$\alpha\beta\Gamma\Delta \tag{A.1}$$

Figure A.1 This is an appendix figure caption.

Table A.1 Appendix table caption

Alpha	Beta	Gamma	Delta
α	β	Γ	Δ

APPENDIX B

This is an appendix without a title.

Here is a math test to show the difference between using Computer Modern math fonts and MathTimes math fonts. When MathTimes math fonts are used the letters in an equation will match TimesRoman italic in the text. (*g, i, y, x, P, F, n, f, etc.*) Caligraphic fonts, used for *ABC* below, will stay the same in either case.

$$g_i(y|f) = \sum_x P(x|F_n) f_i(y|x) \mathcal{ABC} \quad (\text{B.1})$$

where $g_i(y|F_n)$ is the function specifying the probability an object will display a value y on a dimension i given F_n the observed feature structure of all the objects.

APPENDIX C

ALTERNATE REFERENCE STYLES

REFERENCES

1. J. Samra, "Comparing performance of plain php and four of its popular frameworks," 2015.

