

Swagger API:

default ^	
GET	/ index
POST	/sign_up/ Signupstudent
DELETE	/remove/ Removestudent
GET	/get_assessment/ Getassessment
POST	/update_assessment/ Updateassessment

Регистрация:

Example Value | Schema

```
{  "login": "student3",  "password": "333",  "assessment": 3}
```

Responses

Curl

```
curl -X 'POST' \  'http://localhost:8000/sign_up/' \  -H 'accept: application/json' \  -H 'Content-Type: application/json' \  -d '{  "login": "student3",  "password": "333",  "assessment": 3  }'
```

Request URL

```
http://localhost:8000/sign_up/
```

Server response

Code	Details
200	<div>Response body</div> <div><pre>{ "registered": true }</pre></div> <div>Response headers</div> <div><pre>content-length: 19 content-type: application/json date: Sat,01 Jul 2023 22:53:04 GMT server: uvicorn</pre></div>

Download

Удаление студента:

Responses

Curl

```
curl -X 'DELETE' \  'http://localhost:8000/remove/?login=student2&password=222' \  -H 'accept: application/json'
```

Request URL

```
http://localhost:8000/remove/?login=student2&password=222
```

Server response

Code	Details
200	<div>Response body</div> <div><pre>{ "unregistered": true }</pre></div> <div>Response headers</div> <div><pre>content-length: 21 content-type: application/json date: Sat,01 Jul 2023 22:53:53 GMT server: uvicorn</pre></div>

Download

Получить оценку студента:

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8000/get_assessment/?login=student1' \
  -H 'accept: application/json'
```

Request URL

```
http://localhost:8000/get_assessment/?login=student1
```

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "assessment": "5" }</pre></div><div> Download</div></div> <div><div>Response headers</div><div><pre>content-length: 18 content-type: application/json date: Sat, 01 Jul 2023 22:54:29 GMT server: uvicorn</pre></div></div>

Responses

Обновить оценку студента:

Curl

```
curl -X 'POST' \
  'http://localhost:8000/update_assessment/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "login": "student3",
    "password": "333",
    "assessment": 2
  }'
```

Request URL

http://localhost:8000/update_assessment/

Server response

Code

Details

200

Response body

```
{
  "assessment": 2
}
```

Download

Response headers

```
content-length: 16
content-type: application/json
date: Sat, 01 Jul 2023 22:54:59 GMT
server: unicorn
```

Админка:

Adminer 4.8.1

DB: testingsystem_db

[SQL-запрос](#) [Импорт](#)
[Экспорт](#) [Создать таблицу](#)

выбрать students

Выбрать: students

Выбрать

Поиск

Сортировать

Лимит
50

Длина текста
100

Действие
Выбрать

SELECT * FROM "students" LIMIT 50 (0.000 s) [Редактировать](#)

<input type="checkbox"/> Изменить	id	login	password	assessment
<input type="checkbox"/> редактировать	1	student1	111	5
<input type="checkbox"/> редактировать	3	student3	333	2

Весь результат
☐ 2 строки

Изменить

Сохранить

Выбранные (0)

Редактировать Клонировать Стереть

[Экспорт \(2\)](#)

[Импорт](#)