


HOLE TABLE			
HOLE	XDIM	YDIM	DESCRIPTION
A1	-5.54	1.02	Ø.50 Ψ .09
A2	-5.03	.51	
A3	-5.54	.00	
A4	-5.03	-.51	
A5	-5.54	-1.02	
A6	-5.03	-1.53	
A7	-5.54	-2.05	
A8	-4.51	1.02	
A9	-4.51	.00	
A10	-4.51	-1.02	
A11	-4.51	-2.05	
A12	-4.00	.51	
A13	-3.49	1.02	
A14	-3.49	.00	
A15	-4.00	-.51	
A16	-3.49	-1.02	
A17	-4.00	-1.53	
A18	-3.49	-2.05	
A19	-2.98	-1.53	
A20	-2.47	-2.05	
A21	-2.47	-1.02	
A22	-2.98	-.51	
A23	-2.47	.00	
A24	-2.98	.51	
A25	-2.47	1.02	
A26	-1.44	1.02	
A27	-1.95	.51	
A28	-1.44	.00	
A29	-1.95	-.51	
A30	-1.44	-1.02	
A31	-1.95	-1.53	
A32	-1.44	-2.05	
A33	-.93	-.51	
A34	-.42	-1.02	
A35	-.93	-1.53	
A36	-.42	-2.05	
A37	.60	-2.05	
A38	.09	-1.53	
A39	.60	-1.02	
A40	1.63	-2.05	
A41	1.12	-1.53	
A42	1.63	-1.02	
A43	1.12	-.51	
A44	1.63	.00	
A45	1.12	.51	
A46	1.63	1.02	
A47	2.65	1.02	
A48	2.14	.51	
A49	2.65	.00	
A50	2.14	-.51	
A51	2.65	-1.02	
A52	2.14	-1.53	
A53	2.65	-2.05	
A54	3.68	-2.05	
A55	3.16	-1.53	
A56	3.68	-1.02	
A57	3.16	-.51	
A58	3.68	.00	
A59	3.16	.51	
A60	3.68	1.02	
A61	4.70	1.02	
A62	4.19	.51	
A63	4.70	.00	
A64	4.19	-.51	
A65	4.70	-1.02	
A66	4.19	-1.53	
A67	4.70	-2.05	
A68	5.21	-1.53	
A69	5.21	-.51	
A70	5.21	.51	

HOLE TABLE			
HOLE	XDIM	YDIM	DESCRIPTION
D1	-7.60	-5.13	Ø.21 Ψ .09
D2	-6.10	-2.89	
D3	-7.20	-1.41	
D4	-7.20	.50	
D5	-5.92	1.78	
D6	5.33	1.78	
D7	6.61	.50	
D8	6.61	-1.41	
D9	5.51	-2.89	
D10	7.13	-5.13	
B1	-6.10	-1.97	Ø.22 Ψ .09
B2	-6.10	.00	
B3	.00	.00	
B4	6.10	.00	
B5	6.10	-1.97	
C1	-.59	-.15	Ø.16 Ψ .09

UNIT: INCH
TOLERANCE: ±0.025"
TOLERANCE: 3 DEGREES
MATERIAL: POLYCARBONATE
THICKNESS: 0.093"

PLEASE QUOTE @:
-QTY100 FOLDED
-QTY100 FLATS (WITHOUT FOLDS)

DRAWN John Sullivan	5/31/2021	Linsight		
CHECKED		TITLE		
QA		LiBCM Safety Cover		
MFG				
APPROVED				
		SIZE D	DWG NO LiBCM-001	REV B
		SCALE 1	SHEET 1 OF 3	



FLAT TO SCALE (FOR REFERENCE ONLY)

DRAWN John Sullivan	5/31/2021	Linsight		
CHECKED		TITLE		
QA		LiBCM Safety Cover		
MFG				
APPROVED				
		SIZE D	DWG NO LiBCM-001	REV B
		SCALE 1.5	SHEET 2 OF 3	

