

Read-only broker sync

Reads balance, equity and closed trades from an MT4/MT5 account. It cannot place an order, and that is a property of the design rather than a setting.

What it is for

Two numbers in this app are self-reported, and they are the two least reliable things in it: your capital, and how much you have already lost today. The daily loss limit is enforced against a figure you typed in at some point and have probably not revised since. A trader who has had a bad morning is precisely the trader who will not stop to correct it before the next setup.

Reading equity from the broker fixes that, and nothing else has to change. The limit already exists — it just gets a true input.

The journal gets the same treatment: closed trades come in with their real prices, real costs and real outcomes, instead of whatever was remembered later.

What it is not for

Placing trades. There is no order method in `integrations/broker.js`, and adding one is not a small change:

- The proxy would need write scope, which means **you** would be holding credentials that move your customers' money.
 - Routing client orders can cross into regulated-activity territory depending on jurisdiction. That is a question for a lawyer.
 - Your Lemon Squeezy product description says the software is not a broker and cannot place a trade. The live site says it too, in the trust block.
 - The product argument is that it slows you down. An execute button beside the verdict undoes it.
-

Free by default

MetaTrader has no browser-reachable API, but it does have an official, free Python library that talks to the terminal already running on your own machine. So the default setup costs nothing: a small script beside your terminal reads balance, equity and closed trades and pushes them to a Cloudflare Worker you own, on the free tier.

A paid hosted terminal (MetaApi) remains an option, and buys one thing: the figures stay current when your PC is off. Everything else is identical, and the app cannot tell the difference.

Full setup for both: [tools/broker-worker/README.md](#).

Why a proxy is required

Reaching an account from a browser means something in the middle, and whatever sits there holds either a provider token or a shared push key.

That token cannot be in this page. Anything shipped to a browser is public; "obfuscated" is not a category. So the app talks to a small service you host, that service holds the token, and the browser holds nothing but a URL and an account id. Same arrangement as the AI assistant — see [AI-PROXY.md](#).

Use the investor password

MetaTrader issues a read-only **investor** password alongside the master one. It shows balance, equity and history, and it cannot trade.

That is the one to give your provider. Anyone holding the master password can move the money in the account, and a customer who pastes theirs into a third-party service has handed it over without realising.

The contract your proxy must satisfy

Two GET endpoints. Both receive `?account=<id>`.

`GET /account`

```
{ "balance": 1000.00, "equity": 984.20, "margin": 50.0,
  "freeMargin": 934.2, "currency": "USD", "leverage": 500 }
```

Field names are forgiving — `Balance` / `accountBalance`, `freeMargin` / `marginFree` and the capitalised variants all normalise. Only one thing is required: a readable `equity` or `balance`. If neither is present the app treats the response as a failure rather than as a zero, because an account reading zero would look like a total loss and trip the daily limit for a reason that never happened.

`GET /history?days=30`

An array, or `{ "deals": [...] }`, or `{ "trades": [...] }`.

```
[{ "id": "D-1", "type": "DEAL_TYPE_BUY", "symbol": "XAUUSD",
  "volume": 0.20, "openPrice": 2640.00, "closePrice": 2670.00,
  "profit": 600.00, "commission": -7.00, "swap": -1.20,
  "closeTime": "2026-08-20T14:03:11Z" }]
```

`days` is clamped to 1–180 by the client.

Every deal needs a stable `id`. Deduplication is on that id and nothing else. Matching on time and price instead would drop one of two identical scalps a second apart — which is a real thing that happens — and re-importing a window would duplicate everything.

Balance operations are dropped. Anything whose type contains `BALANCE`, `CREDIT`, `DEPOSIT` or `WITHDRAW` is discarded rather than imported. A withdrawal counted as a losing trade poisons the win rate and the expectancy permanently, and it is the kind of corruption nobody notices for months because the number still looks like a number.

Deals with no `closeTime` are treated as still open and skipped.

Staleness

A snapshot older than five minutes is refused rather than used.

A stale equity reading is worse than no reading. It is a real number, so it reads as authoritative, and it will cheerfully report room to trade after the loss that used the room up.

Setting it up

1. Deploy a proxy satisfying the two endpoints above, holding your provider token server-side. A Cloudflare Worker is enough.
2. Settings → **Broker sync** → switch it on.
3. Enter the proxy URL (https only) and the account id.
4. **Test connection**. It reports the specific failure — a refused token, an unknown account, a timeout — rather than "could not connect", because whoever is setting this up needs to know which of those it was.

The day's starting equity is anchored on the first successful read of each day, so the loss limit has something true to measure against. Deriving it from balance would be wrong the moment a position is open.

Order ticket

Separate feature, no connection required, in `domain/handoff.js`. The desk produces the exact order — symbol, type, volume, entry, stop, targets — and you type it into your own terminal.

The part it gets right that people get wrong by hand is the **order type**. MetaTrader will not accept "a buy at 2648"; it needs to know whether that is a Buy Limit (below the market), a Buy Stop (above it) or a market Buy. Choosing wrong gets you "Invalid price", which is the polite failure — the impolite one is a Buy Stop where you meant a Buy Limit, filling you on the way up instead of on the retrace you planned for.

Set your broker's symbol for gold in Settings. Brokers spell it **XAUUSD**, **GOLD**, **XAUUSD.m**, **XAUUSDpro**, and a ticket carrying the wrong one has to be retyped, which defeats the point of having it.