




rapido
|-rapido-web (java web application)
|-rapido-admin (java web application)
|-rapido-service (java project)
administrative / customer service
team



#3 separate projects
|-pom configurations will be duplicated
|-build order management

multi-module maven project



goto rapid-parent:/> mvn clean package

```
rapidoparent (inheriting the pom configurations)
|-pom.xml
|-groupId=rapido.com
|-artifactId=rapidoparent
|-version=1.0.0
|-packaging="pom"
|-dependencyManagement (inheritable dependencies)
|-dependencies
|-dependency1{}
|-dependency2{}
|-dependency3{}
|-dependency4{}
|-dependency5{}
|-dependency6{}
|-dependency7{}
|-pluginManagement
|-plugins
|-plugin1{}
|-plugin2{}
|-plugin3{}
|-modules
|-rapido-service
|-rapido-web
|-rapido-admin

|-rapido-web
|-src/main/java
|-resources
|-webapp/WEB-INF/
|-pom.xml
|-parent: rapido.com:rapidoparent:1.0.0
|-artifactId=rapido-web
|-dependencies (no need to declare versions)
|-dependency2{}
|-dependency3{}
|-rapido-service{}
|-plugins (no need to write configurations)
|-plugin2{}

|-rapido-admin
|-src/main/java
|-resources
|-webapp/WEB-INF/
|-pom.xml
|-parent: rapido.com:rapidoparent:1.0.0
|-artifactId=rapido-admin
|-dependencies (no need to declare versions)
|-dependency2{}
|-dependency3{}
|-rapdio-service{}
|-plugins (no need to write configurations)
|-plugin2{}

|-rapido-service
|-src/main/java
|-resources
|-pom.xml
|-parent: rapido.com:rapidoparent:1.0.0
|-artifactId=rapido-service
|-dependencies (no need to declare versions)
|-dependency2{}
|-dependency3{}
|-plugins (no need to write configurations)
|-plugin2{}

```