

Gammapy – A prototype for the CTA science tools

Christoph Deil^a, Julien Lefaucheur^b, Régis Terrier^c, Bruno Khélifi^c, Matthew Wood^d, Roberta Zanin^a, Lars Mohrmann^e, Nachiketa Chakraborty^a, Jason Watson^a, Rubén López Coto^a, Stefan Klepser^f, Matteo Cerruti^{*g}, Jean-Philippe Lenain^g, Fabio Acero^h, Arache Djannati-Ataï^c, Santiago Pita^c, Zeljka Bosnjakⁱ, Jose Enrique Ruiz^j, Cyril Trichard^k, Thomas Vuillaume^l, for the CTA Consortium, Axel Donath^a, Johannes King^a, Léa Jouvin^c, Marion Spir-Jacob^c, Ellis Owen^m, Manuel Paz Arribasⁿ, Brigitta Sipocz^o, Dirk Lennarz^p

```
<sup>a</sup>MPIK, Heidelberg, Germany
```

*Speaker.

E-mail: Christoph.Deil@mpi-hd.mpg.de, julien.lefaucheur@obspm.fr, Roberta.Zanin@mpi-hd.mpg.de, khelifi@apc.in2p3.fr,

Gammapy is a Python package for high-level gamma-ray data analysis, written in Python and built on Numpy, Scipy and Astropy. Starting with event lists and instrument response information, it is possible to analyse gamma-ray data and to create for example sky images, spectra and lightcurves, and to determine the position, morphology and spectra of gamma-ray sources.

So far Gammapy has mostly been used to analyse data from H.E.S.S. and Fermi-LAT, and now it is being used for the simulation and analysis of observations from the Cherenkov Telescope Array (CTA). We have proposed Gammapy as a prototype for the CTA science tools. This contribution will give an overview of the Gammapy package and show analysis application examples with simulated CTA data.

35th International Cosmic Ray Conference	— ICRC2017
10–20 July, 2017	
Bexco, Busan, Korea	
	_

^bLUTH, Obs. de Paris/Meudon, France

^cAPC/CNRS, Paris, France

^dSLAC National Accelerator Laboratory, US

^eFAU, Erlangen, Germany

^fDESY, Zeuthen, Germany

^gLPNHE, Paris, France

^hCEA/IRFU, Saclay, France

ⁱUniversity of Rijeka, Croatia

^jInstituto Astrofísica de Andalucía, Granada, Spain

^kCPPM, Marseille, France

¹LAPP, Annecy-le-Vieux, France

^mUCL-MSSL, Dorking, United Kingdom

ⁿHumboldt University, Berlin, Germany

^oCambridge, UK

^pGeorgia Tech, Atlanta, US

```
"""Make a counts image with Gammapy."""

from gammapy.data import EventList

from gammapy.image import SkyImage

events = EventList.read('events.fits')

image = SkyImage.empty(

nxpix=400, nypix=400, binsz=0.02,

xref=83.6, yref=22.0,

coordsys='CEL', proj='TAN',

)

image.fill(events)

image.write('counts.fits')
```

Figure 1: An example script using Gammapy to make a counts image from an event list. This is used in Section 3 to explain how Gammapy works. TODO: probably should add a def fill_events (events, image) function and use that to illustrate how within Gammapy or in user scripts one can work efficiently with events and pixels from Python, using Numpy arrays and eventually calling into C extensions.

1. Introduction

```
TODO: write me!

Numpy [1] Scipy [2] Matplotlib [3]

Astropy [4] Sherpa [5, 6, 7] pyfact [8] naima [9] 3ML [10] Astronomy software survey [11]

Gammapy is starting to be used for scientific studies for existing ground-based gamma-ray telescopes [12, 13] as well as the Fermi-LAT space telescope [14], as well as for CTA [15, 16, 17]. ctapipe: https://github.com/cta-observatory/ctapipe conda, pip

Open data for gamma-ray astronomy [18].
```

2. Gammapy

```
TODO: write me!
TODO: add figure with dependencies.
```

3. Code example

An example script using Gammapy is shown in Figure 1.

Message: Gammapy is high-level Python, data in Numpy arrays, others have written C and Python wrappers already (WCSLib, CFITSIO, SOFA/ERFA).

4. Application example

TODO: add a CTA analysis example (probably only an image, no spectrum or lightcurve yet). See https://nbviewer.jupyter.org/github/gammapy/gammapy-extra/blob/master/notebooks/cta_data_analysis.ipynb or if CTA-DC becomes available, a TS image from the Galactic plane survey would be nice.

For further application examples see e.g. [15, 16, 17], as well as http://docs.gammapy.org.

5. Conclusions

TODO: write me!

Briefly discuss Gammapy approach pro / con here or above?

6. Acknowledgements

This work was conducted in the context of the CTA Consortium.

We would like to thank the Scientific Python and specifically the Astropy community for providing their packages which are invaluable to the development of Gammapy, as well as tools and help with package setup and continuous integration, as well as building of conda packages.

We thank the GitHub (http://www.github.com) team for providing us with an excellent free development platform, ReadTheDocs (https://readthedocs.org) for free documentation hosting, Travis (https://www.travis-ci.org) and Appveyor (https://appveyor.com) for free continuous integration testing, and Slack (https://slack.com/) for a free team communication channel.

References

- [1] S. Van Der Walt, S. C. Colbert, and G. Varoquaux, *The numpy array: a structure for efficient numerical computation, Computing in Science & Engineering* **13** (2011), no. 2 22–30.
- [2] SciPy: Open source scientific tools for python, 2001.
- [3] J. D. Hunter, *Matplotlib: A 2d graphics environment, Computing In Science & Engineering* **9** (2007), no. 3 90–95.
- [4] Astropy Collaboration, T. P. Robitaille, E. J. Tollerud, and P. Greenfield et al., *Astropy: A community Python package for astronomy*, *AAP* **558** (Oct., 2013) A33.
- [5] P. Freeman et al., *Sherpa: a mission-independent data analysis application*, in *Astronomical Data Analysis*, vol. 4477 of *SPIE Conference Series*, pp. 76–87, Nov., 2001. astro-ph/0108426.
- [6] B. Refsdal et al., *Sherpa: 1d/2d modeling and fitting in python*, in *Proceedings of the 8th Python in Science Conference*, (Pasadena, CA USA), pp. 51 57, 2009.
- [7] B. Refsdal, S. Doe, D. Nguyen, and A. Siemiginowska, *Fitting and estimating parameter confidence limits with sherpa*, in *10th SciPy Conference*, pp. 4 10, 2011.
- [8] M. Raue and C. Deil, *PyFACT: Python and FITS analysis for Cherenkov telescopes*, vol. 1505 of *American Institute of Physics Conference Series*, pp. 789–792, Dec., 2012.
- [9] V. Zabalza, naima: a Python package for inference of relativistic particle energy distributions from observed nonthermal spectra, ArXiv e-prints (Sept., 2015) [arXiv:1509.0331].
- [10] G. Vianello et al., *The Multi-Mission Maximum Likelihood framework (3ML)*, *ArXiv e-prints* (July, 2015) [arXiv:1507.0834].
- [11] I. Momcheva and E. Tollerud, *Software Use in Astronomy: an Informal Survey*, *ArXiv e-prints* (July, 2015) [arXiv:1507.0398].
- [12] S. Carrigan et al. for the H.E.S.S. collaboration, *The H.E.S.S. Galactic Plane Survey maps, source catalog and source population, ArXiv e-prints* (July, 2013) [arXiv:1307.4690].

- [13] G. Puehlhofer et al. for the H.E.S.S. collaboration, *Search for new supernova remnant shells in the Galactic plane with H.E.S.S.*, in *34th ICRC (2015)*, p. 886, July, 2015. arXiv:1509.0387.
- [14] E. Owen, C. Deil, A. Donath, and R. Terrier, *The gamma-ray Milky Way above 10 GeV:*Distinguishing Sources from Diffuse Emission, ArXiv e-prints (June, 2015) [arXiv:1506.0231].
- [15] J. Lefaucher for the CTA consortium, *Gammapy: high level data analysis for extragalactic science cases with the Cherenkov Telescope Array*, in these proceedings, 2017.
- [16] R. Zanin for the CTA consortium, *Observing the Galactic Plane with Cherenkov Telescope Array*, in these proceedings, 2017.
- [17] C. Trichard for the CTA consortium, Searching for PeVatrons in the CTA Galactic Plane Survey, in these proceedings, 2017.
- [18] C. Deil and C. Boisson et al., *Open high-level data formats and software for gamma-ray astronomy*, *ArXiv e-prints* (Oct., 2016) [arXiv:1610.0188].