

```
In [1]: def cigar_party(cigars, is_weekend):  
        return cigars >= 40 if is_weekend else cigars in range(40,61)
```

```
In [ ]: def date_fashion(you, date):  
        if you <= 2 or date <=2:  
            return 0  
        elif you >=8 or date >=8:  
            return 2  
        else:  
            return 1
```

```
In [ ]: def squirrel_play(temp, is_summer):  
        return temp in range(60, 101 if is_summer else 91)
```

```
In [ ]: def caught_speeding(speed, is_birthday):  
        speeding = speed - (65 if is_birthday else 60)  
        if speeding > 20:  
            return 2  
        elif speeding > 0:  
            return 1  
        else:  
            return 0
```

```
In [ ]: def sorta_sum(a, b):  
        return 20 if a+b in range(10,20) else a+b
```

```
In [ ]: def alarm_clock(day, vacation):  
        pronto = "7:00" if not vacation else "10:00"  
        tarde = "10:00" if not vacation else "off"  
        return pronto if day not in [6,0] else tarde
```

```
In [ ]: def love6(a, b):  
        return a == 6 or b == 6 or a+b == 6 or abs(a-b) == 6
```

```
In [ ]: def in1to10(n, outside_mode):  
        if n == 1 or n == 10:  
            return True  
        return (n in range(1,11)) ^ outside_mode
```

```
In [ ]: def near_ten(num):  
        #within = num - (num+2)/10*10  
        #return within in range(-2,3)  
        within = num%10  
  
        return within in [8,9,2,1,0]
```