

- `evidence[]` id `Answer` 1
- "—" 2.2

2.2 fail-closed

skill if-else → → →

L0	<code>select</code>	
L1	SQL	+ " " "
L2		N / M
L3		+
L4	<code>drop table</code> <code>truncate</code> <code>where</code> <code>delete</code> / <code>update</code>	

① fail-closed② ③

2.3 =

"—"

- `candidate`
- + / →
- +
- + +

3. Skill

skill harness

<code>name / version</code>	+	<code>lineage.analyze@1</code>
<code>when</code>		"SQL"
<code>input_schema / output_schema</code>	JSON Schema +	<code>{sql, dialect, depth}</code>
<code>side_effect</code>	<code>none / read / write / ddl / dml</code>	
<code>auth_scope</code>		<code>lineage:read</code> <code>schedule:write</code>
<code>idempotent / timeout / retry</code>		+ 30s +
<code>evidence_kind</code>		<code>lineage / metric / report / plan</code>
<code>renderer</code>		<code>table / graph / sql / diff</code>
<code>budget</code>		6

skill skill token/

4.

SchedulerAdapter

```
list_workflows(project) / get_workflow(id)
create_draft(pipeline) / validate(draft)
release(id) / offline(id)
run(id, params) / rerun(instance_id)
get_instance_status(id) / fetch_logs(instance_id)
list_instances(workflow, timerange)
```


L2
L2/L3
#

MonitorAdapter

```
cluster_health() / queue_status()
```

```
db_status(db) / table_stats(table) / slow_queries(top_n)
lineage_graph(scope)                                     # □□□□□□□□
```

$$\text{Performance} = \frac{\text{harness/skill}}{\text{—}} - \text{}$$

5. □□□□□□□□

1111

- ```

→ Harness○○○○○ + ○○○○○○ → ○ skill → ○○○
→ ○○○○○○○○/○○/○○○○
 ├── L0/L1 → ○○○ → ○○ → ○○○○ → ○○○○○○ renderer○
 ├── L2 → ○○○○○○○○○○→ ○○○ → ○○○ → ○○ → ...
 ├── L3 → ○○○○ → ○○○○○ → ○○○ → ...
 └── L4 → ○○○○○○ + ○○○
→ ○○○○○○
→ ○○○○○○○○ → ○○○○ → ○○○ → ○○○○○ → ○○○○○○/○○○
→ ○○/○○○ → ○ renderer○○○○ skill○○○○○○○○○○○ / ○○○ / SQL / ○○○○○
→ ○○○○○○○○skill ○○○○○○○○○○○○○○○○○○

```

$\square\square\square\square\text{Harness} \rightarrow \square\square\square \rightarrow \square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square \rightarrow \square\square$   
 $\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square \rightarrow \square\square\square\square \rightarrow \square\square + \square\square\square\square\square\square\square\square\square\square \rightarrow \square\square\square\square \rightarrow \square\square$

## 6. 10 分钟

| #  | 問題                    | 回答                                              |
|----|-----------------------|-------------------------------------------------|
| 1  | LLM の "key" を抽出する     | 抽出された key を返す                                   |
| 2  | 抽出された key を利用して       | harness を利用して skill を実行する                       |
| 3  | 抽出された key を利用して       | P1 を実行 + 抽出された key を利用して                        |
| 4  | L2/L3 の "key" を抽出する   | L2/L3 の key を抽出 + 抽出された key を利用して               |
| 5  | 抽出された key を利用して       | key + 抽出された key + hash + 5 を返す                  |
| 6  | 抽出された key を利用して       | key → 抽出された key → 抽出された key を返す                 |
| 7  | 抽出された key を利用して       | key = 抽出された key = 抽出された key を返す                 |
| 8  | 抽出された key / 抽出された key | 抽出された key / 抽出された key を返す L3                    |
| 9  | 抽出された key を利用して       | skill の renderer を利用して table/graph/sql/diff を返す |
| 10 | 抽出された key を利用して       | 抽出された key を利用して table/graph/sql/diff を返す        |

## 7. □□□□□□□□□□□□□□□□

□ □ □ ——— □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

Issue → PR → Review + Merge → Done → Archived

□□□□□□□□□□□□□□□□ 10 □□□□□