Title & basics

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Delivery sites

24 sites

24 sites | BASE case | delivery_sites

Single value

SYNTHETIC

Active wearers (minimum deduplicated estimate)

9,607 wearers

9,607 wearers | BASE case | wearers_min_est

Single value

ESTIMATE

Garments allocated

31.7k pieces

31,743 pieces | BASE case | garments_allocated

Single value

SYNTHETIC

NorthStar Foods Group

3 countries | 2025-01 to 2025-12
Persona: CFO | base sensitivity case
Alternative: The typical alternative (local laundry)
Synthetic prototype evidence. Start with the relationship, then agree what matters in this meeting.

Executive summary

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Repairs completed

15.2k repairs

15,233 repairs | BASE case | repairs_total

Single value

SYNTHETIC

Unscanned / idle allocated garments

5,230 pieces

5,230 pieces | BASE case | idle_pieces

Single value

CALCULATED

Allocation use rate

83.5%

83.52% | BASE case | allocation_use_rate

Single value

CALCULATED

Garments allocated

31.7k pieces

31,743 pieces | BASE case | garments_allocated

Single value

SYNTHETIC

Conversation focus | CFO

Discuss repair activity and allocation opportunities. Stock belongs to the rental service; its illustrative purchase value is not a customer saving.

The ask

Which allocation investigation and pricing assumptions should we validate together before a financial decision?

Agreement & KPIs

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

On-time service cycles

Actual: 98.3% (base case)
CALCULATED | source: review.metrics.on_time_rate
KAM input target: 98.0%
At/within proposed target.

Median service-cycle time

Actual: 82 hours (base case)
CALCULATED | source: review.metrics.median_cycle_hours
KAM input target: 96 hours
At/within proposed target.

Service requests per 100 estimated wearers

Actual: 5.36 requests/100 estimated wearers (base case)
CALCULATED: service_requests / wearers_min_est × 100; not unique people or a monthly-normalised rate.
KAM input target: 6 requests/100 estimated wearers
At/within proposed target.

Allocation use rate

Actual: 83.5% (base case)
CALCULATED | source: review.metrics.allocation_use_rate
KAM input target: 85.0%
Discuss the gap; investigate causes before changing service.

Repair rate per 1,000 washes

Actual: 20.33 repairs/1000 washed pieces (base case)
CALCULATED | source: review.metrics.repair_rate_per_1000
KAM input target: 20 repairs/1000 washed pieces
Discuss the gap; investigate causes before changing service.

Customer satisfaction

8 / 10 | KAM input, not measured satisfaction data.
KAM comment: Faster size swaps at the Swedish sites

Peer review

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Anonymised network context

Network benchmark not supplied. Show within-customer site peers only; no industry-wide comparison can be established.

Sites to discuss

NorthStar Kotka: use 75.6%; within-customer percentile 0.0%
NorthStar Helsinki: use 76.2%; within-customer percentile 4.3%
NorthStar Łódź: use 78.5%; within-customer percentile 8.7%
NorthStar Turku: use 79.0%; within-customer percentile 13.0%
NorthStar Örebro: use 80.1%; within-customer percentile 17.4%

Interpret the comparison

Synthetic demonstration only: a small-cohort median can equal an individual customer value. This is not a privacy guarantee for real data; production needs a minimum cohort policy and disclosure controls. Percentiles show position, not performance quality. Compare product mix, site type and period before drawing conclusions. Site ranks use zero-based midrank / (n-1), singleton 0.5, when no supplied percentile exists. High repair activity is not automatically poor service.

Rough calculation

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

ROUGH CALCULATION · KAM ASSUMPTIONS

€356,597 | supplied KAM scenario estimate
Scenario alternative: The typical alternative (local laundry)
baseline_id: B_LOCAL | KAM assumption
water_eur_per_m3: 4 | KAM assumption
energy_eur_per_kwh: 0.15 | KAM assumption
carbon_eur_per_t: 0 | KAM assumption
garment_eur: 42.7 | KAM assumption
repair_share: 0.5 | KAM assumption

Comparison with alternatives

The typical alternative (local laundry): water 1,406,620.29 L; energy 171,641.31 kWh (base estimates)
Home washing: water 6,678,404.64 L; energy 236,911.02 kWh (base estimates)
In-house laundry: water 2,912,844.39 L; energy 206,786.54 kWh (base estimates)

Decision boundary

The displayed euro result is supplied by the meeting calculator; it is not independently recomputed in the exporter. Check units, scope and prices with the customer. Rental stock value is not their saving. Repair handprint and process savings can overlap commercially; do not add them without a stated boundary. These are rough estimates, not promised savings or forecasts.

Agreed next steps & open topics

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Agreed actions | KAM meeting record

• Review allocation at the lowest-use sites (owner: Customer, by 2026-03-31)
• Route review at late-cycle sites (owner: Lindström, by 2026-02-28)

Open topics | continue the conversation

• What is causing our service requests?
• Can the figures go into the sustainability report?

Confirm before sharing

These are KAM-entered meeting notes, not automatically completed tasks. Confirm customer agreement, ownership and timing. Share only customer-approved notes.

Next meeting | KAM input

2026-06-15

Customer-shared meeting notes | KAM input

Customer priorities for the next 6–12 months: 1. Cost; 2. Service reliability; 3. Water

Priority spotlight | Cost

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Unscanned / idle allocated garments

5,230 pieces

5,230 pieces | BASE case | idle_pieces

Single value

CALCULATED

Allocation use rate

83.5%

83.52% | BASE case | allocation_use_rate

Single value

CALCULATED

Replacements postponed (estimate)

15.2k events

15,233 events | BASE case | replacements_postponed

Range 7,616 events to 15.2k events

ESTIMATE


Industry context

Food & Beverage #1: Hygiene and compliance — Show service continuity, food-industry garment control and hygiene-related performance.
Food & Beverage #2: Water efficiency — Prioritize water use/savings and washed-kg efficiency.
Food & Beverage #3: Service reliability — Highlight turnaround, service-request-free days and delivery performance.
Illustrative capital value only; no demonstrated cost saving.

Baseline comparison | uncertainty matters

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Water saving by alternative (m³): Low / Base / High



Outsourced local laundry

Water saving: Base 1,406,620.29 L
range 452,678.36 to 2,360,562.22
Energy saving: Base 171,641.31 kWh
range 66,205.62 to 277,076.99
CO2e saving: Base 255,073.68 kgCO2e
range 189,301.9 to 320,845.47
ALLOCATED_ESTIMATE | Confidence: Low-Medium

Home washing

Water saving: Base 6,678,404.64 L
range 4,670,105.84 to 8,686,703.44
Energy saving: Base 236,911.02 kWh
range 118,421.39 to 355,400.65
CO2e saving: Base 317,833.02 kgCO2e
range 239,509.37 to 396,156.68
ALLOCATED_ESTIMATE | Confidence: Low-Medium

In-house customer laundry

Water saving: Base 2,912,844.39 L
range 1,657,657.64 to 4,168,031.14
Energy saving: Base 206,786.54 kWh
range 94,321.8 to 319,251.27
CO2e saving: Base 275,156.67 kgCO2e
range 205,368.29 to 344,945.06
ALLOCATED_ESTIMATE | Confidence: Low-Medium

How the saving is calculated (selected baseline)

Water saving vs outsourced local laundry
502,074.7 kg × 9.5 baseline/kg × 1 baseline multiplier − 3,363,089.35 customer footprint = 1,406,620.29 L
Rule: SUM(customer_washed_kg) * B.water_l_per_kg * baseline_factor - customer_water_l


Comparison boundary

Process and delivery impacts against each alternative.
Repair handprint is separate; do not add it to service savings.
Ranges are supplied by the engine; exports never recalculate or reconcile them.
Small differences between baseline rows and metric totals can exist in the illustrative sample.

Multi-site performance

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Allocation use by site: lowest 8 (%)



Finland | lowest / highest on-time rate

NorthStar Pori (S008)
On time: 97.2% | Allocation use: 80.4%
Washed: 38,379.2 kg

NorthStar Lappeenranta (S011)
On time: 99.4% | Allocation use: 84.1%
Washed: 20,160.3 kg
Synthetic site inputs; rates calculated.

Poland | lowest / highest on-time rate

NorthStar Gdańsk (S022)
On time: 97.8% | Allocation use: 83.7%
Washed: 5,982 kg

NorthStar Łódź (S024)
On time: 98.5% | Allocation use: 78.5%
Washed: 9,732.6 kg
Synthetic site inputs; rates calculated.

Sweden | lowest / highest on-time rate

NorthStar Gothenburg (S014)
On time: 97.7% | Allocation use: 86.1%
Washed: 31,449.3 kg

NorthStar Uppsala (S016)
On time: 98.7% | Allocation use: 90.5%
Washed: 33,468.2 kg
Synthetic site inputs; rates calculated.

Read the outliers

Sites shown have the lowest and highest on-time rate in each country.
Source: review.sites; service-cycle and allocation data.
Investigate causes before attributing responsibility.

Circularity & repair handprint

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Repairs completed

15.2k repairs

15,233 repairs | BASE case | repairs_total

Single value

SYNTHETIC

Replacements postponed (estimate)

15.2k events

15,233 events | BASE case | replacements_postponed

Range 7,616 events to 15.2k events

ESTIMATE

Avoided new-product CO2e

224.3 t CO2e

224,252.2 kgCO2e | BASE case | avoided_product_co2e_kg

Range 112.1 t CO2e to 224.3 t CO2e

ESTIMATE

Allocated textile waste

16.8k kg

16,798.67 kg | BASE case | textile_waste_kg

Single value

ALLOCATED ESTIMATE

Circular share of textile waste

78.0%

77.97% | BASE case | circular_waste_share

Single value

ALLOCATED ESTIMATE

Repair types & waste routes

Repair types (repairs): BUTTON: 3,110; DARNING / PATCHING: 2,936; OTHER ACCESSORIES: 3,266; OTHER SEAM STITCHING: 2,959; ZIPPER: 2,962
SYNTHETIC | Confidence: Medium
Waste routes (kg): recycling_kg: 12,279.01; reuse_kg: 818.92; energy_recovery_kg: 3,243.29; incineration_kg: 455.29
ALLOCATED_ESTIMATE | Confidence: Low-Medium
Repair effects are estimates; no avoided purchase is established. Circular share covers reuse + recycling.

Observations & recommended next actions

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Review allocation at the lowest-use sites

Lowest-use sites warrant an allocation review; unscanned stock is not proof of waste.
Evidence: allocation_use_rate: S010: 75.57%; S001: 76.21%; S024: 78.55%.
Action (Proposed for Q1 2026, KAM to confirm): Review 5 flagged sites: 1,434 reported idle pieces. Confirm shift buffers before any rebalance; this is investigation scope, not removable stock.
Owner: Customer | allocation_use_rate, idle_pieces, S010, S001, S024 (+2 sites)

Review service continuity at late-cycle sites

These sites fall below the customer on-time benchmark. Evidence: on_time_rate: S008: 97.22%; S014: 97.72%; S022: 97.82%. Benchmark: customer_on_time_rate: 98.33%.
Action (Proposed for Q1 2026, KAM to confirm): Review pickup schedules at 15 flagged sites. Maximum benchmark gap: 1.11 percentage points. Propose closing the gap to the customer benchmark, subject to feasibility; late-cycle counts are unavailable.
Owner: Lindström | on_time_rate, S008, S014, S022 (+12 sites)

Investigate high service-request intensity

Service requests per estimated minimum wearer exceed the site-median threshold. The denominator is an estimate. Evidence: service_requests per 1,000 wearers: S022: 172.13; S003: 138.61; S004: 113.77. Benchmark: customer_site_median: 56.23.
Action (Proposed for Q1 2026, KAM to confirm): Classify 99 reported requests at 5 flagged sites. Maximum gap above site median: 115.9 requests per 1,000 estimated wearers. Validate wearer denominators before setting reduction targets.
Owner: Both | service_requests, wearers_min_est, S022, S003, S004 (+2 sites)

Resolve evidence gaps before external reporting

Data-quality warnings and missing production sources limit the conclusions. Sources to resolve: Customer hierarchy is synthetic; Unique wearer count. Additional gaps: 6; see the data-readiness registry. Checks: DQ1, DQ4, PACK_DATA_STATUS, DQ5_WEARER_MULTI_PRODUCT_SUM.
Action (Proposed for Q1 2026, KAM to confirm): Triage 8 data gaps and 22 finding records across 4 distinct checks. Assign source owners and agree evidence acceptance criteria before external claims.
Owner: Both | wearers_min_est, service_requests, customer_water_l

Steering-committee discussion

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Review allocation at the lowest-use sites

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure? Where can we pilot an allocation review while maintaining garment availability?
Decision owner: Customer

Review service continuity at late-cycle sites

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure? Which schedule changes could improve service continuity?
Decision owner: Lindström

Investigate high service-request intensity

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure? Which request categories should the teams address first?
Decision owner: Both

Resolve evidence gaps before external reporting

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure? Which missing production source should we connect first?
Decision owner: Both

Methodology, assumptions & data readiness

NorthStar Foods Group · 2025-01 to 2025-12 · CFO meeting · vs the typical alternative (local laundry) · Cost lens · base case

Calculation boundaries

All values are synthetic. Footprint uses laundry intensity × customer washed kg.
Handprint is the selected alternative minus the allocated service footprint.
Wearers are minimum estimates; wearer-product assignments are not unique people.
Full metric formulas, sources and uncertainty are retained in the embedded source review.
Registry prose is supplied context and may conflict with metric totals; use structured metrics for current values.

Assumption registry

A001: Outsourced local laundry [Medium]
A002: 1 completed repair postpones 1 replacement event [Low-Medium]
A003: Laundry waste allocated by customer share of washed kg [Medium]
A004: 100% mixed-waste treatment in baseline [Low-Medium]
A005: Synthetic kgCO2e values by product [Low]
A006: Synthetic parent customer/site hierarchy [High]
A007: Rules use customer industry and stated priority [Medium]
A008: Every output retains source/status label [High]
T001: low=0.5; base=1.0; high=1.0 [Low]
T002: low=0.8 × baseline; base=baseline; high=1.2 × baseline [Low]
T003: Latest-month idle pieces × synthetic product purchase cost; no extra sensitivity factor [Low]

Data-quality flags

DQ4 [warning] / 12 finding(s) / L003: Laundry L003 2025-01: known customer kg 28,428.8 vs laundry kg 2,526.7; excess 25,902.1 kg; customer shares 1125.1%. Unknown…
Sources: Laundry_Resources
DQ1 [warning] / 2 finding(s): 3/13 rows contain 3 blank/non-finite cells: {'status/interpretation': 1, 'unit': 2}. Known affected washed kg: unavailable;…
Sources: Sample_Output, Data_Dictionary
DQ5_WEARER_MULTI_PRODUCT_SUM [info] / 1 finding(s): CUST001 2025-12: 28,367 wearer-product assignments versus 9,607 sum of site maxima; difference 18,760. This difference is NOT…
Sources: Service_Activity
PACK_DATA_STATUS [info] / 7 finding(s): SYNTHETIC: Complete fictional master data
Sources: Customers, Service_Activity, Service_Cycles, Repairs, Laundry_Resources, Waste_Circularity, Customer_Impacts
Summarized findings. Full messages, affected rows and treatments: embedded source review.

Production data gaps

Customer hierarchy is synthetic → Lindström customer master data
Unique wearer count → eLindström wearer data; Data engineering: join a stable, pseudonymous wearer ID to site/product/month; count distinct active wearer IDs. Until available, retain both estimates and never label product assignments as unique people.
Service-request details → Service-request system export; export request IDs, site IDs, opened/closed timestamps and cause codes.
Cost and time evidence → Contract and invoice data
Product footprints → Approved product LCA data
Baseline ranges → Approved Lindström calculator
Laundry volume for L003 → WWS Washed Kg report; reconcile laundry/month/service-boundary totals and units before using allocated impacts externally.
Industry trends and regulations → Curated public references