Title & basics

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Delivery sites

24 sites

24 sites | BASE case | delivery_sites

Single value

SYNTHETIC

Active wearers (minimum deduplicated estimate)

9,607 wearers

9,607 wearers | BASE case | wearers_min_est

Single value

ESTIMATE

Garments allocated

31.7k pieces

31,743 pieces | BASE case | garments_allocated

Single value

SYNTHETIC

NorthStar Foods Group

3 countries | 2025-01 to 2025-12
Persona: CEO | base sensitivity case
Alternative: The typical alternative (local laundry)
Synthetic prototype evidence. Start with the relationship, then agree what matters in this meeting.

Executive summary

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Delivery sites

24 sites

24 sites | BASE case | delivery_sites

Single value

SYNTHETIC

On-time service cycles

98.3%

98.33% | BASE case | on_time_rate

Single value

CALCULATED

CO2e saving vs outsourced local laundry

255.1 t CO2e

255,073.68 kgCO2e | BASE case | co2e_saving_kg

Range 189.3 t CO2e to 320.8 t CO2e

ALLOCATED ESTIMATE

Active wearers (minimum deduplicated estimate)

9,607 wearers

9,607 wearers | BASE case | wearers_min_est

Single value

ESTIMATE

Conversation focus | CEO

Start with service continuity and the scale of the relationship, then discuss estimated environmental value.

The ask

Which shared service priority should we take into the next customer review?

Agreement & KPIs

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

On-time service cycles

Actual: 98.3% (base case)
CALCULATED | source: review.metrics.on_time_rate
KAM input target: not supplied or invalid; no SLA is inferred.

Median service-cycle time

Actual: 82 hours (base case)
CALCULATED | source: review.metrics.median_cycle_hours
KAM input target: not supplied or invalid; no SLA is inferred.

Service requests

Actual: 515 requests (base case)
SYNTHETIC | source: review.metrics.service_requests
KAM input target: not supplied or invalid; no SLA is inferred.

Customer satisfaction

DATA GAP: no customer satisfaction dataset is supplied. The KAM may record a meeting score with its scale.

Peer review

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Anonymised network context

Network benchmark not supplied. Show within-customer site peers only; no industry-wide comparison can be established.

Sites to discuss

NorthStar Kotka: use 75.6%; within-customer percentile 0.0%
NorthStar Helsinki: use 76.2%; within-customer percentile 4.3%
NorthStar Łódź: use 78.5%; within-customer percentile 8.7%
NorthStar Turku: use 79.0%; within-customer percentile 13.0%
NorthStar Örebro: use 80.1%; within-customer percentile 17.4%

Interpret the comparison

Synthetic demonstration only: a small-cohort median can equal an individual customer value. This is not a privacy guarantee for real data; production needs a minimum cohort policy and disclosure controls. Percentiles show position, not performance quality. Compare product mix, site type and period before drawing conclusions. Site ranks use zero-based midrank / (n-1), singleton 0.5, when no supplied percentile exists. High repair activity is not automatically poor service.

Rough calculation

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

ROUGH CALCULATION · KAM ASSUMPTIONS

Not calculated: enter prices and assumptions in Meeting mode. No financial result is inferred.
No KAM price inputs supplied.

Comparison with alternatives

The typical alternative (local laundry): water 1,406,620.29 L; energy 171,641.31 kWh (base estimates)
Home washing: water 6,678,404.64 L; energy 236,911.02 kWh (base estimates)
In-house laundry: water 2,912,844.39 L; energy 206,786.54 kWh (base estimates)

Decision boundary

The displayed euro result is supplied by the meeting calculator; it is not independently recomputed in the exporter. Check units, scope and prices with the customer. Rental stock value is not their saving. Repair handprint and process savings can overlap commercially; do not add them without a stated boundary. These are rough estimates, not promised savings or forecasts.

Priority spotlight | Water

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Water saving vs outsourced local laundry

1.41M L

1,406,620.29 L | BASE case | water_saving_l

Range 452.7k L to 2.36M L

ALLOCATED ESTIMATE

Allocated fresh-water use

3.36M L

3,363,089.36 L | BASE case | customer_water_l

Single value

ALLOCATED ESTIMATE

Washed textile volume

502.1k kg

502,074.7 kg | BASE case | washed_kg

Single value

SYNTHETIC

CO2e saving vs outsourced local laundry

255.1 t CO2e

255,073.68 kgCO2e | BASE case | co2e_saving_kg

Range 189.3 t CO2e to 320.8 t CO2e

ALLOCATED ESTIMATE


Industry context

Food & Beverage #1: Hygiene and compliance — Show service continuity, food-industry garment control and hygiene-related performance.
Food & Beverage #2: Water efficiency — Prioritize water use/savings and washed-kg efficiency.
Food & Beverage #3: Service reliability — Highlight turnaround, service-request-free days and delivery performance.
Industry context guides emphasis; it is not compliance advice.

Baseline comparison | uncertainty matters

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Water saving by alternative (m³): Low / Base / High



Outsourced local laundry

Water saving: Base 1,406,620.29 L
range 452,678.36 to 2,360,562.22
Energy saving: Base 171,641.31 kWh
range 66,205.62 to 277,076.99
CO2e saving: Base 255,073.68 kgCO2e
range 189,301.9 to 320,845.47
ALLOCATED_ESTIMATE | Confidence: Low-Medium

Home washing

Water saving: Base 6,678,404.64 L
range 4,670,105.84 to 8,686,703.44
Energy saving: Base 236,911.02 kWh
range 118,421.39 to 355,400.65
CO2e saving: Base 317,833.02 kgCO2e
range 239,509.37 to 396,156.68
ALLOCATED_ESTIMATE | Confidence: Low-Medium

In-house customer laundry

Water saving: Base 2,912,844.39 L
range 1,657,657.64 to 4,168,031.14
Energy saving: Base 206,786.54 kWh
range 94,321.8 to 319,251.27
CO2e saving: Base 275,156.67 kgCO2e
range 205,368.29 to 344,945.06
ALLOCATED_ESTIMATE | Confidence: Low-Medium

How the saving is calculated (selected baseline)

Water saving vs outsourced local laundry
502,074.7 kg × 9.5 baseline/kg × 1 baseline multiplier − 3,363,089.35 customer footprint = 1,406,620.29 L
Rule: SUM(customer_washed_kg) * B.water_l_per_kg * baseline_factor - customer_water_l


Comparison boundary

Process and delivery impacts against each alternative.
Repair handprint is separate; do not add it to service savings.
Ranges are supplied by the engine; exports never recalculate or reconcile them.
Small differences between baseline rows and metric totals can exist in the illustrative sample.

Multi-site performance

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Allocation use by site: lowest 8 (%)



Finland | lowest / highest on-time rate

NorthStar Pori (S008)
On time: 97.2% | Allocation use: 80.4%
Washed: 38,379.2 kg

NorthStar Lappeenranta (S011)
On time: 99.4% | Allocation use: 84.1%
Washed: 20,160.3 kg
Synthetic site inputs; rates calculated.

Poland | lowest / highest on-time rate

NorthStar Gdańsk (S022)
On time: 97.8% | Allocation use: 83.7%
Washed: 5,982 kg

NorthStar Łódź (S024)
On time: 98.5% | Allocation use: 78.5%
Washed: 9,732.6 kg
Synthetic site inputs; rates calculated.

Sweden | lowest / highest on-time rate

NorthStar Gothenburg (S014)
On time: 97.7% | Allocation use: 86.1%
Washed: 31,449.3 kg

NorthStar Uppsala (S016)
On time: 98.7% | Allocation use: 90.5%
Washed: 33,468.2 kg
Synthetic site inputs; rates calculated.

Read the outliers

Sites shown have the lowest and highest on-time rate in each country.
Source: review.sites; service-cycle and allocation data.
Investigate causes before attributing responsibility.

Circularity & repair handprint

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Repairs completed

15.2k repairs

15,233 repairs | BASE case | repairs_total

Single value

SYNTHETIC

Replacements postponed (estimate)

15.2k events

15,233 events | BASE case | replacements_postponed

Range 7,616 events to 15.2k events

ESTIMATE

Avoided new-product CO2e

224.3 t CO2e

224,252.2 kgCO2e | BASE case | avoided_product_co2e_kg

Range 112.1 t CO2e to 224.3 t CO2e

ESTIMATE

Allocated textile waste

16.8k kg

16,798.67 kg | BASE case | textile_waste_kg

Single value

ALLOCATED ESTIMATE

Circular share of textile waste

78.0%

77.97% | BASE case | circular_waste_share

Single value

ALLOCATED ESTIMATE

Repair types & waste routes

Repair types (repairs): BUTTON: 3,110; DARNING / PATCHING: 2,936; OTHER ACCESSORIES: 3,266; OTHER SEAM STITCHING: 2,959; ZIPPER: 2,962
SYNTHETIC | Confidence: Medium
Waste routes (kg): recycling_kg: 12,279.01; reuse_kg: 818.92; energy_recovery_kg: 3,243.29; incineration_kg: 455.29
ALLOCATED_ESTIMATE | Confidence: Low-Medium
Repair effects are estimates; no avoided purchase is established. Circular share covers reuse + recycling.

Observations & recommended next actions

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Water value against the selected baseline

Water savings are allocated estimates against the selected baseline, with low/base/high uncertainty. Evidence: water_saving_l: Low 452,678.36 / Base 1,406,620.29 / High 2,360,562.22 L. Highest washed_kg: S008: 38,379.2 kg; S001: 36,207.3 kg; S007: 34,072.3 kg.
Action (Proposed for Q1 2026, KAM to confirm): Validate water intensity and the selected baseline at 3 highest-volume sites covering 108,658.8 kg. Set an improvement target only after source validation.
Owner: Both | water_saving_l, washed_kg, S008, S001, S007

Review service continuity at late-cycle sites

These sites fall below the customer on-time benchmark. Evidence: on_time_rate: S008: 97.22%; S014: 97.72%; S022: 97.82%. Benchmark: customer_on_time_rate: 98.33%.
Action (Proposed for Q1 2026, KAM to confirm): Review pickup schedules at 15 flagged sites. Maximum benchmark gap: 1.11 percentage points. Propose closing the gap to the customer benchmark, subject to feasibility; late-cycle counts are unavailable.
Owner: Lindström | on_time_rate, S008, S014, S022 (+12 sites)

Investigate high service-request intensity

Service requests per estimated minimum wearer exceed the site-median threshold. The denominator is an estimate. Evidence: service_requests per 1,000 wearers: S022: 172.13; S003: 138.61; S004: 113.77. Benchmark: customer_site_median: 56.23.
Action (Proposed for Q1 2026, KAM to confirm): Classify 99 reported requests at 5 flagged sites. Maximum gap above site median: 115.9 requests per 1,000 estimated wearers. Validate wearer denominators before setting reduction targets.
Owner: Both | service_requests, wearers_min_est, S022, S003, S004 (+2 sites)

Review allocation at the lowest-use sites

Lowest-use sites warrant an allocation review; unscanned stock is not proof of waste. Evidence: allocation_use_rate: S010: 75.57%; S001: 76.21%; S024: 78.55%.
Action (Proposed for Q1 2026, KAM to confirm): Review 5 flagged sites: 1,434 reported idle pieces. Confirm shift buffers before any rebalance; this is investigation scope, not removable stock.
Owner: Customer | allocation_use_rate, idle_pieces, S010, S001, S024 (+2 sites)

Resolve evidence gaps before external reporting

Data-quality warnings and missing production sources limit the conclusions. Sources to resolve: Customer hierarchy is synthetic; Unique wearer count. Additional gaps: 6; see the data-readiness registry. Checks: DQ1, DQ4, PACK_DATA_STATUS, DQ5_WEARER_MULTI_PRODUCT_SUM.
Action (Proposed for Q1 2026, KAM to confirm): Triage 8 data gaps and 22 finding records across 4 distinct checks. Assign source owners and agree evidence acceptance criteria before external claims.
Owner: Both | wearers_min_est, service_requests, customer_water_l

Steering-committee discussion

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Water value against the selected baseline

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure?
Which baseline best represents the customer alternative?
Decision owner: Both

Review service continuity at late-cycle sites

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure?
Which schedule changes could improve service continuity?
Decision owner: Lindström

Investigate high service-request intensity

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure?
Which request categories should the teams address first?
Decision owner: Both

Review allocation at the lowest-use sites

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure?
Where can we pilot an allocation review while maintaining garment availability?
Decision owner: Customer

Resolve evidence gaps before external reporting

Which site/source owner will confirm this scope, the proposed benefit and a comparable follow-up measure?
Which missing production source should we connect first?
Decision owner: Both

Methodology, assumptions & data readiness

NorthStar Foods Group · 2025-01 to 2025-12 · CEO meeting · vs the typical alternative (local laundry) · Water lens · base case

Calculation boundaries

All values are synthetic. Footprint uses laundry intensity × customer washed kg.
Handprint is the selected alternative minus the allocated service footprint.
Wearers are minimum estimates; wearer-product assignments are not unique people.
Full metric formulas, sources and uncertainty are retained in the embedded source review.
Registry prose is supplied context and may conflict with metric totals; use structured metrics for current values.

Assumption registry

A001: Outsourced local laundry [Medium]
A002: 1 completed repair postpones 1 replacement event [Low-Medium]
A003: Laundry waste allocated by customer share of washed kg [Medium]
A004: 100% mixed-waste treatment in baseline [Low-Medium]
A005: Synthetic kgCO2e values by product [Low]
A006: Synthetic parent customer/site hierarchy [High]
A007: Rules use customer industry and stated priority [Medium]
A008: Every output retains source/status label [High]
T001: low=0.5; base=1.0; high=1.0 [Low]
T002: low=0.8 × baseline; base=baseline; high=1.2 × baseline [Low]
T003: Latest-month idle pieces × synthetic product purchase cost; no extra sensitivity factor [Low]

Data-quality flags

DQ4 [warning] / 12 finding(s) / L003: Laundry L003 2025-01: known customer kg 28,428.8 vs laundry kg 2,526.7; excess 25,902.1 kg; customer shares 1125.1%. Unknown…
Sources: Laundry_Resources
DQ1 [warning] / 2 finding(s): 3/13 rows contain 3 blank/non-finite cells: {'status/interpretation': 1, 'unit': 2}. Known affected washed kg: unavailable;…
Sources: Sample_Output, Data_Dictionary
DQ5_WEARER_MULTI_PRODUCT_SUM [info] / 1 finding(s): CUST001 2025-12: 28,367 wearer-product assignments versus 9,607 sum of site maxima; difference 18,760. This difference is NOT…
Sources: Service_Activity
PACK_DATA_STATUS [info] / 7 finding(s): SYNTHETIC: Complete fictional master data
Sources: Customers, Service_Activity, Service_Cycles, Repairs, Laundry_Resources, Waste_Circularity, Customer_Impacts
Summarized findings. Full messages, affected rows and treatments: embedded source review.

Production data gaps

Customer hierarchy is synthetic → Lindström customer master data
Unique wearer count → eLindström wearer data; Data engineering: join a stable, pseudonymous wearer ID to site/product/month; count distinct active wearer IDs. Until available, retain both estimates and never label product assignments as unique people.
Service-request details → Service-request system export; export request IDs, site IDs, opened/closed timestamps and cause codes.
Cost and time evidence → Contract and invoice data
Product footprints → Approved product LCA data
Baseline ranges → Approved Lindström calculator
Laundry volume for L003 → WWS Washed Kg report; reconcile laundry/month/service-boundary totals and units before using allocated impacts externally.
Industry trends and regulations → Curated public references