DairyBarn.PointOfSale

All controls that are placed on MainWindow

WinterSwirlCustControl

StrawberryShortcakeCustControl

IceCreamConeCustControl

BrownieSundaeCustControl

ClassicSundaeCustControl

LatteCustControl

MochaCustControl

CoffeeCustControl

PaymentView

- FinishedPayEvent : MenuItemEventArgsEventHandler? <<event>>
- FinalizePaymentClick (object sender, RoutedEventArgs e) : void

MainWindow

- cancel : Button
- backToMenu : Button
- complete : Button
- MenuItemSelection : local
- OrderSummaryControl : local
- WinterSwirlCustControl : local
- BrownieSundaeCustControl : local
- ClassicSundaeCustControl : local
- IceCreamConeCustControl : local
- StrawberryShortcakeCustControl : local
- CoffeeCustControl : local
- LatteCustControl : local
- MochaCustControl : local
- BurgerCustControl : local
- PickTwoCustControl : local
- PaymentView : local
- ClearOtherControls : void
- CancelOrderClick (object sender, RoutedEventArgs e) : void
- BackToMenuClick (object sender, RoutedEventArgs e) : void
- CompleteOrderClick (object sender, RoutedEventArgs e) : void
- HandleWinterSwirlClick (object sender, MenuItemEventArgs e) : void
- HandleBrownieSundaeClick (object sender, MenuItemEventArgs e) : void
- HandleClassicSundaeClick (object sender, MenuItemEventArgs e) : void
- HandleIceCreamConeClick (object sender, MenuItemEventArgs e) : void
- HandleStrawberryShortcakeClick (object sender, MenuItemEventArgs e) : void
- HandleCoffeeClick (object sender, MenuItemEventArgs e) : void
- HandleLatteClick (object sender, MenuItemEventArgs e) : void
- HandleMochaClick (object sender, MenuItemEventArgs e) : void
- HandleBurgerClick (object sender, MenuItemEventArgs e) : void
- HandlePickTwoClick (object sender, MenuItemEventArgs e) : void
- HandleRemoveClick (object sender, MenuItemEventArgs e) : void
- HandleEditClick (object sender, MenuItemEventArgs e) : void
- HandleEditBurger (object sender, MenuItemEventArgs e) : void
- HandleEditIceCream (object sender, MenuItemEventArgs e) : void
- HandleFinishPayment (object sender, MenuItemEventArgs e) : void

MenuItemSelectionControl

- boiBurger : Button
- classicCheeseburger : Button
- BBQBaconCheeseburger : Button
- mushroomSwissBurger : Button
- veggieBurger : Button
- classicSundae : Button
- IceCreamCone : Button
- brownieSundae : Button
- StrawberryShortcake : Button
- latte : Button
- mocha : Button
- MenuEvent : MenuItemEventArgsEventHandler? <<event>>
- +MenuItemClick(sender: object, e RoutedEventArgs) : void

OrderSummaryControl

- RemoveEvent : RoutedEventArgsEventHandler? <<event>>
- EditEvent : RoutedEventArgsEventHandler? <<event>>
- +RemoveClick(sender: object, e: RoutedEventArgs): void
- +EditClick(sender: object, e: RoutedEventArgs): void

PickTwoCustControl

- EditBurgerEvent : MenuItemEventArgs <<event>>
- EditIceCreamEvent : MenuItemEventArgsEventHandler <<event>>
- +EditBurgerClick (object sender, RoutedEventArgs e) : void
- +EditIceCreamClick (object sender, RoutedEventArgs e) : void

BurgerCustControl

- burgerControl : Grid
- ingredients : StackPanel
- PickTwoButton: Button
- BurgerEvent: MenuItemEventArgsEventHandler? <<event>>
- LoadBurgerToppings : void
- PickTwoClick (object sender, RoutedEventArgs e) : void

DairyBarn.Data.Order

- +Subtotal : decimal <<get>>
- +Tax$tx : decimal <<get set>>
- +Tax : decimal <<get>>
- +Total : decimal <<get>>
- +Count : int <<get>>
- +IsReadOnly : bool <<get>>
- +OrderNumber : uint <<get>>
- +PlaceAt : DateTime <<get>>
- +Add(IMenuItem item) : void
- +Clear : void
- +Contains(IMenuItem item) : bool
- +CopyTo(IMenuItem[] array, int arrayIndex) : void
- +GetEnumerator : IEnumerator<IMenuItem>
- +Remove(IMenuItem item) : bool
- +IEnumerable.GetEnumerator : IEnumerator

MainWindow and MenuItemControl DataContext. MainWindow extends window

MenuItemSelectionControl

- boiBurger: Button
- classicCheeseburger : Button
- BBQBaconCheeseburger : Button
- mushroomSwissBurger : Button
- veggieBurger : Button
- classicSundae : Button
- IceCreamCone : Button
- brownieSundae : Button
- StrawberryShortcake : Button
- winterSwirl : Button
- coffee : Button
- latte : Button
- mocha : Button
- MenuEvent : MenuItemEventArgsEventHandler? <<event>>
- +MenuItemClick(sender: object, e RoutedEventArgs) : void

MainWindow

- cancel : Button
- backToMenu : Button
- complete : Button
- MenuItemSelection : local
- OrderSummaryControl : local
- WinterSwirlCustControl : local
- BrownieSundaeCustControl : local
- ClassicSundaeCustControl : local
- IceCreamConeCustControl : local
- StrawberryShortcakeCustControl : local
- CoffeeCustControl : local
- LatteCustControl : local
- MochaCustControl : local
- BurgerCustControl : local
- PickTwoCustControl : local
- PaymentView : local
- ClearOtherControls : void
- CancelOrderClick (object sender, RoutedEventArgs e) : void
- BackToMenuClick (object sender, RoutedEventArgs e) : void
- CompleteOrderClick (object sender, RoutedEventArgs e) : void
- HandleWinterSwirlClick (object sender, MenuItemEventArgs e) : void
- HandleBrownieSundaeClick (object sender, MenuItemEventArgs e) : void
- HandleClassicSundaeClick (object sender, MenuItemEventArgs e) : void
- HandleIceCreamConeClick (object sender, MenuItemEventArgs e) : void
- HandleStrawberryShortcakeClick (object sender, MenuItemEventArgs e) : void
- HandleCoffeeClick (object sender, MenuItemEventArgs e) : void
- HandleLatteClick (object sender, MenuItemEventArgs e) : void
- HandleMochaClick (object sender, MenuItemEventArgs e) : void
- HandleBurgerClick (object sender, MenuItemEventArgs e) : void
- HandleRemoveClick (object sender, MenuItemEventArgs e) : void
- HandleEditClick (object sender, MenuItemEventArgs e) : void
- HandleEditBurger (object sender, MenuItemEventArgs e) : void
- HandleEditIceCream (object sender, MenuItemEventArgs e) : void
- HandleFinishPayment (object sender, MenuItemEventArgs e) : void

System.Windows.Window

All other controls extend UserControl

StrawberryShortcakeCustControl

WinterSwirlCustControl

CountBox

- Count : uint <<get, set>>
- PatryCount : DependencyProperty <<readonly>>
- HandleIncrement (object sender, RoutedEventArgs e) : void
- HandleDecrement (object sender, RoutedEventArgs e) : void

OrderSummaryControl

- RemoveEvent : RoutedEventArgsEventHandler? <<event>>
- EditEvent : RoutedEventArgsEventHandler? <<event>>
- +RemoveClick(sender: object, e: RoutedEventArgs): void
- +EditClick(sender: object, e: RoutedEventArgs): void

IceCreamConeCustControl

BrownieSundaeCustControl

ClassicSundaeCustControl

LatteCustControl

MochaCustControl

System.Windows.Controls.UserControl

BasicInfoControl

- NameofItem : TextBlock
- DescriptionItem: TextBlock
- CalsoItem: TextBlock

MenuItemSelectionControl

- boiBurger: Button
- classicCheeseburger : Button
- BBQBaconCheeseburger : Button
- mushroomSwissBurger : Button
- veggieBurger : Button
- classicSundae : Button
- IceCreamCone : Button
- brownieSundae : Button
- StrawberryShortcake : Button
- winterSwirl : Button
- coffee : Button
- latte : Button
- mocha : Button
- MenuEvent : MenuItemEventArgsEventHandler? <<event>>
- +MenuItemClick(sender: object, e RoutedEventArgs) : void

CoffeeCustControl

PaymentView

- FinishedPayEvent : MenuItemEventArgsEventHandler? <<event>>
- FinalizePaymentClick (object sender, RoutedEventArgs e) : void

BurgerCustControl

- burgerControl : Grid
- ingredients : StackPanel
- PickTwoButton: Button
- BurgerEvent: MenuItemEventArgsEventHandler? <<event>>
- LoadBurgerToppings : void
- PickTwoClick (object sender, RoutedEventArgs e) : void

PickTwoCustControl

- EditBurgerEvent : MenuItemEventArgs <<event>>
- EditIceCreamEvent : MenuItemEventArgsEventHandler <<event>>
- +EditBurgerClick (object sender, RoutedEventArgs e) : void
- +EditIceCreamClick (object sender, RoutedEventArgs e) : void

Shows custom event args implements routed event args. Also shows the controls that have a custom event implemented.

PickTwoCustControl

- EditBurgerEvent : MenuItemEventArgs <<event>>
- EditIceCreamEvent : MenuItemEventArgsEventHandler <<event>>

BurgerCustControl

- burgerControl : Grid
- ingredients : StackPanel
- PickTwoButton: Button
- BurgerEvent: MenuItemEventArgsEventHandler? <<event>>
- LoadBurgerToppings : void
- PickTwoClick (object sender, RoutedEventArgs e) : void

MainWindow

- cancel : Button
- backToMenu : Button
- complete : Button
- MenuItemSelection : local
- OrderSummaryControl : local
- WinterSwirlCustControl : local
- BrownieSundaeCustControl : local
- ClassicSundaeCustControl : local
- IceCreamConeCustControl : local
- StrawberryShortcakeCustControl : local
- CoffeeCustControl : local
- LatteCustControl : local
- MochaCustControl : local
- BurgerCustControl : local
- PickTwoCustControl : local
- PaymentView : local
- ClearOtherControls : void
- CancelOrderClick (object sender, RoutedEventArgs e) : void
- BackToMenuClick (object sender, RoutedEventArgs e) : void
- CompleteOrderClick (object sender, RoutedEventArgs e) : void
- HandleWinterSwirlClick (object sender, MenuItemEventArgs e) : void
- HandleBrownieSundaeClick (object sender, MenuItemEventArgs e) : void
- HandleClassicSundaeClick (object sender, MenuItemEventArgs e) : void
- HandleIceCreamConeClick (object sender, MenuItemEventArgs e) : void
- HandleStrawberryShortcakeClick (object sender, MenuItemEventArgs e) : void
- HandleCoffeeClick (object sender, MenuItemEventArgs e) : void
- HandleLatteClick (object sender, MenuItemEventArgs e) : void
- HandleMochaClick (object sender, MenuItemEventArgs e) : void
- HandleBurgerClick (object sender, MenuItemEventArgs e) : void
- HandlePickTwoClick (object sender, MenuItemEventArgs e) : void
- HandleRemoveClick (object sender, MenuItemEventArgs e) : void
- HandleEditClick (object sender, MenuItemEventArgs e) : void
- HandleEditBurger (object sender, MenuItemEventArgs e) : void
- HandleEditIceCream (object sender, MenuItemEventArgs e) : void
- HandleFinishPayment (object sender, MenuItemEventArgs e) : void

MenuItemCustEventArgs

- + MenuItem: IMenuItem <<get>>
- + MenuItemcustEventArgs (Item : IMenuItem) : void

System.Windows.RoutedEventArgs

OrderSummaryControl

- RemoveEvent : RoutedEventArgsEventHandler? <<event>>
- EditEvent : RoutedEventArgsEventHandler? <<event>>
- +RemoveClick(sender: object, e: RoutedEventArgs): void
- +EditClick(sender: object, e: RoutedEventArgs): void

PaymentView

- FinishedPayEvent : MenuItemEventArgsEventHandler? <<event>>
- FinalizePaymentClick (object sender, RoutedEventArgs e) : void

DairyBarn.Data.PaymentViewViewModel

PaymentView

- FinishedPayEvent : MenuItemEventArgsEventHandler? <<event>>
- FinalizePaymentClick (object sender, RoutedEventArgs e) : void

All controls have BasicInfo added to them. Burger, classicSundae, and IceCreamCone have CountBox extended to them. Also the data context of each control is connected to the menu item the control corresponds to.

DairyBarn.Data.WinterSwirl

WinterSwirlCustControl

DairyBarn.Data.PickTwo

PickTwoCustControl

- EditBurgerEvent : MenuItemEventArgs <<event>>
- EditIceCreamEvent : MenuItemEventArgsEventHandler <<event>>
- +EditBurgerClick (object sender, RoutedEventArgs e) : void
- +EditIceCreamClick (object sender, RoutedEventArgs e) : void

CountBox

- Count : uint <<get, set>>
- PatryCount : DependencyProperty <<readonly>>
- HandleIncrement (object sender, RoutedEventArgs e) : void
- HandleDecrement (object sender, RoutedEventArgs e) : void

DairyBarn.Data.StrawberryShortcake

StrawberryShortcakeCustControl

DairyBarn.Data.BrownieSundae

BrownieSundaeCustControl

DairyBarn.Data.IceCreamCone

IceCreamConeCustControl

BasicInfoControl

- NameofItem : TextBlock
- DescriptionItem: TextBlock
- CalsoItem: TextBlock

BurgerCustControl

- burgerControl : Grid
- ingredients : StackPanel
- PickTwoButton: Button
- BurgerEvent: MenuItemEventArgsEventHandler? <<event>>
- LoadBurgerToppings : void
- PickTwoClick (object sender, RoutedEventArgs e) : void

DairyBarn.Data.BBQBaconCheeseburger

DairyBarn.Data.BYOBurger

DairyBarn.Data.ClassicCheeseBurger

DairyBarn.Data.MushroomSwissBurger

DairyBarn.Data.VeggieBurger

CountBox

- Count : uint <<get, set>>
- PatryCount : DependencyProperty <<readonly>>
- HandleIncrement (object sender, RoutedEventArgs e) : void
- HandleDecrement (object sender, RoutedEventArgs e) : void

ClassicSundaeCustControl

DairyBarn.Data.ClassicSundae

LatteCustControl

DairyBarn.Data.Latte

MochaCustControl

DairyBarn.Data.Mocha

CoffeeCustControl

DairyBarn.Data.Coffee

DairyBarn.Data

IngredientDatabase

- +GetSauceNameIncludCreamSauce() : string
- +GetSauceCalorieIncludCreamSauce() : uint
- +GetSaucePriceIncludCreamSauce() : decimal
- +GetCheeseNameIfCheese() : string
- +GetCheeseCalorieIfCheese() : uint
- +GetCheesePriceIfCheese() : decimal
- +GetBurgerToppingNameBurgerTopping() : string
- +GetBurgerToppingCalorieBurgerTopping(): uint
- +GetBurgerToppingPriceBurgerTopping() : decimal

IngredientInfo

- +Name : string <<get>>
- +Calories : decimal <<get>>
- +AdditionalPrice : decimal <<get>>
- +IngredientInfo(string name, uint cals, decimal additionalPrice)

<<interface>> ICollection<T>

- + Count : int <<get>>
- + IsReadOnly : bool <<get>>
- +Add(IMenuItem item) : void
- +Clear : void
- +Contains(IMenuItem item) : bool
- +CopyTo(IMenuItem[] array, int arrayIndex) : void
- +GetEnumerator : IEnumerator<IMenuItem>
- +Remove(IMenuItem item) : bool
- +IEnumerable.GetEnumerator : IEnumerator

Order

- +Subtotal : decimal <<get>>
- +Tax$tx : decimal <<get set>>
- +Tax : decimal <<get>>
- +Total : decimal <<get>>
- +Count : int <<get>>
- +IsReadOnly : bool <<get>>
- +OrderNumber : uint <<get>>
- +PlaceAt : DateTime <<get>>
- +Add(IMenuItem item) : void
- +Clear : void
- +Contains(IMenuItem item) : bool
- +CopyTo(IMenuItem[] array, int arrayIndex) : void
- +GetEnumerator : IEnumerator<IMenuItem>
- +Remove(IMenuItem item) : bool
- +IEnumerable.GetEnumerator : IEnumerator

<<interface>> INotifyCollectionChanged

- +CollectionChanged : event

<<interface>> INotifyPropertyChanged

- +PropertyChanged : event

PaymentViewViewModel

- + PropertyChanged: PropertyChangedEventHandler? <<event>>
- + Subtotal : decimal <<get>>
- + Tax : decimal <<get>>
- + Subtotal : decimal <<get>>
- + Change : decimal <<get>>
- + PaymentAmount : decimal <<get>>
- + ValidPaymentAmount : bool <<get>>
- + ErrorMessage : string <<get>>
- + Receipts : string <<get>>
- + FinishPayment : void
- + PaymentViewViewModel (Order order)

<<interface>> System.ComponentModel.INotifyPropertyChanged

- + PropertyChanged: PropertyChangedEventHandler? <<event>>

PickTwo

- +Name : string <<get>>
- +Description : string <<get>>
- +BurgerChoice : Burger <<get, set>>
- +IceCreamChoice : IceCream <<get, set>>
- +Price : decimal <<get>>
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- + BurgerOptions : List<T> <<get>>
- + IceCreamOptionsOptions : List<T> <<get>>
- + PropertyChanged: PropertyChangedEventHandler? <<event>>

<<interface>> IMenuItem

- + PreparationInformation : IEnumerable<string> <<get>>
- + Calories : uint <<get>>
- + Price : decimal <<get>>
- + Description : string <<get>>
- + Name : string <<get>>

BurgerIngredient

- +Toppings : BurgerTopping <<get>>
- +Name : string <<get>>
- +Included : bool <<get, set>>
- +Default : bool <<get, set>>
- + PropertyChanged: PropertyChangedEventHandler? <<event>>
- +BurgerIngredient(BurgerTopping: topp, string: name, bool: included, bool: def)

Drink

- +Name : string <<get>>
- +Description : string <<get>>
- +vanilla : bool <<get, set>>
- +Cream : bool <<get, set>>
- +Sugar : bool <<get, set>>
- +Price : decimal <<get>>
- -memberName
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- +Iced : bool <<get, set>>
- +Decaf : bool <<get, set>>
- +SizeOfCup : CoffeeSize <<get>>
- + PropertyChanged: PropertyChangedEventHandler? <<event>>
- +ToString : void

IceCream

- +Name : string <<get>>
- +Description : string <<get>>
- +Price : decimal <<get>>
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- +Scoops : uint <<get, set>>
- +SauceChoice : IceCreamSauce <<get>>
- +SauceOptions : List<IceCreamSauce> <<get>>
- + PropertyChanged: PropertyChangedEventHandler? <<event>>
- +ToString : void

Burger

- +AllToppings : Dictionary<BurgerTopping, BurgerIngredient> <<get>>
- +Name : string <<get>>
- +Description : string <<get>>
- +Price : decimal <<get>>
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- +CheeseOptions : List<Cheese>
- +CheeseChoice : Cheese <<get>>
- +Patties : uint <<get>>
- +Veggie : bool <<get, set>>
- + PartOfPickTwo : bool <<get>>
- + PropertyChanged: PropertyChangedEventHandler? <<event>>
- +ToString : void

Coffee

- +Name : string <<get>>
- +Description : string <<get>>
- +Sugar : bool <<get, set>>
- +Cream : bool <<get, set>>
- +Vanilla : bool <<get, set>>
- +Coffee

Latte

- +Name : string <<get>>
- +Description : string <<get>>
- +Vanilla : bool <<get, set>>
- +Cream : bool <<get, set>>
- +Sugar : bool <<get, set>>
- +Latte

Mocha

- +Name : string <<get>>
- +Description : string <<get>>
- +Vanilla : bool <<get, set>>
- +Cream : bool <<get, set>>
- +Sugar : bool <<get, set>>
- +Mocha

<<enumeration>> CoffeeSize

- +Tall
- +Grande
- +Venti

<<enumeration>> Cone

- +Cake
- +Waffle
- +ChocolateWaffle
- +None
- -memberName

<<enumeration>> EnumName

- +Oreos
- +Mandies
- +CookieDough
- +Roses

<<enumeration>> IceCreamSauce

- +HotFudge
- +SnickersSauce
- +StrawberrySauce
- +CrushedPineapple
- +Caramel

WinterSwirl

- +Name : string <<get>>
- +Description : string <<get>>
- +MomChoice : IceCreamMom <<get, set>>
- +Price : decimal <<get>>
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- +WinterSwirl

ClassicSundae

- +Name : string <<get>>
- +Description : string <<get>>
- +Peanuts : bool <<get, set>>
- +whippedCream : bool <<get, set>>
- +Cherry : bool <<get, set>>
- +Price : decimal <<get>>
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- +ClassicSundae

BrownieSundae

- +Name : string <<get>>
- +Description : string <<get>>
- +Price : decimal <<get>>
- +Cherry : bool <<get, set>>
- +Peanuts : bool <<get, set>>
- +Price : decimal <<get>>
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- +BrownieSundae

StrawberryShortcake

- +Name : string <<get>>
- +Description : string <<get>>
- +Price : decimal <<get>>
- +Cherry : bool <<get, set>>
- +Peanuts : bool <<get, set>>
- +Price : decimal <<get>>
- +Calories : uint <<get>>
- +PreparationInformation : IEnumerable<string> <<get>>
- +StrawberryShortcake

BBQBaconCheeseburger

- +Name : string <<get>>
- +Description : string <<get>>
- +Veggie : bool <<get, set>>
- +BBQBaconCheeseburger

BYOBurger

- +Name : string <<get>>
- +Description : string <<get>>
- +Veggie : bool <<get, set>>
- +BYOBurger

ClassicCheeseBurger

- +Name : string <<get>>
- +Description : string <<get>>
- +Veggie : bool <<get, set>>
- +ClassicCheeseBurger

MushroomSwissBurger

- +Name : string <<get>>
- +Description : string <<get>>
- +Veggie : bool <<get, set>>
- +MushroomSwissBurger

VeggieBurger

- +Name : string <<get>>
- +Description : string <<get>>
- +Veggie : bool <<get, set>>
- +VeggieBurger

<<Enumeration>> Cheese

- +Pepperjack
- +American
- +Cheddar
- +Swiss
- +None

<<Enumeration>> BurgerTopping

- +Ketchup
- +Mustard
- +Onions
- +Pickles
- +Bacon
- +Lettuce
- +Tomato
- +GrilledOnions
- +GrilledMushrooms
- +BBQSauce
- +CrispyFriedOnions
- +DijonMaue