

```
MariaDB [(none)]> use employee;
Database changed
MariaDB [employee]> select e.id, e.name, d.department_name from employees e join departments d on e.department_id = d.id;
```

id	name	department_name
1	Alice	Engineering
2	Bob	Engineering
3	Charlie	HR
4	David	Finance
5	Emma	Finance
6	Frank	HR
7	Grace	Marketing
8	Hank	Sales
9	Ivy	Sales
10	Jack	Engineering
11	Karen	IT
12	Laura	IT
13	Mike	Customer Support
14	Nina	Customer Support
15	Olivia	Marketing
16	Paul	HR
17	Quincy	Engineering
18	Rachel	Finance
19	Steve	Sales
20	Tracy	IT
21	Uma	Customer Support
22	Victor	Marketing
23	Wendy	HR
24	Xander	Engineering
25	Yvonne	Finance
26	Zach	Sales

26 rows in set (0.000 sec)

```
MariaDB [employee]> select e.id, e.name, d.department_name from employees e left join departments d on e.department_id = d.id;
```

id	name	department_name
1	Alice	Engineering
2	Bob	Engineering
3	Charlie	HR
4	David	Finance
5	Emma	Finance
6	Frank	HR
7	Grace	Marketing
8	Hank	Sales
9	Ivy	Sales
10	Jack	Engineering
11	Karen	IT
12	Laura	IT
13	Mike	Customer Support
14	Nina	Customer Support
15	Olivia	Marketing
16	Paul	HR
17	Quincy	Engineering
18	Rachel	Finance
19	Steve	Sales
20	Tracy	IT
21	Uma	Customer Support
22	Victor	Marketing
23	Wendy	HR
24	Xander	Engineering
25	Yvonne	Finance
26	Zach	Sales

26 rows in set (0.001 sec)

```
MariaDB [employee]> select d.id, d.department_name, e.name from employees e right join departments d on e.department_id = d.id;
```

id	department_name	name
1	HR	Charlie
1	HR	Frank
1	HR	Paul
1	HR	Wendy
2	Engineering	Alice
2	Engineering	Bob
2	Engineering	Jack
2	Engineering	Quincy
2	Engineering	Xander
3	Marketing	Grace
3	Marketing	Olivia
3	Marketing	Victor
4	Finance	David
4	Finance	Emma
4	Finance	Rachel
4	Finance	Yvonne
5	Sales	Hank
5	Sales	Ivy
5	Sales	Steve
5	Sales	Zach
6	IT	Karen
6	IT	Laura
6	IT	Tracy
7	Customer Support	Mike
7	Customer Support	Nina
7	Customer Support	Uma

26 rows in set (0.001 sec)

```
MariaDB [employee]> select e.id as emp_id, e.name as employee, m.id as mgr_id, m.name as manager from employees e join employees m on e.manager_id = m.id;
```

emp_id	employee	mgr_id	manager
1	Alice	10	Jack
2	Bob	10	Jack
4	David	5	Emma
6	Frank	3	Charlie
9	Ivy	8	Hank
11	Karen	12	Laura
13	Mike	14	Nina
15	Olivia	7	Grace
16	Paul	3	Charlie
17	Quincy	10	Jack
18	Rachel	5	Emma
19	Steve	8	Hank
20	Tracy	12	Laura
21	Uma	14	Nina
22	Victor	7	Grace
23	Wendy	3	Charlie
24	Xander	10	Jack
25	Yvonne	5	Emma
26	Zach	8	Hank

19 rows in set (0.001 sec)

```
MariaDB [employee]> select e.id, e.name, d.department_name from employees e join departments d on e.department_id = d.id;
```

id	name	department_name
1	Alice	Engineering
2	Bob	Engineering
3	Charlie	HR
4	David	Finance
5	Emma	Finance
6	Frank	HR
7	Grace	Marketing
8	Hank	Sales
9	Ivy	Sales
10	Jack	Engineering
11	Karen	IT
12	Laura	IT
13	Mike	Customer Support
14	Nina	Customer Support
15	Olivia	Marketing
16	Paul	HR
17	Quincy	Engineering
18	Rachel	Finance
19	Steve	Sales
20	Tracy	IT
21	Uma	Customer Support
22	Victor	Marketing
23	Wendy	HR
24	Xander	Engineering
25	Yvonne	Finance
26	Zach	Sales

26 rows in set (0.001 sec)

```
MariaDB [employee]> select id, name, salary from employees order by salary desc limit 1;
```

```
+-----+-----+
| id | name | salary |
+-----+-----+
| 5 | Emma | 90000.00 |
+-----+-----+
1 row in set (0.002 sec)
```

```
MariaDB [employee]> select e.id, e.name, d.department_name, e.salary from employees e join departments d on e.department_id = d.id order by e.salary desc limit 1;
```

```
+-----+-----+-----+-----+
| id | name | department_name | salary |
+-----+-----+-----+-----+
| 5 | Emma | Finance | 90000.00 |
+-----+-----+-----+-----+
1 row in set (0.001 sec)
```

```
MariaDB [employee]> select employees.id, employees.name, departments.department_name from employees inner join departments on employees.department_id = departments.id;
```

```
+-----+-----+-----+
| id | name | department_name |
+-----+-----+-----+
| 1 | Alice | Engineering |
| 2 | Bob | Engineering |
| 3 | Charlie | HR |
| 4 | David | Finance |
| 5 | Emma | Finance |
| 6 | Frank | HR |
| 7 | Grace | Marketing |
| 8 | Hank | Sales |
| 9 | Ivy | Sales |
| 10 | Jack | Engineering |
| 11 | Karen | IT |
| 12 | Laura | IT |
| 13 | Mike | Customer Support |
| 14 | Nina | Customer Support |
| 15 | Olivia | Marketing |
| 16 | Paul | HR |
| 17 | Quincy | Engineering |
| 18 | Rachel | Finance |
| 19 | Steve | Sales |
| 20 | Tracy | IT |
| 21 | Uma | Customer Support |
| 22 | Victor | Marketing |
| 23 | Wendy | HR |
| 24 | Xander | Engineering |
| 25 | Yvonne | Finance |
| 26 | Zach | Sales |
+-----+-----+-----+
26 rows in set (0.001 sec)
```

```
MariaDB [employee]> select name, salary from employees where salary in (select max(salary) from employees);
```

```
+-----+-----+
| name | salary |
+-----+-----+
| Emma | 90000.00 |
+-----+-----+
1 row in set (0.011 sec)
```

```
MariaDB [employee]> select id, name, salary from employees where salary in (select salary from employees where salary > 70000);
```

```
+-----+-----+-----+
| id | name | salary |
+-----+-----+-----+
| 4 | David | 75000.00 |
| 5 | Emma | 90000.00 |
| 8 | Hank | 80000.00 |
| 10 | Jack | 72000.00 |
| 12 | Laura | 85000.00 |
| 14 | Nina | 78000.00 |
| 23 | Wendy | 72000.00 |
| 24 | Xander | 74000.00 |
| 25 | Yvonne | 76000.00 |
| 26 | Zach | 78000.00 |
+-----+-----+-----+
10 rows in set (0.003 sec)
```