

```

MariaDB [(none)]> DROP DATABASE IF EXISTS employee;
Query OK, 2 rows affected (0.099 sec)

MariaDB [(none)]> CREATE DATABASE employee;
Query OK, 1 row affected (0.002 sec)

MariaDB [(none)]> USE EMPLOYEE;
Database changed
MariaDB [EMPLOYEE]> USE employee;
Database changed
MariaDB [employee]> SOURCE C:/Users/bloop/Downloads/employee_dump_20260223.sql;
Sandbox mode.
Query OK, 0 rows affected (0.001 sec)

Query OK, 0 rows affected (0.000 sec)

```

```

MariaDB [employee]> SELECT e.name AS Employee, m.name AS manager FROM employees e INNER JOIN employees m ON e.manager_id
= m.id;
+-----+-----+
| Employee | manager |
+-----+-----+
| Charlotte | Emma    |
| Ella      | William |
| Scarlett  | Olivia  |
| Ava       | Ethan   |
| Scarlett  | Sophia  |
| Charlotte | Robert  |
| Evelyn    | Ava     |
| Mia       | Noah    |
| Ava       | Ethan   |
| Ella      | James   |
| Logan     | Emma    |
| Evelyn    | Emma    |
| Scarlett  | Ethan   |
| Zoe       | Noah    |
| Mia       | Isabella|
| Grace     | Ethan   |
| Olivia    | James   |
| Scarlett  | William |
| Mia       | Ava     |
| Emma      | Olivia  |
| Ethan     | Ethan   |
| Logan     | Maria   |

```

```

MariaDB [employee]> SELECT d.department_name, e.name AS Manager_Name FROM departments d JOIN employees e ON d.manager_id
= e.id;
+-----+-----+
| department_name | Manager_Name |
+-----+-----+
| Assembly        | James       |
| Quality Control | Maria       |
| Machining       | Robert      |
| Logistics       | Emma        |
| Maintenance     | Liam        |
| R&D             | Olivia      |
| Procurement     | Noah        |
| Health & Safety  | Ava         |
| Packaging        | William     |
| Inventory       | Sophia      |
| Welding         | Ethan       |
| Plant Management | Isabella    |
+-----+-----+
12 rows in set (0.003 sec)

```

```
MariaDB [employee]> SELECT e.name, d.department_name FROM employees e JOIN departments d ON e.department_id = d.id;
```

name	department_name
James	Assembly
Scarlett	Assembly
Olivia	Assembly
Emma	Assembly
Ethan	Assembly
Mateo	Assembly
Scarlett	Assembly
Aiden	Assembly
Aiden	Assembly
Aiden	Assembly
Emma	Assembly
Ethan	Assembly
Logan	Assembly
Oliver	Assembly
Lucas	Assembly
David	Assembly
Maria	Quality Control
Scarlett	Quality Control
Charlotte	Quality Control
Evelyn	Quality Control
Mason	Quality Control
Ava	Quality Control
Sophia	Quality Control
Noah	Quality Control

```
MariaDB [employee]> SELECT name FROM employees WHERE manager_id IS NULL;
```

name
James
Maria
Robert
Emma
Liam
Olivia
Noah
Ava
William
Sophia
Ethan
Isabella
Omar
Sherif

```
14 rows in set (0.002 sec)
```

```
MariaDB [employee]> SELECT name FROM employees WHERE department_id IS NULL;
```

name
Mia
Ava
Oliver
Omar
Aiden
Olivia
Logan
Mateo
Sherif
Sebastian
Ava
Charlotte

12 rows in set (0.000 sec)

```
MariaDB [employee]> SELECT department_id, COUNT(*) AS employee_count FROM employees e LEFT JOIN departments d ON e.department_id = d.id GROUP BY d.department_name;
```

department_id	employee_count
NULL	12
1	16
8	24
10	16
4	13
3	13
5	10
9	11
12	16
7	13
2	12
6	15
11	17

13 rows in set (0.005 sec)

```
MariaDB [employee]> SELECT e.name, e.salary, d.department_name FROM employees e JOIN departments d ON e.department_id = d.id WHERE e.manager_id IS NULL;
```

name	salary	department_name
James	95000	Assembly
Maria	92000	Quality Control
Robert	88000	Machining
Emma	91000	Logistics
Liam	85000	Maintenance
Olivia	110000	R&D
Noah	78000	Procurement
Ava	82000	Health & Safety
William	75000	Packaging
Sophia	84000	Inventory
Ethan	89000	Welding
Isabella	125000	Plant Management

12 rows in set (0.001 sec)

```
MariaDB [employee]> SELECT e.name AS Employee, e.salary AS Employee_Salary, m.name AS Manager, m.salary AS Manager_Salary FROM employees e JOIN employees m ON e.manager_id = m.id WHERE e.salary > m.salary;
```

Employee	Employee_Salary	Manager	Manager_Salary
Ella	97000	James	95000
Scarlett	77000	William	75000

2 rows in set (0.001 sec)