DAY-3 Hands On

LEVEL – 1 (Problem 1): Interactive Feedback Button

Scenario:

A startup company wants a simple interactive webpage where users can click a button to submit feedback and instantly see a confirmation message without refreshing the page.

📌 Requirements

- Create a webpage with a “Submit Feedback” button.
- When clicked, display a confirmation message dynamically.
- Use JavaScript event listeners to handle the click event.

🛠️ Technical Constraints

- Use plain HTML, CSS, and JavaScript.
- Event handling must use addEventListener().
- No external frameworks allowed.

Expectations:

- Proper DOM manipulation.
- Clean and readable code.

🎯 Learning Outcome

- Understand browser event handling.
- Learn DOM manipulation basics.

LEVEL – 1 (Problem 2): Theme Toggle Application

Scenario:

A small blog website wants to allow users to switch between Light Mode and Dark Mode interactively.

📌 Requirements

- Create a toggle button to switch themes.
- Change background and text color dynamically.
- Store theme preference in localStorage.

🛠️ Technical Constraints

- Use Vanilla JavaScript.
- Use addEventListener() for events.
- No CSS frameworks.

Expectations:

- Smooth theme switching.
- Proper usage of localStorage.
- Clean and modular JavaScript functions.

🎯 Learning Outcome

- Handling user interaction events.
- Managing browser storage.

LEVEL – 2 (Problem 3): Dynamic To-Do List

Scenario:

A productivity application requires an interactive To-Do list where users can add, delete, and mark tasks as complete without refreshing the page.

📌 Requirements

- Add new tasks dynamically.
- Delete tasks on button click.
- Mark tasks as completed.
- Use event delegation for better performance.

🛠️ Technical Constraints

- Must use DOM manipulation.
- Event delegation required.
- Code should follow modular structure.

Expectations:

- Fully functional interactive UI.
- Organized and reusable functions.

🎯 Learning Outcome

- Advanced DOM event handling.
- Event delegation concept.
- Understanding role of libraries in speeding up development.

LEVEL – 2 (Problem 4): Mini Product Search App

Scenario:

An e-commerce company needs a mini product search application that filters products dynamically as users type in the search box.

📌 Requirements

- Display product list from a predefined array.
- Filter products dynamically using input event.
- Display “No Results Found” when applicable.

🛠️ Technical Constraints

- Must use DOM manipulation.
- Event delegation required.
- Code should follow modular structure.

Expectations:

- Real-time filtering.
- Proper state management.

🎯 Learning Outcome

- State management basics.