

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1

SCHMAS

Filter c

db1
db2
db3
db4
sys

234 Account_No,
235 Transaction_Type,
236 Amount
237)
238 VALUES
239 (
240 NEW.Transaction_ID,
241 NEW.Account_No,
242 NEW.Transaction_Type,
243 NEW.Amount
244);
245
246 END //
247
248 DELIMITER ;
249 • INSERT INTO Bank_Transaction
250 (Account_No, Transaction_Type, Amount)
251 VALUES
252 (10001, 'DEPOSIT', 2500);
253

Output

Action Output

#	Time	Action	Message
28	13:54:29	SELECT * FROM Transaction_Audit LIMIT 0, 1000	Error Code: 1146. Table 'bankdb.transaction_audit' doesn't exist
29	13:54:30	SELECT * FROM Transaction_Audit LIMIT 0, 1000	Error Code: 1146. Table 'bankdb.transaction_audit' doesn't exist
30	13:57:49	DESCRIBE Bank_Transaction	5 row(s) returned
31	13:58:10	CREATE TABLE Transaction_Audit (Audit_ID INT PRIMARY KEY)	0 row(s) affected
32	13:58:34	CREATE TRIGGER TransactionAudit AFTER INSERT ON Bank_Transaction	Error Code: 1359. Trigger already exists
33	13:58:49	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001, 'DEPOSIT', 2500);	1 row(s) affected

Query 1

234 Account_No,
235 Transaction_Type,
236 Amount
237)
238 VALUES
239 (
240 NEW.Transaction_ID,
241 NEW.Account_No,
242 NEW.Transaction_Type,
243 NEW.Amount
244);
245
246 END //
247
248 DELIMITER ;
249 • INSERT INTO Bank_Transaction
250 (Account_No, Transaction_Type, Amount)
251 VALUES
252 (10001, 'DEPOSIT', 2500);
253 • SELECT * FROM Transaction_Audit;

Output

Action Output

#	Time	Action	Message
29	13:54:30	SELECT * FROM Transaction_Audit LIMIT 0, 1000	Error Code: 1146. Table 'bankdb.transaction_audit' doesn't exist
30	13:57:49	DESCRIBE Bank_Transaction	5 row(s) returned
31	13:58:10	CREATE TABLE Transaction_Audit (Audit_ID INT PRIMARY KEY)	0 row(s) affected
32	13:58:34	CREATE TRIGGER TransactionAudit AFTER INSERT ON Bank_Transaction	Error Code: 1359. Trigger already exists
33	13:58:49	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001, 'DEPOSIT', 2500);	1 row(s) affected
34	13:59:11	INSERT INTO Bank_Transaction (Account_No, Transaction_Type, Amount) VALUES (10001, 'DEPOSIT', 2500);	1 row(s) affected

Query 1

```

273     END IF;
274
275     END //
276
277     DELIMITER ;
278     INSERT INTO Bank_Transaction
279     (Account_No, Transaction_Type, Amount)
280     VALUES
281     (10001, 'DEPOSIT', 5000);
282     SELECT *
283     FROM Account
284     WHERE Account_No = 10001;

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10001	101	Savings	57000.00	Hyderabad

Account 5

Output

Action Output

#	Time	Action	Message
32	13:58:34	CREATE TRIGGER TransactionAudit AFTER INSERT ON Ban...	Error Code: 1359. Trigger already exists
33	13:58:49	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	1 row(s) affected
34	13:59:11	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	1 row(s) affected
35	14:01:00	CREATE TRIGGER UpdateBalanceAfterTransaction AFTER IN...	0 row(s) affected
36	14:01:09	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	1 row(s) affected
37	14:01:18	SELECT * FROM Account WHERE Account_No = 10001 LIM...	1 row(s) returned

Query 1

```

296     FROM Account
297     WHERE Account_No = NEW.Account_No;
298
299     IF NEW.Transaction_Type = 'WITHDRAW'
300     AND NEW.Amount > CurrentBalance THEN
301
302         SIGNAL SQLSTATE '45000'
303         SET MESSAGE_TEXT =
304         'Withdrawal failed: Insufficient balance';
305
306     END IF;
307
308     END //
309
310     DELIMITER ;
311     INSERT INTO Bank_Transaction
312     (Account_No, Transaction_Type, Amount)
313     VALUES
314     (10001, 'WITHDRAW', 1000000);
315

```

SQL Additor

Auton
disable
manu
curren
togg

Context Help

Output

Action Output

#	Time	Action	Message
34	13:59:11	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	1 row(s) affected
35	14:01:00	CREATE TRIGGER UpdateBalanceAfterTransaction AFTER IN...	0 row(s) affected
36	14:01:09	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	1 row(s) affected
37	14:01:18	SELECT * FROM Account WHERE Account_No = 10001 LIM...	1 row(s) returned
38	14:01:39	CREATE TRIGGER PreventInsufficientWithdrawal BEFORE IN...	0 row(s) affected
39	14:01:47	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	Error Code: 1644. Withdrawal failed: Insufficient balance

Query 1 x

Limit to 1000 rows

```

383 BEGIN
384
385     SELECT *
386     FROM Account
387     WHERE Balance >= MinimumBalance
388     ORDER BY Balance DESC;
389
390 END //
391
392 DELIMITER ;
393 • CALL HighBalanceAccounts(50000);
394
395

```

Result Grid

Account_No	Customer_ID	Account_Type	Balance	Branch
10003	103	Current	120000.00	Bangalore
10005	105	Current	90000.00	Hyderabad
10002	102	Savings	80000.00	Vijayawada
10001	101	Savings	52000.00	Hyderabad

Result 8 x Read Only

Output

Action Output

#	Time	Action	Message
41	14:02:51	CALL TransferMoney(10001, 10002, 5000)	1 row(s) affected
42	14:03:06	SELECT * FROM Account WHERE Account_No IN (10001,100...	2 row(s) returned
43	14:03:36	CREATE PROCEDURE GetCustomerLoans(IN p_Customer_L...	0 row(s) affected
44	14:03:49	CALL GetCustomerLoans(101)	1 row(s) returned
45	14:04:10	CREATE PROCEDURE HighBalanceAccounts(IN MinimumB...	0 row(s) affected
46	14:04:16	CALL HighBalanceAccounts(50000)	4 row(s) returned

Query 1 x

Limit to 1000 rows

```

400 BEGIN
401
402     SELECT Balance
403     INTO p_Balance
404     FROM Account
405     WHERE Account_No = p_Account_No;
406
407 END //
408
409 DELIMITER ;
410 • CALL GetBalance(10001, @CurrentBalance);
411 • SELECT @CurrentBalance;

```

Result Grid

@CurrentBalance
52000.00

Result 9 x Read Only

Output

Action Output

#	Time	Action	Message
44	14:03:49	CALL GetCustomerLoans(101)	1 row(s) returned
45	14:04:10	CREATE PROCEDURE HighBalanceAccounts(IN MinimumB...	0 row(s) affected
46	14:04:16	CALL HighBalanceAccounts(50000)	4 row(s) returned
47	14:04:39	CREATE PROCEDURE GetBalance(IN p_Account_No INT, ...	0 row(s) affected
48	14:05:03	CALL GetBalance(10001, @CurrentBalance)	1 row(s) affected
49	14:05:09	SELECT @CurrentBalance LIMIT 0, 1000	1 row(s) returned

Navigator: Query 1 x

Limit to 1000 rows

```
206 );
207 END //
208
209 DELIMITER ;
210 INSERT INTO Bank_Transaction
211 (Account_No, Transaction_Type, Amount)
212 VALUES
213 (10001, 'DEPOSIT', 2500);
214 SELECT * FROM Transaction_Audit;
215 DESCRIBE Bank_Transaction;
216 CREATE TABLE Transaction_Audit (
217     Audit_ID INT PRIMARY KEY AUTO_INCREMENT,
218     Transaction_ID INT,
219     Account_No INT,
220     Transaction_Type VARCHAR(20),
221     Amount DECIMAL(12,2),
222     Audit_Date DATETIME DEFAULT CURRENT_TIMESTAMP
223 );
224
225
```

No object selected

Output

Action Output

#	Time	Action	Message
26	13:54:01	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	Error Code: 1146. Table 'bankdb.Transaction
27	13:54:20	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	Error Code: 1146. Table 'bankdb.Transaction
28	13:54:29	SELECT * FROM Transaction_Audit LIMIT 0, 1000	Error Code: 1146. Table 'bankdb.transaction,
29	13:54:30	SELECT * FROM Transaction_Audit LIMIT 0, 1000	Error Code: 1146. Table 'bankdb.transaction,
30	13:57:49	DESCRIBE Bank_Transaction	5 row(s) returned
31	13:58:10	CREATE TABLE Transaction_Audit (Audit_ID INT PRIMARY...	0 row(s) affected


```

21     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
22     Account_No INT,
23     Transaction_Type VARCHAR(20),
24     Amount DECIMAL(12,2),
25     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
26
27     FOREIGN KEY (Account_No)
28     REFERENCES Account(Account_No)
29 );
30 • CREATE TABLE Loan (
31     Loan_ID INT PRIMARY KEY,
32     Customer_ID INT,
33     Loan_Type VARCHAR(30),
34     Loan_Amount DECIMAL(12,2),
35     Interest_Rate DECIMAL(5,2),
36
37     FOREIGN KEY (Customer_ID)
38     REFERENCES Customer(Customer_ID)
39 );
40

```

Output

Action Output

#	Time	Action	Message
✓ 1	12:38:54	CREATE DATABASE BankDB	1 row(s) affected
✓ 2	12:38:58	USE BankDB	0 row(s) affected
✓ 3	12:39:08	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, ...	0 row(s) affected
✓ 4	12:40:00	CREATE TABLE Account (Account_No INT PRIMARY KEY, ...	0 row(s) affected
✓ 5	12:40:28	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIM...	0 row(s) affected
✓ 6	12:40:47	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Custo...	0 row(s) affected

Limit to 1000 rows

```

32      Customer_ID INT,
33      Loan_Type VARCHAR(30),
34      Loan_Amount DECIMAL(12,2),
35      Interest_Rate DECIMAL(5,2),
36
37      FOREIGN KEY (Customer_ID)
38      REFERENCES Customer(Customer_ID)
39  );
40  • INSERT INTO Customer
41      (Customer_ID, Customer_Name, Phone, Email, City)
42      VALUES
43      (101, 'Ravi Kumar', '9876543210', 'ravi@gmail.com', 'Hyderabad'),
44
45      (102, 'Priya Sharma', '9876543211', 'priya@gmail.com', 'Vijayawada'),
46
47      (103, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore'),
48
49      (104, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai'),
50
51      (105, 'Kiran Kumar', '9876543214', 'kiran@gmail.com', 'Hyderabad');

```

Autodisabled

man

current

to

Context H

Output

Action Output

#	Time	Action	Message
✓ 2	12:38:58	USE BankDB	0 row(s) affected
✓ 3	12:39:08	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY,...	0 row(s) affected
✓ 4	12:40:00	CREATE TABLE Account (Account_No INT PRIMARY KEY, ...	0 row(s) affected
✓ 5	12:40:28	CREATE TABLE Bank_Transaction (Transaction_ID INT PRI...	0 row(s) affected
✓ 6	12:40:47	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Cust...	0 row(s) affected
✓ 7	12:41:08	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0

Query 1 x

Limit to 1000 rows

```
67 (1000, 'DEPOSIT', 10000),
68
69 (10002, 'DEPOSIT', 15000),
70
71 (10003, 'WITHDRAW', 20000),
72
73 (10004, 'DEPOSIT', 5000),
74
75 (10005, 'WITHDRAW', 10000);
76 • INSERT INTO Loan
77 (Loan_ID, Customer_ID, Loan_Type, Loan_Amount, Interest_Rate)
78 VALUES
79 (501, 101, 'Home Loan', 5000000, 7.5),
80
81 (502, 102, 'Education Loan', 1000000, 6.5),
82
83 (503, 103, 'Car Loan', 800000, 8.2),
84
85 (504, 104, 'Personal Loan', 500000, 10.5);
86
```

Output

Action Output

#	Time	Action	Message
✓ 5	12:40:28	CREATE TABLE Bank_Transaction (Transaction_ID INT PRI...	0 row(s) affected
✓ 6	12:40:47	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Cust...	0 row(s) affected
✓ 7	12:41:08	INSERT INTO Customer (Customer_ID, Customer_Name, Phone, ...	5 row(s) affected Records: 5 Duplicates: 0 V
✓ 8	12:41:29	INSERT INTO Account (Account_No, Customer_ID, Account_Ty...	5 row(s) affected Records: 5 Duplicates: 0 V
✓ 9	12:41:44	INSERT INTO Bank_Transaction (Account_No, Transaction_Ty...	5 row(s) affected Records: 5 Duplicates: 0 V
✓ 10	12:42:09	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan_...	4 row(s) affected Records: 4 Duplicates: 0 V

Query 1 x

Limit to 1000 rows

```
86 • SELECT * FROM Customer;
87
88 • SELECT * FROM Account;
89
90 • SELECT * FROM Bank_Transactions;
91
92 • SELECT * FROM Loan;
```

Result Grid

Loan_ID	Customer_ID	Loan_Type	Loan_Amount	Interest_Rate
501	101	Home Loan	5000000.00	7.50
502	102	Education Loan	1000000.00	6.50
503	103	Car Loan	800000.00	8.20
504	104	Personal Loan	500000.00	10.50

Loan 1 x

Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 6	12:40:47	CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Cust...	0 row(s) affected
✓ 7	12:41:08	INSERT INTO Customer (Customer_ID, Customer_Name, Phone...	5 row(s) affected Records: 5 Duplicates: 0 Warn
✓ 8	12:41:29	INSERT INTO Account (Account_No, Customer_ID, Account_T...	5 row(s) affected Records: 5 Duplicates: 0 Warn
✓ 9	12:41:44	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	5 row(s) affected Records: 5 Duplicates: 0 Warn
✓ 10	12:42:09	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan...	4 row(s) affected Records: 4 Duplicates: 0 Warn
✓ 11	12:42:25	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 x

SCHEMAS

Filter c

bool
db1
db2
db3
db4
sys

Address Information

No object selected

```

81 (502, 102, 'Education Loan', 1000000, 6.5),
82
83 (503, 103, 'Car Loan', 800000, 8.2),
84
85 (504, 104, 'Personal Loan', 500000, 10.5);
86 • SELECT * FROM Customer;
87
88 • SELECT * FROM Account;
89
90 • SELECT * FROM Bank_Transaction;
91
92 • SELECT * FROM Loan;
93 DELIMITER //
94
95 • CREATE PROCEDURE GetAllCustomers()
96 BEGIN
97     SELECT * FROM Customer;
98 END //
99
100 DELIMITER ;

```

Output

Action Output

#	Time	Action	Message
7	12:41:08	INSERT INTO Customer (Customer_ID, Customer_Name, Phone...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
8	12:41:29	INSERT INTO Account (Account_No, Customer_ID, Account_T...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
9	12:41:44	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
10	12:42:09	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
11	12:42:25	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned
12	13:27:35	CREATE PROCEDURE GetAllCustomers() BEGIN SELECT * ...	0 row(s) affected

Query 1 x

Limit to 1000 rows

```

90 • SELECT * FROM Bank_Transaction;
91
92 • SELECT * FROM Loan;
93 DELIMITER //
94
95 • CREATE PROCEDURE GetAllCustomers()
96 BEGIN
97     SELECT * FROM Customer;
98 END //
99
100 DELIMITER ;
101 • CALL GetAllCustomers();
102

```

SQLAddit

Auto disable manual toggle

Result Grid

Customer_ID	Customer_Name	Phone	Email	City
101	Ravi Kumar	9876543210	ravi@gmail.com	Hyderabad
102	Priya Sharma	9876543211	priya@gmail.com	Vijayawada
103	Arjun Reddy	9876543212	arjun@gmail.com	Bangalore
104	Sneha Rao	9876543213	sneha@gmail.com	Chennai
105	Kiran Kumar	9876543214	kiran@gmail.com	Hyderabad

Result 2 x

Read Only

Context H

Output

Action Output

#	Time	Action	Message
8	12:41:29	INSERT INTO Account (Account_No, Customer_ID, Account_T...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
9	12:41:44	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
10	12:42:09	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
11	12:42:25	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned
12	13:27:35	CREATE PROCEDURE GetAllCustomers() BEGIN SELECT * ...	0 row(s) affected
13	13:31:29	CALL GetAllCustomers()	5 row(s) returned

Query 1

```

97 SELECT * FROM Customer;
98 END
99
100 DELIMITER ;
101 CALL GetAllCustomers();
102 DELIMITER //
103
104 CREATE PROCEDURE GetAccountDetails(
105     IN p_Account_No INT
106 )
107 BEGIN
108
109     SELECT *
110     FROM Account
111     WHERE Account_No = p_Account_No;
112
113 END //
114
115 DELIMITER ;
116

```

Output

#	Time	Action	Message
9	12:41:44	INSERT INTO Bank_Transaction (Account_No, Transaction_T...	5 row(s) affected Records: 5 Duplicates: 0
10	12:42:09	INSERT INTO Loan (Loan_ID, Customer_ID, Loan_Type, Loan...	4 row(s) affected Records: 4 Duplicates: 0
11	12:42:25	SELECT * FROM Loan LIMIT 0, 1000	4 row(s) returned
12	13:27:35	CREATE PROCEDURE GetAllCustomers() BEGIN SELECT * ...	0 row(s) affected
13	13:31:29	CALL GetAllCustomers()	5 row(s) returned
14	13:31:52	CREATE PROCEDURE GetAccountDetails(IN p_Account_N...	0 row(s) affected

```

11 Account_No INT PRIMARY KEY,
12 Customer_ID INT,
13 Account_Type VARCHAR(20),
14 Balance DECIMAL(12,2) DEFAULT 0,
15 Branch VARCHAR(50),
16
17 FOREIGN KEY (Customer_ID)
18 REFERENCES Customer(Customer_ID)
19 );
20 CREATE TABLE Bank_Transaction (
21     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
22     Account_No INT,
23     Transaction_Type VARCHAR(20),
24     Amount DECIMAL(12,2),
25     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
26
27     FOREIGN KEY (Account_No)
28     REFERENCES Account(Account_No)
29 );
30

```

Output

#	Time	Action	Message
1	12:38:54	CREATE DATABASE BankDB	1 row(s) affected
2	12:38:58	USE BankDB	0 row(s) affected
3	12:39:08	CREATE TABLE Customer (Customer_ID INT PRIMARY KEY, ...	0 row(s) affected
4	12:40:00	CREATE TABLE Account (Account_No INT PRIMARY KEY, ...	0 row(s) affected
5	12:40:28	CREATE TABLE Bank_Transaction (Transaction_ID INT PRIM...	0 row(s) affected