eureka-digits-luna: reproducible research report

Libor “Burny” Burian

Abstract

This report records a bounded research cycle executed through Codex. The registered primary comparison is pending; no confirmatory conclusion is available.

Research is in progress; no final run-status snapshot is available.

Context, motivation, and introduction

Does AdamW weight decay improve held-out accuracy of a small MLP on the bundled digits data?

The objective is reproducible evidence and an inspectable research process. This study does not establish broad scientific reliability or superiority of an agent model.

Background and method

- **question**: “Does AdamW weight decay improve held-out accuracy of a small MLP on the bundled digits data?”
- **architecture**: [64, 128, 10]
- **optimizer**: “AdamW”
- **learning_rate**: 0.001
- **batch_size**: 64
- **epochs**: 50
- **methods**: [“regularized”, “unregularized”, “sensitivity”, “shuffled_labels”, “logistic”, “class_prior”]
- **seeds**: [0, 1, 2]
- **data_boundaries**: “Frozen stratified 60/20/20 train/validation/test partition. Split seed 42. Divide pixels by the documented constant 16. Pilot reports validation only. No learned preprocessing or selection uses test data. Generalization is limited to this random example split, not new writers or datasets.”
- **analysis_plan**: “Use 10000 paired bootstrap resamples of test example indices with RNG seed 2026, preserving pairing across methods and all trained seeds. This interval conditions on the trained models and does not estimate training-population uncertainty. Separately show each seed effect and its sample standard deviation. Treat other comparisons as descriptive, with no post-hoc primary selection.”
- **hyperparameter_rationale**: “Small prespecified network and fixed training budget provide fast feedback on an established task. The three decay values are a descriptive local sensitivity check, not a test-selected sweep. Three seeds expose limited initialization sensitivity; they do not support broad population claims.”

Results

Method	Seed	Split	Accuracy	Seconds	Device
regularized	0	validation	0.966574	7.616	cuda



Figure 1: Research architecture

The registered primary comparison is pending; no confirmatory conclusion is available.




Figure 2: All recorded accuracies

Claims and evidence

Claims have not yet been distilled.

Discussion, implications, and learnings

This is a preliminary artifact generated before final interpretation. All available outcomes are retained; a completed experiment is not evidence that the favored hypothesis is true.

Limitations

- Conditional test-example intervals do not estimate variation over new training seeds, writers, or datasets.
- A small single-task study does not establish general model or harness superiority.

Exploratory outcomes do not become confirmatory by inclusion in this document. Missing metrics are not zero. Measurements without an applicable recorded objective are omitted; see the requirement checklist for explanations.

Related work and sources

- loshchilov-hutter-2019-adamw: Decoupled Weight Decay Regularization
- pytorch-adamw-docs: torch.optim.AdamW




Figure 3: Recorded learning curves

- sklearn-load-digits-docs: load_digits — scikit-learn documentation
- sklearn-train-test-split-docs: train_test_split — scikit-learn documentation
- nanda-research-process-2025: How I Think About My Research Process: Explore, Understand, Distill
- lones-2024-ml-pitfalls: How to avoid machine learning pitfalls: a guide for academic researchers
- lipton-steinhardt-2018: Troubling Trends in Machine Learning Scholarship
- neurips-paper-checklist-guidelines: NeurIPS Paper Checklist Guidelines

Conclusion

The registered primary comparison is pending; no confirmatory conclusion is available.

Appendix: reproducibility and provenance

The committed protocol, per-experiment JSON files, saved predictions, loss histories, and checkpoints are the source of all numerical tables and figures. Rebuild using `eureka render`. See `docs/reproduction.md` for execution commands and environment details.

AI statement

Codex wrote the harness and study fixture; Codex performed this cycle and authored its interpretation. The harness generated this paper from recorded artifacts. A human supplied the exact specification. Human cleanup and rewriting are in progress.