PHASE IV PROJECT

PROJECT TITLE: PUBLIC TRANSPORT OPTIMIZATION

NAME : Bush Kaladevi.S

COLLEGE CODE: 9530

Reg No : 953021106013

COLLEGE NAME: ST.MOTHER THERESA ENGINEERING COLLEGE

TEAM NAME: proj 201030 Team 1

SOURCE CODE:

import time

import serial

import gpsd

from gsmmodem import GsmModem

Define serial port for GPS communication

gps_serial = serial.Serial('/dev/ttyUSB0', 9600)

Initialize GSM modem

modem = GsmModem(port='/dev/ttyUSB1', baudrate=9600)

modem.connect('<your_pin>', 'your_gsm_device')

Function to send an SMS

def send_sms(message, recipient):

modem.sendSms(recipient, message)

Function to get GPS coordinates

def get_gps_coordinates():

try:

```
packet = gpsd.get_current()
    if packet.mode >= 2:
      return packet.lat, packet.lon
    else:
      return None, None
  except Exception as e:
    print(f"Error reading GPS data: {e}")
    return None, None
# Main loop
while True:
 try:
    command = input("Enter a command: ")
    if command == "Track Vehicle":
      lat, lon = get gps coordinates()
      if lat is not None and Ion is not None:
        message = f"Vehicle Tracking Alert:\nYour Vehicle Current Location is:\nLatitude:
{lat:.6f}\nLongitude: {lon:.6f}\nGoogle Maps Link:
https://www.google.com/maps/@{lat},{lon},14z"
        recipient = '850xxxxxxxx' # Replace with the actual phone number
        send_sms(message, recipient)
        print("SMS Sent")
      else:
        print("No GPS Fix")
    else:
      print("Invalid command")
  except KeyboardInterrupt:
    print("Exiting")
    break
```

```
# Disconnect GSM modem modem.close()
```

SOURCE CODE

```
mapboxgl.accessToken = 'YOUR_MAPBOX_ACCESS_TOKEN'; // Replace with your Mapbox
access token
const map = new mapboxgl.Map({
  container: 'map',
  style: 'mapbox://styles/mapbox/streets-v11', // You can use a different Mapbox style
  center: [-73.981915, 40.747766], // Initial map center (longitude, latitude)
  zoom: 12, // Initial zoom level
});
const busMarker = new mapboxgl.Marker()
  .setLngLat([-73.981915, 40.747766]) // Initial bus location (longitude, latitude)
  .addTo(map);
// Set up a function to update bus location (you would replace this with real-time data)
function updateBusLocation() {
  // Replace with code to fetch real-time bus location data
  // For this example, we're simulating a moving bus
  const newLocation = simulateBusMovement(busMarker.getLngLat());
  busMarker.setLngLat(newLocation);
  requestAnimationFrame(updateBusLocation);
}
// Function to simulate bus movement (replace this with real real-time data)
function simulateBusMovement(currentLocation) {
```

```
// In this example, we're simulating bus movement by incrementing longitude
  const newLongitude = currentLocation.lng + 0.0001;
  return [newLongitude, currentLocation.lat];
}
updateBusLocation(); // Start updating the bus location
SOURCE CODE
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>Real-Time Bus Tracking</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link href="https://api.mapbox.com/mapbox-gl-js/v2.6.1/mapbox-gl.css" rel="stylesheet">
  <script src="https://api.mapbox.com/mapbox-gl-js/v2.6.1/mapbox-gl.js"></script>
  <style>
    body {
      margin: 0;
      padding: 0;
    }
    #map {
      height: 100vh;
      width: 100%;
    }
  </style>
</head>
<body>
```

```
<div id="map"></div>
<script src="bus-tracking.js"></script>
</body>
</html>
```

OUTPUT:

