


الاسم :بشري إسماعيل الفطيسي

رقم القيد : 2180107959


Assignment-5



هذه صفحة الرئيسية

هذه صفحة تسجيل الدخول Try1.php, signup.php

إذا ادخلنا الرمز السري والرمز التأكيد متشبهان يظهر هذا
ويذهب الي الصفحة الرئيسية




welcome to expensetracker

it's connected

you inserted into the database.



إذا ادخالهم مختلفين يظهر هذا يعود الي صفحة تسجيل
الدخول



welcome to expensetracker

Error Confirmation code is wrongPlease try again




صفحة تسجيل دخول

The screenshot shows a web browser window with the address bar displaying 'localhost/ExpenseTracker/login.php'. The page has a light pink background. At the top left, there is a 'Return' button. Below it, a user profile icon is followed by the name 'howda'. Underneath, the label 'E-mail address' is followed by a text input field containing 'nadaa@gmail.com'. Below that, the label 'password' is followed by a text input field with masked characters '.....'. At the bottom left, there are two buttons: 'Delete all' and 'login'. The browser's taskbar at the bottom shows the system clock as 10:34 PM on 7/9/2023.


إذادخلنا اسم و الرمز السري صحيح يظهر هذا ويخزن في session (يظهر في شريط أعلي)

The screenshot shows a web browser window with the address bar displaying 'localhost/ExpenseTracker/condition.php'. The page content is minimal, showing 'Number found: 1'. The browser's taskbar at the bottom shows the system clock as 10:33 PM on 7/9/2023.

اذا ادخلنا اسم و الرمز السري خطئ يظهر هذا و لا يخزن
في session (لا يظهر أعلي شريط)



صفحة تسجيل الخروج عند ضغط يظهر هذا ويقوم بي
session_destroy(); ويعود الي صفحة رئيسية



You are now not registered in the site

You have been logged out of a page



صفحة إضافة فئة category.php, Add category.php

no_username

[Return](#)

Money value

Enter the number

souce_r_mony

Enter the souce_r_mony

Add category Clothes

Write a note

Data mm/dd/yyyy

Time --:--:--

[save](#) [Delete all](#)

عند إضافة فئة لمستخدم يظهر هذا

study

15

Deposit


book cs331

12:45

2023-07-03 its connected

inserted into the database.

عند ضغط علي تعديل بيانات المستخدم (Edit
Username Edit_username.php يمكن تعديل
البيانات عند ضغط علي update يعود لصفحة
الرئيسية



عند ضغط علي (Edit category)
edit_category.php و view_category.php.

يمكن تعديل الفئات يظهر لك جدول لجميع فئات المستخدم

localhost / 127.0.0.1 / expenseTracker/view_category.php

nadaa@gmail.com

Books Details

user_id	number_category	category	mony	soucer_mony	Time	Data	Write_a_note	Edit	Delete
30	7	stady	15	Deposit	2023-07-03	Write_a_note 12:45:00	book cs331	Edit	Delete

81°F Partly cloudy 11:23 PM 7/9/2023

عند ضغط علي تعديل edit

localhost / 127.0.0.1 / expenseTracker/edit_category.php?number_category=7

nadaa@gmail.com

Update Data

Clothes	15	Deposit	2023-07-03	12:45:00	book cs331	Update
---------	----	---------	------------	----------	------------	--------

81°F Partly cloudy 11:23 PM 7/9/2023

قاعدة البيانات لـ expensetracker

The screenshot shows the phpMyAdmin interface for a database named 'expensetracker'. The left sidebar lists the database and its tables: 'expense', 'expensetracker', 'addcategory', 'financial amount', 'username', 'information_schema', 'mysql', 'performance_schema', 'phpmyadmin', and 'test'. The main panel displays the 'Structure' tab for the 'expensetracker' database. It shows a list of tables with their respective actions (Browse, Structure, Search, Insert, Empty, Drop) and details (Rows, Type, Collation, Size, Overhead). The tables listed are 'addcategory', 'financial amount', and 'username'. Below the table list, there is a 'Create new table' button and a form to create a new table with fields for 'Table name' and 'Number of columns' (set to 4).

Table	Action	Rows	Type	Collation	Size	Overhead
<input type="checkbox"/> addcategory		3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> financial amount		0	InnoDB	utf8mb4_general_ci	48.0 KiB	-
<input type="checkbox"/> username		9	InnoDB	utf8mb4_general_ci	16.0 KiB	-
3 tables	Sum	12	InnoDB	utf8mb4_general_ci	96.0 KiB	0 B

↑ ☐ Check all With selected: ▾

Print Data dictionary

Create new table

Table name: Number of columns:

جدول لـ username

localhost / 127.0.0.1 / expensetracker x Expense tracker x Assignment-5 (Due date is Sunday, 7/9/2023) x

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=expensetracker&table=username

phpMyAdmin

Server: 127.0.0.1 » Database: expensetracker » Table: username

Showing rows 0 - 7 (8 total, Query took 0.0006 seconds.)

SELECT * FROM `username`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

		Id_number	UserName	Email	password
<input type="checkbox"/>	Edit Copy Delete	25	ahmed	ahmed@gmail.com	55412237
<input type="checkbox"/>	Edit Copy Delete	26	maryem	amaleper@gmail.com	111111111111
<input type="checkbox"/>	Edit Copy Delete	27	bushra2	bushra2@gmail.com	85369854155
<input type="checkbox"/>	Edit Copy Delete	28	amale	amale@gmail.com	385334442
<input type="checkbox"/>	Edit Copy Delete	30	ndaaa	nadaa@gmail.com	kjhvc55477
<input type="checkbox"/>	Edit Copy Delete	33	monaa	monaa@gmail.com	n5gr5ewf22
<input type="checkbox"/>	Edit Copy Delete	34	laragen	laralee@gmail.com	111111111111
<input type="checkbox"/>	Edit Copy Delete	36	laragen	laralee@gmail.com	111111111111

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

81°F Partly cloudy 10:56 PM 7/9/2023

جدول ل addcategory

localhost / 127.0.0.1 / expensetracker x Expense tracker x Assignment-5 (Due date is Sunday, 7/9/2023) x

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=expensetracker&table=addcategory

phpMyAdmin

Server: 127.0.0.1 » Database: expensetracker » Table: addcategory

Showing rows 0 - 6 (7 total, Query took 0.0003 seconds.)

SELECT * FROM `addcategory`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

		user_id	number_category	category	mony	soucer_mony	Data	Time	Write_a_note
<input type="checkbox"/>	Edit Copy Delete	25	1	Clothes	21	salary	2023-07-11	08:57:05	i bay choose
<input type="checkbox"/>	Edit Copy Delete	25	2	Clothes	20	salary	2023-07-04	11:54:00	bay choose
<input type="checkbox"/>	Edit Copy Delete	30	7	stady	15	Deposit	2023-07-03	12:45:00	book cs331

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

81°F Partly cloudy 10:57 PM 7/9/2023

التقرير:

الواجب 4:

لم أقم به

الواحب الثالث : إضافة Session لجعل اسم المستخدم عند التسجيل أو إنشاء حساب يظهر اسمه في شريط أعلي كل صفحة

قمت بوضع select في إضافة فئة لا تأخذ مساحه عند سحب

لماذا استخدمت Sessions؟

لفرق بين الكوكيز والسيشن هو مكان تخزين تلك المعلومات أو البيانات الخاصة بالمستخدم؛ حيث تسمح لك الـ (Cookies) بتخزين المعلومات في ملف مخصص في المتصفح في جهاز الحاسوب الزائر؛ أي أن حذف معلومات المتصفح أو بعض الملفات الخاصة بالمتصفح من الحاسوب يعني فقدان بيانات الكوكيز، بينما تقوم الـ (Sessions) بتخزين المعلومات في الخادم (Server) لفترة مؤقتة لكل زائر بحيث عندما يقوم الزائر بالمغادرة لفترة طويلة صفحة الويب يتم حذف الـ (Sessions) ، وبشكل عام فيمكننا القول أن باستخدام الكوكيز يتم تخزين المعلومات على جهاز المستخدم فقط بينما يتم تخزين المعلومات الخاصة بالسيشن على جهاز المستخدم وكذلك على الخادم

. رابط لgit hub:

<https://github.com/BushralsmailAl-Futaisi/ExpenseTracker.git>

```

<!--Bushra Ismail Al-Futaisi-->
<!-- This page contains information about the Expense Tracking website-
->

<!DOCTYPE html>
<html>
<head>
    <link rel="icon" href="C:\xampp\htdocs\php\icon\search.png"/>
    <meta charset="UTF-8". />
    <meta name=" About use" content="هذه صفحة تحتوي علي معلومات عن تتبع النفقات" />
    <title>About use </title>
    <center align="left"> 
    <?php
    session_start();
    if(empty( $_SESSION['user']) && (empty( $_SESSION['Email']))) {

        echo ' no_username';
    }

    else
    { if(!empty( $_SESSION['user']) )
        {
            echo$_SESSION['user'];
        }
        else
        {
            echo$_SESSION['Email'];
        }
    }
    ?>

</center>

</head>

<body>
    <header>
        <button> <a href= "../../ExpenseTracker/Home
page.php"><strong>Return</strong></a></button>
    <center><h1>information about expense track </h1></center>

    </header>

```

```
<main>
  <div style="background-color: rgb(250, 215, 215);">
    <h2> Stop losing receipts</h2>
    <h3> Upload all receipts directly into the expense record.</h3>
    <h3> Employees can easily attach copies of their receipts directly
to an </h3>
    <h3> expense record to avoid losing them. Add attachments on the go
with </h3>
    <h3>any mobile device by taking a picture of the receipt and
sending to a </h3>
    <h3>designated email address. Save time and increase efficiency
by </h3>
    <h3> keeping a clean and complete record of all expenses.</h3>
    <hr/>
  </div>
  <div style="background-color: rgb(255, 193, 193);">
    <h2>Manage expenses per team</h2>
    <h3> Have a clear overview of a team's expenditures.</h3>
    <h3>As a manager, easily follow expense records across the entire
team </h3>
    <h3> to keep an eye on costs and ensure they keep on target and
within </h3>
    <h3>budget. </h3>
    <hr/>
  </div>
  <div style="background-color: rgb(250, 142, 142);">
    <h2>About this site</h2>
    <h3>It is a simple money management website to manage money
and </h3>
    <h3>keep track of your daily spending and expenses. Learning where
you</h3>
    <h3>spend money the most with the help of our budgeting system
can</h3>
    <h3>help you control spending and save more money.</h3>
  </div>
</main>

</body>

</html>
```

Singup.php

```
<!--Bushra Ismail Al-Futaisi-->
<!--This is the account creation page on the Expense tracking website-->
<!DOCTYPE html>
<html>
<head>

    <meta charset="UTF-8". />
    <meta name=" Create an account" content="This is the account
creation page on the Expense tracking website" / >
    <title>Expense tracke </title>
    <button> <a href= "../ExpenseTracker/Home
page.php"><strong>Return</strong></a></button>
    <center align="left"> 
    <?php
session_start();
if(empty( $_SESSION['user']) && (empty( $_SESSION['Email']))) {

    echo ' no_username';
}

else
{ if(!empty( $_SESSION['user']) )
{
    echo$_SESSION['user'];
}
else
{
    echo$_SESSION['Email'];
}

}
?>

</center>

</head>
<body    style="background-color:  rgba(250, 31, 31, 0.080)">
    <form    action="Try1.php"    method="post"    style="background-
color:  rgba(250, 31, 31, 0.075); width: 100%; height: 10%;" >

    </div>
```

```

        <div>
            <label>UserName </label>
            <p><input type="text" name="UserName" maxlength="15"
minlength="5" placeholder="Enter the username" required ></p>
        </div>

        <div>
            <label> E-mail address </label>
            <p><input type="email" name="Email" placeholder="Enter
the Email" required></p>
        </div>

        <div>
            <label for="gf">password </label>
            <p><input type="password" id="gf"
name="password" pattern="[A-Za-
z\d\.\$%\^\&\*\@\\]{10,14}" placeholder="Enter the password"
required maxlength="14" minlength="10" ></p>
        </div>

        <div>
            <label> confirm password </label>
            <p><input type="password" name="agin" pattern="[A-Za-
z\d\.\$%\^\&\*\@\\]{10,14}" placeholder="Enter
the confirm password" required maxlength="14" minlength="10"></p>
        </div>

        <p> <div>
            <input id=" st"type="checkbox" name="sample linking
agreement" value=" ample linking agreement">
            <label for="st"> agreement</label>
            <?php
                echo'<br>';
                echo __FILE__;
            ?>
        </div></p>

        <div>

            <input type="submit" name="submit" value="creat">
            <input type="reset" name="reset" value="Delete all">
        </div>

```

Try.php

```
</form>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
  <title>expensetracker</title>

</head>
<body>
  <h1>welcome to expensetracker</h1>
```

```
<?php
$user=$_POST['UserName'];
$email=$_POST['Email'];
$password=$_POST['password'];
$agin=$_POST['agin'];

// create short variable names

if( $password!=$agin)
{
    echo'Error Confirmation code is wrong';
    echo'Please try again';
    header("REFRESH:3;Signup.php");

}
else
{ session_start();

    $_SESSION['user']=$user;
    $_SESSION['email']=$email;
    $_SESSION['password']=$password;

require_once 'database.php';
$conn = new mysqli($hn, $un, $pw, $db);
if ($conn->connect_error) {
    echo "<p>Error: Could not connect to database.<br/>
    Please try again later.</p>";
```



```

        die($conn -> error);
    }
    else{
        echo' it`s connected';
    }

    $query = "INSERT INTO username ( UsernName, Email ,
password ) VALUES
( '$user', '$email', '$password')" ;
    $result = $conn->query($query);

    if ($result) {
        echo "<p>you inserted into the database.</p>";
    } else {
        echo $conn -> error ;
        echo "<br/>.The item was not added.";
        echo "<br/>$query ";
    }

    //close connection
    $conn -> close();
    header("REFRESH:3;Home page.php");
}

?>
</body>
</html>

```

Singout.php

```
<!DOCTYPE html>
<html>
<head>
  <!--<p><button> <a href= "../ExpenseTracker/Home
page.php"><strong>Home page</strong></a></button></p>-->
</head>
<body>
  <h1><center> You are now not registered in the site</center></h1>
  <h1><center> You have been logged out of a page</center></h1>

</body>
</html>
<?Php
session_start();
session_unset();
session_destroy();
header("REFRESH:3;Home page.php");
?>
```

Login.php

```
<!--Bushra Ismail Al-Futaisi-->
<!--This is the login page for the expense tracking website-->
<!DOCTYPE html>
<html>
<head>

    <meta charset="UTF-8". />
    <meta name=" login page" content="This is the login page for the
expense tracking website" / >
    <title>Expense tracke </title>
    <button> <a href= "../ExpenseTracker/Home
page.php"><strong>Return</strong></a></button>
    <center align="left"> 
    <?php
session_start();
if(empty( $_SESSION['user']) && (empty( $_SESSION['Email']))) {

    echo ' no_username';
}

else
{ if(!empty( $_SESSION['user']) )
{
    echo$_SESSION['user'];
}
else
{
    echo$_SESSION['Email'];
}

}

?>

</center>

</head>
<body    style="background-color:  rgba(250, 31, 31, 0.080)" >

    <form action="condition.php"    style="background-color:  rgba(250,
31, 31, 0.075); width: 100%; height: 10%;"    method="post" >
```

```

        <div>
            <label> E-mail address </label>
            <p><input type="email" name="Email"      maxlength="15"
minlength="5" placeholder="Enter the username" required></p>
        </div>

        <div>
            <label>password </label>
            <p><input type="password"
name="password"      placeholder="Enter the
password"required  maxlength="14" minlength="5"></p>
        </div>

        <div>
            <input type="reset" name="reset" value="Delete all">
            <input type="submit" name="submit" value="login">

        </div>

    </form>
</body>
</html>

```

condition.php

```

!--Bushra Ismail Al-Futaisi
    This page follows the login page(login.php)-->
<?php

$email=$_POST['Email'];
$password=$_POST['password'];

if (!$email || !$password) {
    echo '<p>You have not entered search details.<br/>
Please go back and try again.</p>';
    exit;
}

```

```

require_once 'database.php';
$connection = new mysqli($hn, $un, $pw, $db);

if ($connection->connect_error) {
    echo '<p>Error: Could not connect to database.<br/>
    Please try again later.<br/></p>';
    echo $connection -> error;
    exit;
}

$query = "SELECT Id_number,Email,password FROM username WHERE
Email='$email' and password= '$password'";
//echo $query;
$result=$connection->query($query);

if (!$result)
{
    echo "<p>Unable to execute the query.</p> ";
    echo $query;
    die ($connection -> error);
}
$row = $result->fetch_array(MYSQLI_ASSOC);
echo "<p>Number found: ".$result->num_rows."</p>";
if($result->num_rows>0){
    session_start();
    $email=$_POST['Email'];
    $_SESSION['Email']=$email;
    $_SESSION['Id_number']=$row['Id_number'];
    //echo $_SESSION['Id_number'];
    header("REFRESH:3;Home page.php");

$connection->close();
}
header("REFRESH:3;Home page.php");

```

home page.php

```
<!--Bushra Ismail Al-Futaisi-->
<!--This is the homepage of the Expense Tracking website in html-->
<!DOCTYPE html>
<html>
<head>

    <link rel="icon"
href="C:\Users\DELL\Desktop\cs315\cs315(3)\Html\icon\wallet (2).png"/>
    <meta charset="UTF-8". />
    <meta name="الصفحة الرئيسية" content="هذه الصفحة الرئيسية الخاصة بي موقع تتبع النفقات"
Expense tracker" / >
    <title>Expense tracker </title>
    <link rel="stylesheet" href="C:\xampp\htdocs\php\css\home.css">
    <link rel="stylesheet" href="css\home.css">
    <center align="left"> 
    <?php
session_start();
if(empty( $_SESSION['user']) && (empty( $_SESSION['Email']))) {

    echo ' no_username';
}

else
{ if(!empty( $_SESSION['user']) )
{
    echo $_SESSION['user'];
}
else
{
    echo $_SESSION['Email'];
}

}
?>

</center>
<hr/>
</head>
<body>

<header>
```

```

        <button> <a href="../ExpenseTracker/Signup.php" ><strong>signup
</strong></a></button>
        <button><a href= "../ExpenseTracker/login.php">
<strong>login</strong></a></button>
        <button> <a href=
"../ExpenseTracker/signout.php"><strong>signout</strong></a></button>
        <button> <a href= "../ExpenseTracker/About
use.php"><strong>About use</strong></a></button>

        <button> <a href= "../ExpenseTracker/Add
category.php"><strong>Add category</strong></a></button>
        <button> <a href=
"../ExpenseTracker/Edit_username.php"><strong> Edit
Username</strong></a></button>
        <button> <a href=
"../ExpenseTracker/view_category.php"><strong> Edit
category</strong></a></button>
        <center><label>Search</label>
<input type="search" placeholder="write the search"></center>
<h2>Expense tracker</h2>
<h5>At a Glance </h5>
<h5>This is a simple money</h5>
<h5> management website</h5>

<div>
<center> <img alt="picture"src= "../ExpenseTracker\pictures\Data
report-pana.svg"style="width:50%;" / ></center>
</div>

<hr/>
</header>

<footer>
<hr/>
<center align="right">Expense traks@gmail.com</center>
<center align="left" >contact information</center>
<center align="left" ><p>call in 092-556-36 </p></center>
<center align="left"><p>Copyright Notice</p></center>
<center align="left"> &copy;</center>
<center> <img alt="telegram"src=
"../ExpenseTracker\icon\telegram.png"style="width:2%;" / ></center>
<center></center>
<center><img alt="pinterest "src=
"../ExpenseTracker\icon\pinterest.png" style="width: 2%;" / ></center>

```

```

        <center> </center>
        <center></center>
        <center></center>

</footer>

</body>
</html>

```

. Add category.php

```

<!--Bushra Ismail Al-Futaisi-->
<!--This page allows me to enter the financial value, choose the
category, add notes, the photo, and the date and day-->
<!DOCTYPE html>
<html>
<head>
    <link rel="icon" href="icon/add.png"/>
    <meta charset="UTF-8". />
    <meta name=" Add category" content="This page allows me to enter
the financial value, choose the category, add notes, the photo, and the
date and day" / >
    <title>Add category</title>
    <center align="left"> 
    <?php
    session_start();
    if(empty( $_SESSION['user']) && (empty( $_SESSION['Email']))) {

        echo ' no_username';
    }

    else

```



```

        { if(!empty( $_SESSION['user'])) )
        {
            echo$_SESSION['user'];
        }
        else
        {
            echo$_SESSION['Email'];
        }
    }
    ?>

</center>

</head>
<body style="background-color: rgba(250, 31, 31, 0.080)" >
<header>
    <p> <button>  <a href= "../ExpenseTracker/Home
page.php"><strong>Return</strong></a></button></p>

</header>

<form action='category.php' method="post" style="background-
color: rgba(250, 31, 31, 0.075);width: 100%; height: 10%;">
    <div>
        <label>Money value </label>
        <p><input type="text" name="Mony" placeholder="Enter the
number" ></p>
    </div>

    <div>
        <label>soucer_mony </label>
        <p><input type="text" name="Soucer" placeholder="Enter the
soucer_mony" ></p>
    </div>

    <div>
        <br>
        <label for="st">Add category</label>
        <select id="st" name="Addcategory" required>
            <p><option value="Clothes" >Clothes</option>
            <option value="Car">Car</option>
            <option value="stady">stady</option>
            <option value="Hospital"> Hospital</option>
            <option value=" Wifi"> Wifi</option>
            <option value="Travel">Travel</option>
        </select>
    </div>

```

```

        </p>
    <div>
    <p>
        <input type="text" name="note" placeholder="Write a
note" >Write a note</textare>
    </p>

    <p>
    <div>
        <label >Data</label>
        <input type="date" name="DATE" />
    </div>
    </p>
    <p>
    <div>
        <label >Time</label>
        <input type="time" name="TIME" />
    </div>
    </p>
    <p>
    <div>
    <input type="submit" name="submit" value="save">
    <input type="reset" name="reset" value="Delete all">

    </div>
    </p>
</form>

</body>

</html>

```

category.php

```

<?php
if(isset($_POST['submit'])){
    $gory=$_POST['Addcategory'];

```

```

echo"<br>";
echo "$gory";
$value=$_POST['Mony'];
echo"<br>";
echo "$value";
$Soucer=$_POST['Soucer'];
echo"<br>";
echo "$Soucer";
$Note=$_POST['note'];
echo"<br>";
echo "$Note";
$TIME=$_POST['TIME'];
echo"<br>";
echo "$TIME";
$DATA=$_POST['DATE'];
echo"<br>";
echo"$DATA";

}
require_once 'database.php';
$conn = new mysqli($hn, $un, $pw, $db);
if ($conn->connect_error) {
    echo "<p>Error: Could not connect to database.<br/>
    Please try again later.</p>";
    die($conn -> error);
}
else{
    echo' its connected';
}

session_start();
$id=$_SESSION['Id_number'];
$query = "INSERT INTO addcategory
(user_id,category,mony,soucer_mony,Data,Time ,Write_a_note )
VALUES
('$id','$gory','$value','$Soucer','$DATA','$TIME','$Note')";
$result = $conn->query($query);
//echo "$query";

if ($result) {
    echo "<p>inserted into the database.</p>";
    header("REFRESH:5;Home page.php");
} else {
    echo $conn -> error ;
    echo "<br/>.The item was not added.";
    echo "<br/>$query ";
    header("REFRESH:3;Home page.php");
}

```

```

        //close connection
        $conn -> close();

    ?>
</body>
</html>
Edit_username.php

<!DOCTYPE html>

<html>
    <head></head>
    <body style="background-color:lavenderblush"></body>
    <center align="left"> 
    <?php
        session_start();
        if(empty( $_SESSION['user']) && (empty( $_SESSION['Email']))) {

            echo ' no_username';
        }

        else
        { if(!empty( $_SESSION['user']) )
            {
                echo $_SESSION['user'];
            }
            else
            {
                echo $_SESSION['Email'];
            }
        }
    ?>

</center>
</html>
<?php

require_once 'database.php'; // Using database connection file here
$conn = new mysqli($hn, $un, $pw, $db);

$id_number = $_SESSION['Id_number']; // get id through query string

```

```

$query = "SELECT Id_number,UsernName,Email,password FROM username WHERE
Id_number ='$id_number' "; // select query
//echo $query;

$result = $conn->query($query); // fetch data
if (!$result) {
    echo "<p>Unable to execute the query.</p> ";
    echo $query;
    die($conn->error);
}
$data = $result->fetch_array(MYSQLI_ASSOC);
if (isset($_POST['update'])) // when click on Update button
{
    $uaer = $_POST['UsernName'];
    $Email = $_POST['Email'];
    $pass = $_POST['password'];

    $query = "update username set UsernName='$uaer',
Email='$Email',password='$pass' where Id_number='$id_number'";
    $edit = $conn->query($query);

    if ($edit) {
        $conn->close(); // Close connection
        header("location:Home page.php"); // redirects to all records
page
        exit;
    } else {
        echo "<p>Unable to execute the query.</p> ";
        echo $query;
        die($conn->error);
    }
}
?>

<h3>Update Data</h3>

<form method="POST" style="background-color: rgba(250, 31, 31,
0.080)">
    <input type="text" name="UsernName" value="<?php echo
$data['UsernName'] ?>" placeholder="Enter Author Name" Required>
    <input type="text" name="Email" value="<?php echo $data['Email']
?>" placeholder="Enter Title" Required>
    <input type="text" name="password" value="<?php echo
$data['password'] ?>" placeholder="Enter Price" Required>

    <input type="submit" name="update" value="Update">
</form>

```

view_category.php

```
<!DOCTYPE html>
<html>

<head>
    <title>Display all books from Database</title>
</head>
<center align="left"> 
    <?php
        session_start();
        if(empty( $_SESSION['user']) && (empty( $_SESSION['Email']))) {

            echo ' no_username';
        }

        else
        { if(!empty( $_SESSION['user']) )
          {
              echo $_SESSION['user'];
          }
          else
          {
              echo $_SESSION['Email'];
          }
        }
    ?>

</center>
<body style="background-color: rgba(250, 31, 31, 0.080)">

    <h2>Books Details</h2>
    <form method="post" style="background-color: rgba(250, 31, 31,
0.075); width: 100%; height: 10%;">

        <table border="2" style="background-color: rgba(250, 31, 31,
0.080)">
            <tr style="background-color: ivory">
                <td>user_id</td>
                <td>number_category</td>
                <td>category</td>
                <td>mony</td>
                <td>soucer_mony</td>
                <td>Time</td>
                <td>Data</td>
```

```

        <td>Write_a_note </td>
        <td>Edit</td>
        <td>Delete</td>
    </tr>

<?php

    $id=$_SESSION['Id_number'];

    require_once 'database.php';
    $conn = new mysqli($hn, $un, $pw, $db); // Using database
connection file here
    if ($conn->connect_error) {
        echo '<p>Error: Could not connect to database.<br/>
Please try again later.<br/></p>';
        echo $conn->error;
        exit;
    }

    $query = "SELECT
user_id,number_category,category,mony,soucer_mony,Data,Time,Write_a_not
e FROM addcategory WHERE user_id='$id'";
    // echo'<br>';
    //echo $query;

    $result = $conn->query($query);
    if (!$result) {
        echo "<p>Unable to execute the query.</p> ";
        echo $query;
        die($conn->error);
    }
    // fetch data from database

    while ($data = $result->fetch_array(MYSQLI_ASSOC)) {
        ?>
        <tr>
            <td>
                <?php echo $data['user_id']; ?>
            </td>
            <td>
                <?php echo $data['number_category']; ?>
            </td>
            <td>
                <?php echo $data['category']; ?>
            </td>
            <td>
                <?php echo $data['mony']; ?>
            </td>

```

```

        <td>
            <?php echo $data['sourcer_mony']; ?>
        </td>
        <td>
            <?php echo $data['Data']; ?>
        </td>
        <td>Write_a_note
            <?php echo $data['Time']; ?>
        </td>
        <td>
            <?php echo $data['Write_a_note']; ?>
        </td>
        <td><a href="edit_category.php?number_category=<?php echo
$data['number_category']; ?>">Edit</a></td>
        <td><a href="delete.php?user_id=<?php echo
$data['number_category']; ?>">Delete</a></td>
        </td>

    </tr>
    <?php
    }
    ?>
</table>

</form>
</body>

</html>

```

edit_category.php

```

<!DOCTYPE html>
<html>
    <head></head>
    <body style="background-color:lavenderblush"></body>
    <center align="left"> 
    <?php
    session_start();
    if(empty( $_SESSION['user']) && (empty( $_SESSION['Email'])))){

        echo' no_username';
    }

    else
    { if(!empty( $_SESSION['user']) )
    {
        echo$_SESSION['user'];
    }
    }
    }

```



```

    }
    else
    {
        echo$_SESSION['Email'];
    }

}

?>

</center>
</html>
<?php

$num=$_GET['number_category'];
require_once 'database.php';
$conn = new mysqli($hn, $un, $pw, $db);

$query = "SELECT
user_id,number_category,category,mony,soucer_mony,Data,Time,Write_a_note
FROM addcategory WHERE number_category='$num'"; // select query

$result = $conn->query($query); // fetch data
if (!$result) {
    // echo "<p>Unable to execute the query.</p> ";
    // echo $query;
    die($conn->error);
}
$data = $result->fetch_array(MYSQLI_ASSOC);
if (isset($_POST['update'])) // when click on Update button
{
    $Cate = $_POST['category'];
    $Mony = $_POST['mony'];
    $soucer= $_POST['soucer_mony'];
    $DATA = $_POST['Data'];
    $TIME = $_POST['Time'];
    $note = $_POST['Write_a_note'];
    $TIME = $_POST['Time'];
    echo"$query";
    echo"<br>";
    $query = "update addcategory set
category='$Cate',mony='$Mony',soucer_mony='$soucer',
Data='$DATA',Time='$TIME',Write_a_note='$note'
where number_category='$num'";
    $edit = $conn->query($query);
    echo"$query";

    if ($edit) {

```

```

        $conn->close(); // Close connection
        header("location:Home page.php"); // redirects to all records
page
        exit;
    } else {
        echo "<p>Unable to execute the query.</p> ";
        echo $query;
        die($conn->error);
    }
}
?>

<h3>Update Data</h3>

<form method="POST" style="background-color: rgba(250, 31, 31,
0.080)">

    <select id="st"name="category" value="<?php echo $data['category']
?>" Required>
        <p><option value="Clothes" >Clothes</option>
        <option value="Car">Car</option>
        <option value="stady">stady</option>
        <option value="Hospital"> Hospital</option>
        <option value=" Wifi"> Wifi</option>
        <option value="Travel">Travel</option>
    </select>

    <input type="text" name="mony" value="<?php echo $data['mony'] ?>"
placeholder="Enter the mony" Required>
    <input type="text" name="sourcer_mony" value="<?php echo
$data['sourcer_mony'] ?>" placeholder="Enter the sourcer_mony" Required>
    <input type="text" name="Data" value="<?php echo $data['Data'] ?>"
placeholder="Enter data" Required>
    <input type="text" name="Time" value="<?php echo $data['Time'] ?>"
placeholder="Enter Time" Required>
    <input type="text" name="Write_a_note" value="<?php echo
$data['Write_a_note'] ?>" placeholder="Enter note" Required></textarea>

    <input type="submit" name="update" value="Update">
</form>

```

database.php

```
<?php
    $hn = 'localhost';
    $db = 'expensetracker';
    $un = 'root';
    $pw = '';

?>
```