STRATEGIC THESIS AND ECONOMIC CASE

SECTION 1 — STRATEGIC THESIS

The market shift, regulatory change, or capability gap that demands enterprise-scale response.

Why now? Why this scale? Why this organisation?

_____

_____

_____

SECTION 2 — ECONOMIC CASE (5-YEAR HORIZON)

Total investment $_____ · capex / opex split confirmed with CFO

Annual benefit (Year 5 run-rate) $_____

5-year NPV $_____ at __% discount rate · IRR ____%

Payback period _____ months from go-live (cumulative net cashflow positive)

Sensitivity P10–P90 range modelled; worst-case NPV: $_____; best-case: $_____

Cost of inaction $_____ over 5 years (revenue at risk + cost growth)

Independent CFO office review attached. Monte Carlo simulation in supporting workbook.

SECTION 3 — CAPABILITY VIEW

New or transformed organisational capabilities the programme delivers.

- Capability 1 — current state, target state, business meaning
- Capability 2 — current state, target state, business meaning
- Capability 3 — current state, target state, business meaning

PROGRAMME, RISK, AND APPROVAL

SECTION 4 — PROGRAMME STRUCTURE

Multi-tranche delivery; benefits realisation profile per tranche.

TRANCHE	SCOPE	DURATION	BENEFIT %
T1 (Foundations)	_____	__ months	__%
T2 (Core build)	_____	__ months	__%
T3 (Scale)	_____	__ months	__%
T4 (Optimise)	_____	__ months	__%

Tranche gates: each gate is a discrete board-level go / no-go.

SECTION 5 — RISK PROFILE (TOP 8 ENTERPRISE RISKS)

Each risk owned at executive level. Mitigation budgeted in the investment.

R1. _____

R2. _____

R3–R8 [Detailed register in supporting paper]

Mitigation budget $_____ included in total investment line

Risk-adjusted NPV $_____ (post-mitigation)

SECTION 6 — BOARD APPROVAL

Programme Sponsor: _____ · CFO: _____ · CEO: _____

Recorded in Board Minute reference: _____

STRATEGIC THESIS AND ECONOMIC CASE

STRATEGIC THESIS

Renewable generation has reached 38% of national supply (up from 12% five years ago) and is projected at 55% by 2030. The current grid was designed for centralised, predictable generation; it cannot accommodate distributed, intermittent supply at this scale without losing reliability.

Why now? Regulator (AER) requires demand-response capability by 2029. Without action, ~$420M annual revenue exposure from non-compliance penalties + customer attrition to retailers with smart features.

ECONOMIC CASE (5-YEAR HORIZON)

Total investment	**$340M**	($210M capex / $130M opex over 5 years; CFO confirmed)
Annual benefit (Year 5)	**$185M**	($95M revenue + $58M cost + $32M risk)
5-year NPV	**$420M**	at 7% discount rate · IRR 28%
Payback period	**38 months**	from go-live (cumulative cashflow positive Q3 FY28)
Sensitivity	P10: $185M NPV · P90: $670M NPV · 87% probability NPV > 0	
Cost of inaction	**$1.6B**	over 5 years (penalties + customer loss + grid instability)

CFO Office reviewed and signed; Monte Carlo (10k iterations) attached as appendix C.

CAPABILITY VIEW

- **Real-time grid sensing** — Today: 5-min snapshots → Target: sub-second telemetry across 96% of feeders
- **Distributed energy orchestration** — Today: none → Target: 1.4M residential / 8.2k commercial DERs orchestrated
- **Demand response** — Today: manual industrial only → Target: 380MW automated, residential + commercial
- **Predictive asset health** — Today: time-based maintenance → Target: condition-based, ML-driven

PROGRAMME, RISK, AND APPROVAL

PROGRAMME STRUCTURE — 4 TRANCHES

TRANCHE	SCOPE	DURATION	BENEFIT %
T1 Foundations	Telemetry, data platform, security	12 months	5%
T2 Core build	DER orchestration, demand response	18 months	35%
T3 Scale	National rollout, customer enrolment	18 months	45%
T4 Optimise	ML, predictive maintenance, BAU transfer	12 months	15%

Each tranche gate is a board-level go/no-go. No tranche locked-in until prior delivers.
Cumulative timeline: 60 months · T1 starts Q3 FY26 · T4 closes Q2 FY31.

TOP 8 ENTERPRISE RISKS — EXTRACT

R1. Cyber attack on grid telemetry — High, catastrophic · CISO-owned
Defence-in-depth (zero trust, segmentation, ASD-aligned); $48M mitigation budget allocated.

R2. AER compliance pathway changes mid-flight — Med, high · Regulatory Affairs
Quarterly engagement; contract clauses to permit pivot at tranche gates.

R3. Customer adoption (DER enrolment) below 60% — Med, high · Retail Director
Tariff incentives; pilot by Year 2 to validate; cap T3 spend if < 50% by then.

R4–R8 Workforce capability gap, vendor concentration, weather-driven schedule slip, data privacy, supply-chain disruption — full register Appendix D, scored by ERM.

Mitigation budget: **$67M** included · Risk-adjusted NPV: **$340M**

BOARD APPROVAL


Programme Sponsor: D. Harrison (COO) · CFO: P. Ngu · CEO: M. Foster · Chair: A. Patel *[signed]*

Approved at Board meeting 18 June 2026 · Minute BRD-26-074 · T1 funding released, T2–T4 subject to gates

MAPPING AND GOVERNANCE

SECTION 1 — ENTERPRISE STAKEHOLDER MAP

Internal + external. 30–60 stakeholder groups typi



Each stakeholder group has primary contact, influence rating, engagement strategy.
External stakeholders (regulator, media, customer advocates) need explicit treatment.

SECTION 2 — GOVERNANCE STRUCTURE

Multi-tier decision-making aligned to programme tranche gates.

FORUM	DECISIONS	CADENCE	CHAIR
Board	Tranche gates, fund release	Quarterly	Chair
ExCo / Programme Steerco	Cross-BU trade-offs, budget moves	Monthly	Sponsor
Programme Board	Scope, schedule, risk	Fortnightly	Programme Director
Workstream forums	Delivery decisions, dependencies	Weekly	WS Lead
External advisory	Independent challenge, regulator liaison	Quarterly	Chair-appointed

Decision rights matrix in supporting paper. Each forum has terms of reference.

ENGAGEMENT JOURNEY AND COMMS

SECTION 3 — ENGAGEMENT JOURNEY (BY STAKEHOLDER GROUP)

Aware → Understand → Support → Adopt → Advocate. Different groups at different points.

AWARE — knows the programme exists

UNDERSTAND — knows what it means for them

SUPPORT — actively backs the change

ADOPT — uses the new capability daily

ADVOCATE — promotes to peers, defends to detractors

Track each stakeholder group's position quarterly. Plan tactics to move them down the funnel.

SECTION 4 — COMMUNICATIONS STRATEGY

Internal channels
Programme intranet · ExCo updates · BU town halls · all-hands · workstream blogs

External channels
Regulator briefings · investor updates · customer comms · media releases · industry forums

Narrative architecture
Single core narrative · audience-tailored variations · proof points · FAQs maintained


Crisis communications
Pre-positioned holding statements · escalation tree · spokesperson roster

Owner Programme Communications Lead · embedded with Corporate Affairs and Investor Relations

Comms calendar synced to tranche gates and external regulatory milestones.

MAPPING AND GOVERNANCE

STAKEHOLDER MAP — 47 GROUPS IDENTIFIED



External stakeholders = 12 groups requiring active management; clinicians (~9,400 staff) are the largest affected group.
Clinical unions identified as critical influence — engagement plan separately maintained with HR Director.

GOVERNANCE STRUCTURE

FORUM	DECISIONS	CADENCE	CHAIR
Hospital Board	Tranche gates, $>5M variations	Quarterly	D. Schmidt (Chair)
ExCo Steerco	Cross-hospital trade-offs	Monthly	M. Rao (CEO)
Programme Board	Scope, schedule, risk, vendor	Fortnightly	Programme Director
Clinical Reference Group	Clinical workflow design	Fortnightly	CMIO
Workstream forums (×5)	Build, integration, training, etc.	Weekly	WS Lead
Independent advisory	External challenge, peer review	Quarterly	External Chair

Clinical Reference Group has formal veto on workflow changes — designed in deliberately to prevent EMR failure pattern seen in 5 prior Australian deploym

ENGAGEMENT JOURNEY AND COMMS

ENGAGEMENT POSITION — Q3 FY26 (CURRENT)



Tracked monthly via stakeholder pulse survey · Programme Communications Lead reports to ExCo.

COMMUNICATIONS STRATEGY

Internal channels
Programme intranet (weekly) · CMIO clinical bulletins (monthly) · 8 hospital town halls · workstream blogs

External channels
Health Dept quarterly briefings · Privacy Commissioner annual report · patient newsletter · media holding

Narrative
"Better information at the bedside" — clinician-led, patient-safety framed (not cost-led)

Crisis
Pre-positioned statements for: data breach, go-live disruption, patient safety event, vendor failure

Owner L. Rivera, Programme Comms Lead — embedded with Corporate Affairs & Health Dept liaison

Comms calendar published 24 months ahead and synced to tranche gates and clinical year (Jan/Jul rotations).

CAPABILITY AND PROCESS LANDSCAPE

SECTION 1 — CAPABILITY MAP (HEAT-MAPPED)

Each business capability rated for current performance (red / amber / green).

Capability A1 _____	**Capability A2**	**Capability A3**	**Capability A4**
Capability B1	**Capability B2**	**Capability B3**	**Capability B4**
Capability C1	**Capability C2**	**Capability C3**	**Capability C4**

12+ capabilities typical at Gold scale. Each colour-coded against business outcome metric.

Heat-map answers: where is the organisation weakest, and which capabilities does this programme transform?

SECTION 2 — PROCESS LANDSCAPE

Top-level process taxonomy. Each L1 process decomposes to L2/L3 in supporting model.

L1 PROCESS	VOLUME / FREQUENCY	CYCLE TIME	PAIN POINTS
P-1 _____	_____	_____	__
P-2 _____	_____	_____	__
P-3 _____	_____	_____	__
P-4 _____	_____	_____	__
P-5 _____	_____	_____	__

10–15 L1 processes typical · L2/L3 decomposition in supporting Visio / ARIS pack

SYSTEM AND DATA INVENTORY

SECTION 3 — SYSTEM INVENTORY (CORE)

Systems within scope. Tier classification drives change planning.

SYSTEM	TIER	TECHNOLOGY	END OF LIFE
_____	T1	_____	_____
_____	T1	_____	_____
_____	T2	_____	_____
_____	T2	_____	_____
_____	T3	_____	_____

Tier 1 = mission-critical · Tier 2 = important · Tier 3 = supporting · 50–200 systems typical at Gold scale

EOL surfaces inherent obsolescence: a system at EOL inside the programme window is implicit pressure to replace.

SECTION 4 — DATA & RISK CONTEXT

Data domains

Customer · Employee · Product · Finance · Operations · Compliance · External

Master data state

Per domain: source of truth, completeness, ownership, last reconciled

Regulatory obligations in scope

Privacy Act · industry-specific regulations · APRA / ASIC / etc · cross-border data

Operational risk register tie-in

Existing top risks impacted by programme; new risks introduced; risks mitigated

Cyber posture

Maturity rating (e.g., ASD Essential 8) · current and target · transition plan in scope

Programme inherits these obligations — they do not pause for delivery.

CAPABILITY AND PROCESS LANDSCAPE

CAPABILITY HEATMAP — 12 CAPABILITIES, 3 DOMAINS

CUSTOMER ACQUISITION & RETENTION

Digital onboarding Activation 78% · 4d cycle Industry: 96% · 1d	**Plan management** Self-service 42% Industry: 78%	**Service activation** Same-day 11% Industry: 65%	**Loyalty programmes** Engagement 71% Industry: 67%

SERVICE OPERATIONS

Network ops MTTR 4.2h Industry: 1.8h	**Customer support** FCR 61% Industry: 78%	**Billing** Accuracy 99.7% Industry: 99.4%	**Fraud detection** Coverage 73% Industry: 89%

ENTERPRISE FUNCTIONS

Finance & accounting Stable	**Workforce planning** Manual scheduling	**Data & analytics** Multiple data sources	**Procurement** Stable

5 capabilities red, 5 amber, 4 green. Programme targets the 5 red capabilities — biggest gap to industry.

PROCESS LANDSCAPE — TOP 5 OF 14 L1 PROCESSES

L1 PROCESS	VOLUME / FREQUENCY	CYCLE TIME	PAIN POINTS
P-1 New customer onboard	~480k / year	4 days median	12 (P1)
P-2 Service incident resolve	~22k / month	4.2 hrs MTTR	9 (P1)
P-3 Plan change	~85k / month	2 days median	5 (P2)
P-4 Billing query	~140k / month	18 min avg	4 (P2)
P-5 Customer offboard	~62k / month	19 min avg	2 (P3)

Top 14 L1 processes detailed in supporting ARIS pack. P-1 and P-2 are the programme's lifting agents.

SYSTEM AND DATA INVENTORY

CORE SYSTEM INVENTORY (12 OF 87 IN SCOPE)

SYSTEM	TIER	TECHNOLOGY	END OF LIFE
Customer Mgmt (CMS)	T1	Siebel 8.1 on-prem	Vendor 2027
Order Management	T1	Custom Java 2014	No vendor support
Network Management	T1	HP NNM	2030
Billing & Revenue	T1	Amdocs CES 11	2031
Contact Centre Suite	T2	Genesys on-prem	2028
Data Warehouse	T2	Teradata	2030
Workforce Mgmt	T3	SAP SuccessFactors	SaaS

3 of 4 T1 systems past or near end-of-life — programme implicitly accelerates obsolete platform retirement.

DATA & RISK CONTEXT

Data domains

Customer · Product · Network · Billing · Workforce · Compliance · External (regulator, supplier)

Master data state

Customer 89% · Product 76% · Network 94% · Billing 99% · Workforce 81% — Customer most fragmented

Regulatory obligations

Privacy Act · Telco Consumer Protection Code · ACMA reporting · CDR (Open Telco from 2027)

Cyber posture

ASD Essential 8 maturity 2/3 (target 3/3 by Year 2) · 2023 incident remediation in flight

Top operational risks tied to programme

R-OP-04 Customer churn · R-OP-09 Cyber breach · R-OP-12 Workforce capability gap

Programme inherits regulator deadlines (CDR 2027) — these become hard programme dependencies.

TARGET CAPABILITY AND PROCESS

SECTION 1 — TARGET CAPABILITY MAP

Same structure as As-Is, target state. The arrows are the programme's value generation.

Target FY+5 — colour shows expected position

Capability A1 (now red) Target _____	**Capability A2**	**Capability A3**	**Capability A4** Out of programme scope
Capability B1	**Capability B2**	**Capability B3**	**Capability B4**
Capability C1	**Capability C2**	**Capability C3**	**Capability C4**

Most red and amber capabilities promoted to green by programme close. Out-of-scope capabilities flagged.

"Promote to green" claim must be defensible against measurable benchmarks.

SECTION 2 — TARGET PROCESS LANDSCAPE

Future-state cycle times and degree of automation per L1 process.

L1 PROCESS	CURRENT	TARGET	% AUTO	FTE IMPACT
P-1 _____	_____	_____	__%	_____
P-2 _____	_____	_____	__%	_____
P-3 _____	_____	_____	__%	_____
P-4 _____	_____	_____	__%	_____
P-5 _____	_____	_____	__%	_____

FTE impact: net redeploy / reduce / hire — defensible to HR and unions before approval.

TARGET ARCHITECTURE AND OPERATING MODEL

SECTION 3 — TARGET ARCHITECTURE

Replace · refactor · retain · retire decisions for each Tier 1 system.

DOMAIN	DECISION	TARGET	TRANCHE
_____	Replace	_____	__
_____	Refactor	_____	__
_____	Retain	_____	__
_____	Retire	_____	__

Architecture principles

Cloud-first (where compliant) · API-led integration · Event-driven where latency demands it
Open standards · Single source of truth per data domain · Zero trust security

CTO and Enterprise Architecture forum signed off architecture principles before scope finalised.

SECTION 4 — OPERATING MODEL IMPLICATIONS

Roles changed

Existing roles whose nature changes (skills, accountabilities, reporting).

Roles created

New roles required by future state (e.g., Data Steward, Site Reliability Engineer).

Roles retired

Roles where work is automated away or replaced. Net workforce impact stated.

Decision rights

Where authority shifts (e.g., centralised → federated; tactical → strategic).

Performance metrics

New KPIs introduced; existing KPIs adjusted to reflect future state.

CHRO and union representatives consulted on operating model implications before sign-off.

TARGET CAPABILITY AND PROCESS

TARGET CAPABILITY MAP — FY+5

CUSTOMER & ORIGINATION

Digital onboarding Was red · 4d → 6 min	**Loan origination** Was red · 17d → 4d	**KYC & AML** Was amber · 99% STP	**CX measurement** Real-time NPS

PRODUCT & PRICING

Product launch Was red · 9mo → 6wk	**Personalisation** Was red · ML-driven	**Pricing & offers** Real-time engine	**Product simplification** Out of scope (BU)

RISK & OPERATIONS

Real-time risk Was red · < 1s decisions	**Fraud detection** Was amber	**Reg reporting** APRA / AUSTRAC auto	**Cyber resilience** E8 maturity 3

11 of 12 capabilities to green by FY+5. Product simplification stays amber (separate BU programme).

TARGET PROCESS LANDSCAPE — TOP 5 PROCESSES

L1 PROCESS	CURRENT	TARGET	% AUTO	FTE IMPACT
P-1 SME loan origination	17 days	4 days	73%	−42 redeploy
P-2 New-to-bank onboard	4 days	6 min	94%	−87 redeploy
P-3 Mortgage approval	28 days	8 days	58%	−24 redeploy
P-4 Product launch (E2E)	9 months	6 weeks	N/A	+12 hire
P-5 Reg reporting (APRA)	5 days/qtr	Same-day	88%	−6 redeploy

Net workforce: −147 redeploy + 12 hire = −135 FTE. Reskilling pathway agreed with FSU before sign-off.

TARGET ARCHITECTURE AND OPERATING MODEL

TARGET ARCHITECTURE — TIER 1 SYSTEMS

DOMAIN	DECISION	TARGET	TRANCHE
Core deposits	**Replace**	Vendor cloud-native (Temenos)	T2–T3
Core lending	**Replace**	Same vendor stack	T3
Customer 360	**Refactor**	Cloud-native rebuild on event mesh	T1–T2
Risk & compliance	**Refactor**	Real-time decisioning platform	T2
Channels (digital)	**Retain**	Existing platform, API enhanced	T1
Legacy GL bridge	Retire	Decommissioned post-migration	T4

Architecture principles

Cloud-first (APRA CPS 234 + 230 compliant) · API-led · Event-driven for real-time risk
Open Banking standards · Single golden source per domain · Zero trust security

OPERATING MODEL IMPLICATIONS

Roles changed (~870 staff)

Bankers: more advisory, less data entry · Credit officers: exception focus, less standard work

Roles created (~85 roles)

Data Stewards (12) · SREs (24) · ML Engineers (18) · Product Managers (15) · DevSecOps (16)

Roles retired (~135 FTE)

Manual underwriting, manual reconciliation, manual reg-pack assembly · 100% reskilling pathway

Decision rights

Pricing: tactical → real-time engine · Credit: rule-based → AI with banker exception

Performance metrics

New: Cycle-to-decision, STP %, model accuracy · Retired: manual queue length

CHRO and Finance Sector Union (FSU) reps consulted June 2026; reskilling pathway and severance terms agreed.

REQUIREMENTS HIERARCHY AND DOMAINS

SECTION 1 — REQUIREMENTS HIERARCHY

Outcomes → Capabilities → Features → Requirements. Programme-scale needs structure.



Each level traces to the level above. Gold programmes typically have 300–800 detailed requirements.

SECTION 2 — REQUIREMENTS BY DOMAIN

Volume per domain. Cross-domain dependencies highlighted.

DOMAIN	CAPABILITIES	REQUIREMENTS	CROSS-DOMAIN
Customer	__	__	__
Product	__	__	__
Operations	__	__	__
Risk & Compliance	__	__	__
Data & Analytics	__	__	__

Cross-domain count flags the integration risk profile — high counts mean integration testing is critical.

REGULATORY MAPPING AND NFR

SECTION 3 — REGULATORY MAPPING

Each obligation traces to specific requirements that fulfil it.

REGULATION	CLAUSE	REQUIREMENTS	REGULATOR SIGN-OFF
_____	_____	__ reqs	_____
_____	_____	__ reqs	_____
_____	_____	__ reqs	_____
_____	_____	__ reqs	_____
_____	_____	__ reqs	_____

Regulator sign-off scheduled per tranche gate. Compliance dashboard updated weekly.

Why mapping matters: a single missed obligation can collapse a Gold programme.

SECTION 4 — ENTERPRISE NON-FUNCTIONAL REQUIREMENTS

Calibrated to enterprise volumes and regulatory tolerance.


Performance	Sustained throughput at peak: _____ TPS · p99 latency: ____ ms
Availability	Tier 1: ____% · Tier 2: ____% · MTTR ____ min · MTBF ____ months
Security	ASD Essential 8 maturity level ____ · Zero trust · DLP · IAM enterprise-wide
Scalability	5-year growth: ____× volumes · architecture supports without re-platform
Disaster recovery	RTO: ____ min · RPO: ____ min · annual tested · regulator-witnessed
Accessibility	WCAG 2.2 AA enterprise-wide · audited annually

CTO, CISO, and CRO co-sign the enterprise NFR set. Programme tranche gates re-validate.

NFR breach in production is a board-reportable event.

REQUIREMENTS HIERARCHY AND DOMAINS

REQUIREMENTS HIERARCHY — 487 DETAILED REQUIREMENTS



Each level traceable upward and downward in JIRA Align. Quarterly tranche-gate reviews verify completeness and alignment with Outcomes set by the National Health Programme Board.

REQUIREMENTS BY DOMAIN

DOMAIN	CAPABILITIES	REQUIREMENTS	CROSS-DOMAIN
Patient Identity & Access	3	68	**42 (high)**
Clinical Records (EHR)	5	142	**71 (high)**
Pharmacy & Prescribing	3	89	**38 (medium)**
Imaging & Pathology	2	61	**24 (medium)**
Referrals & Care Coordination	2	52	**35 (high)**
Reporting, Analytics & Research	3	75	**28 (medium)**

211 cross-domain requirements (43% of total) — integration testing investment must reflect this.
EHR + Identity domain pair flagged as integration-test critical path.

REGULATORY MAPPING AND NFR

REGULATORY MAPPING — 6 OBLIGATIONS

REGULATION	CLAUSE	REQS	REGULATOR SIGN-OFF
Privacy Act 1988 (APP)	APP 1, 6, 11, 12	94	OAIC — Tranche 2 gate
My Health Records Act	s.59, 70, 75	42	Aust Digital Health Agency
AHPRA Codes (Med, Nurs)	Section 4.5	31	AHPRA Med + Nurs Boards
Therapeutic Goods Act	s.41 (devices)	19	TGA — Class IIa registr.
Notifiable Data Breaches	Part IIIC	14	OAIC — runtime obligation
State health legislation (×8)	Various	37	State health depts

237 of 487 requirements (49%) carry regulatory traceability.
Why mapping matters: a single missed obligation can collapse the programme — and trigger a board-reportable breach.
Regulator sign-off scheduled at every tranche gate.

ENTERPRISE NON-FUNCTIONAL REQUIREMENTS

Performance	Sustained 18,000 TPS at peak (wave 1) · p99 latency < 350 ms · 99.95% APIs
Availability	Tier 1 (clinical): 99.99% · Tier 2 (analytics): 99.5% · MTTR ≤ 30 min · MTBF ≥ 12 months
Security	ASD Essential 8 maturity Level 3 · Zero trust enterprise-wide · DLP · IAM · IRAP assessed
Scalability	5-year growth: 4× volumes (28M → 112M records) · architecture supports without re-platform
Disaster recovery	RTO 60 min · RPO 5 min · annual tested DR exercise · ADHA-witnessed
Accessibility	WCAG 2.2 AA enterprise-wide · audited annually · clinical UX validated by user councils

CTO + CISO + CRO co-signed enterprise NFR set 18 February 2026.
NFR breach in production = board-reportable event.

PROGRAMME REQUIREMENTS SIGN-OFF

CDO: *[Dr. M. Patel]* · CMIO: *[Prof. R. Singh]* · CISO: *[A. Wong]* · CRO: *[K. Daniels]*
Programme Board endorsement: 18 February 2026 · Subject to OAIC + ADHA tranche gates

ARCHITECTURE LAYERS

SECTION 1 — LAYERED ARCHITECTURE

Five-layer model. Each layer contains domains. Patterns documented.

EXPERIENCE / CHANNEL
Customer apps · Staff apps · Partner portals · Voice · Branch · Self-service
Pattern: _____

API / INTEGRATION
API gateway · Service mesh · Event bus · ESB · Pub/Sub · Streaming
Pattern: _____

APPLICATION / DOMAIN SERVICES
Customer · Product · Operations · Risk · Finance · Workforce · Analytics
Pattern: _____

DATA / INFORMATION
OLTP · Data lake · Data warehouse · Master data · Reference data · Real-time
Pattern: _____

INFRASTRUCTURE / PLATFORM
Cloud (region/zone) · Compute · Storage · Network · Identity · Security platform

SECTION 2 — BUILD / BUY / PARTNER DECISIONS

CAPABILITY	DECISION	VENDOR / TECH	RATIONALE
_____	Build/Buy/Partner	_____	_____
_____	Build/Buy/Partner	_____	_____
_____	Build/Buy/Partner	_____	_____

Differentiating capability → Build · Commodity → Buy · Specialist → Partner

NFR FITNESS, RISKS, APPROVAL

SECTION 3 — NFR FITNESS

How the architecture meets each enterprise NFR. Evidence, not assertion.

NFR	TARGET	ARCHITECTURAL APPROACH	EVIDENCE
Performance	_____ TPS	_____	_____
Availability	_____%	_____	_____
Security	Level ___	_____	_____
Scalability	__× growth	_____	_____
DR (RTO/RPO)	__/__min	_____	_____

Evidence options: Load test result · Reference architecture · Vendor benchmark · Pilot result

SECTION 4 — ARCHITECTURAL RISKS

Top 5–8 risks. Each owned by an architect. Mitigation strategy named.

Risk 1. _____
Owner: _____ · Likelihood: ___ · Impact: ___ · Mitigation: _____

Risk 2. _____
Owner: _____ · Likelihood: ___ · Impact: ___ · Mitigation: _____

Risk 3. _____
Owner: _____ · Likelihood: ___ · Impact: ___ · Mitigation: _____

Architectural risks differ from delivery risks: they relate to fitness for purpose, not schedule.

ARCHITECTURE BOARD APPROVAL

Chief Architect: _____ · CTO: _____ · CISO: _____ · CDO: _____
ARB review date: _____ · Conditions: _____ · Re-approval at next major release

ARCHITECTURE LAYERS

LAYERED ARCHITECTURE — FIVE LAYERS

EXPERIENCE / CHANNEL
Customer App (Flutter) · Member Portal (Next.js) · Adjuster Workbench (React) · IVR · Broker Portal · Voice (Genesys)
Pattern: Backend-for-Frontend · Channel-agnostic core API · Design system (Polaris)

API / INTEGRATION
Apigee API gateway · Kafka event bus · Confluent Schema Registry · MuleSoft for legacy bridges
Pattern: Event-driven core · Async by default · Idempotent producers · CDC from legacy

APPLICATION / DOMAIN SERVICES
Claims Lifecycle · Triage AI · Decision Engine · Payments · Fraud · Reinsurance · Customer 360 · Document AI
Pattern: Domain-driven design · One service per domain · Saga for cross-domain transactions

DATA / INFORMATION
PostgreSQL (OLTP per service) · Snowflake (warehouse) · Iceberg lake · Redis (cache) · MDM (Reltio) · ML feature store
Pattern: Data mesh · Domain-owned products · Single source per master entity · Encryption at rest (AES-256)

INFRASTRUCTURE / PLATFORM
AWS (ap-southeast-2 prod, ap-southeast-4 DR) · EKS · Aurora · Terraform IaC · GitHub Actions · Datadog
Pattern: Cloud-native · Zero-trust · Multi-AZ · Multi-region active-passive · IRAP-assessed

BUILD / BUY / PARTNER DECISIONS — TIER 1

CAPABILITY	DECISION	VENDOR / TECH	RATIONALE
Triage AI	**Buy**	Vendor Vision API	Commodity
Claims Decision Engine	**Build**	In-house · Drools rules engine	Differentiating
Fraud detection	**Partner**	FRISS · co-developed models	Specialist
Customer 360 / MDM	**Buy**	Reltio	Commodity
Document AI / OCR	**Buy**	AWS Textract + custom layer	Commodity
Payment orchestration	**Build**	Custom · multi-rail (BPAY, NPP, BECS)	Differentiating

Differentiating → Build · Commodity → Buy · Specialist domain → Partner. ExCo endorsed Q1 FY26.

NFR FITNESS, RISKS, APPROVAL

NFR FITNESS — EVIDENCE-BACKED

NFR	TARGET	APPROACH	EVIDENCE
Performance	5,000 TPS	Horizontal scale, async, sharded	Load test 7,200
Availability	99.95%	Multi-AZ active-active, multi-region DR	DR test passed
Security	Essential 8 L2	Zero trust, IAM, DLP, encrypted everywhere	IRAP report
Scalability	5x growth	Auto-scaling, partitioned data, async	Stress test
Disaster recovery	RTO 30m / RPO 5m	Multi-region, continuous replication	Annual DR drill
Compliance	APRA CPS 234	Continuous monitoring, audit log immutable	APRA audit
Observability	99% trace cov.	OpenTelemetry, distributed tracing, SLOs	Datadog dashboards

Evidence: load test 7,200 TPS sustained 60 min · DR drill 14 May 2026 (28 min RTO actual)
IRAP assessor signed off Aug 2026 · APRA notified per CPS 234 prudential standard

All 7 NFRs evidence-backed before architecture board commitment.

ARCHITECTURAL RISKS — TOP 5

AR1. Vendor lock-in (Vision API) — High likelihood, medium impact
Owner: Chief Architect · Mitigation: standardise model interface, dual vendor pilot in T3

AR2. Saga complexity in cross-domain transactions — Med, high
Owner: Domain Architect · Mitigation: 4-week saga design workshop, formal verification on T1 sagas

AR3. Data mesh ownership maturity — High, medium
Owner: CDO · Mitigation: Data Steward role established for each domain before T2 starts

AR4. Legacy bridge performance degradation — Med, high
Owner: Integration Architect · Mitigation: capacity baselining, sunset triggers in T3

AR5. Multi-region cost overrun — Med, med · Owner: Platform Lead · Mitigation: cost guardrails in IaC, monthly FinOps review

ARCHITECTURE BOARD APPROVAL

Chief Architect: J. Vasquez · CTO: M. Singh · CISO: A. Chen · CDO: P. Walker · ARB date: 22 Aug 2026
Conditions: re-approval at T2 entry · re-approval at major release · half-yearly NFR re-validation

DATA STRATEGY AND DOMAIN MODEL

SECTION 1 — DATA STRATEGY PRINCIPLES

5–8 principles guiding data investment, build, and operation.

P1. Domain ownership — every data product has a single named owner

P2. One source of truth — no parallel masters; CDC for synchronisation

P3. Privacy by design — minimise, anonymise, audit, comply by default

P4. Quality measurable — every domain publishes its own quality metrics

P5. Reuse before rebuild — central catalogue, reuse incentivised

Principles signed off by Data Council and endorsed by ExCo before architecture lock-in.

SECTION 2 — DATA DOMAIN MODEL

Data organised by domain, each with a Domain Steward (director-level).

DOMAIN	PRODUCTS	STEWARD	CLASSIFICATION
Customer / Citizen	__ products	_____	Sensitive PII
Product / Service	__ products	_____	Confidential
Finance	__ products	_____	Restricted
Workforce	__ products	_____	Sensitive PII
Operational	__ products	_____	Internal
Risk & Compliance	__ products	_____	Restricted
External / Reference	__ products	_____	Public / Open

Classification scheme: Public · Internal · Confidential · Restricted · Sensitive PII (highest)

Each level has handling, retention, encryption, and access control rules in supporting standards.

GOVERNANCE, PRIVACY, QUALITY

SECTION 3 — DATA GOVERNANCE FORUMS

FORUM	DECISIONS	CADENCE	CHAIR
Data Council	Strategy, principles, escalation	Quarterly	CDO
Domain Stewards Forum	Cross-domain issues, contracts	Monthly	Head of DG
Privacy Steering	PIA outcomes, breach response	Monthly	Privacy Officer
Data Quality Council	Quality targets, remediation	Monthly	Head of DQ

Each forum has terms of reference, decision rights matrix, escalation path.

SECTION 4 — PRIVACY REGIME

Compliance posture, controls, ongoing assurance.

Frameworks Privacy Act 1988 (APPs) · GDPR (where applicable) · sector-specific (e.g. APRA CPS 234)

Controls PIAs · consent management · data minimisation · DSARs · breach notification (72h)

Assurance Annual external audit · quarterly internal · continuous monitoring (DLP, anomaly)

Privacy Officer reports to CEO; escalates to Board for breaches over threshold.

SECTION 5 — DATA QUALITY REGIME

Measurable, published, attached to compensation in critical domains.

Dimensions: Completeness · Accuracy · Timeliness · Consistency · Validity · Uniqueness

Targets: Per domain, in domain charter; reviewed quarterly by Data Quality Council

Reporting: Monthly DQ scorecard published to all Domain Stewards and ExCo

Critical domains' quality target tied to executive compensation review.

DATA STRATEGY AND DOMAIN MODEL

DATA STRATEGY PRINCIPLES

P1. Citizen consent is paramount — purpose-bound, withdrawable, auditable

P2. Domain ownership — every dataset has a SES Band 1+ Domain Steward

P3. Tell us once — never ask citizens for information already held

P4. Open by default for de-identified data — closed only with documented justification

P5. Data sovereignty — Australian-resident systems for citizen data

P6. Quality before scale — no new use cases until critical-data quality at 95%

Endorsed by Secretary & Senior Executive Service Forum, 14 March 2026 · referenced in Data Strategy 2026–2029.

DATA DOMAIN MODEL — 7 DOMAINS, 184 DATA PRODUCTS

DOMAIN	PRODUCTS	STEWARD	CLASSIFICATION
Citizen Identity	28	FAS Identity Services	PROTECTED
Service Eligibility	42	FAS Service Delivery	SENSITIVE
Payments / Benefits	31	FAS Payments	SENSITIVE
Workforce	19	CHRO	SENSITIVE
Operational / Compliance	26	CRO	RESTRICTED
Public Performance	22	CDO Office	OPEN
Reference / Geospatial	16	Chief Information Officer	PUBLIC / OPEN

Classifications: PUBLIC · OFFICIAL · OFFICIAL: SENSITIVE · PROTECTED · SECRET (per PSPF)

PSPF = Protective Security Policy Framework. Each level: handling, retention, encryption, access rules per ISM (Information Security Manual).

PROTECTED domains require ASD-certified hosting and IRAP-assessed pathways.

GOVERNANCE, PRIVACY, QUALITY

DATA GOVERNANCE FORUMS

FORUM	DECISIONS	CADENCE	CHAIR
Data Council	Strategy, principles, OAIC liaison	Quarterly	CDO
Domain Stewards Forum	Cross-domain rules, contracts, gates	Monthly	Head of DG
Privacy Steering	PIA review, breaches, OAIC reporting	Monthly	Privacy Officer
Data Quality Council	DQ targets, remediation roadmap	Monthly	Head of DQ

Privacy Officer has direct reporting line to Secretary; CDO formally advises Minister.

PRIVACY REGIME

Frameworks Privacy Act 1988 (13 APPs) · Notifiable Data Breaches Scheme · PSPF · ISM · IRAP

Controls PIA mandatory before each new use · consent register · DLP · DSARs · 72-hour OAIC notification

Assurance ANAO biennial · OAIC audit access · IRAP each major release · Senate Estimates

Recent posture: 2 notifiable breaches FY25 (both contained < 24h, OAIC closed); zero in FY26 to date

Privacy Officer reports breach exposure quarterly to Audit Committee; Annual Report disclosed publicly.

DATA QUALITY REGIME

Dimensions: Completeness · Accuracy · Timeliness · Consistency · Validity · Uniqueness · **Provenance**

Targets: Citizen Identity 99% · Service Eligibility 96% · Payments 99.5% · Public Performance 98%

Reporting: Monthly DQ scorecard to ExCo · annual Public Data Quality Statement (transparency obligation)


Recent gap: Service Eligibility currently 89% (target 96% by Q4 FY27) — remediation programme funded $14M

Critical-domain DQ targets attached to SES KPI agreements (precedent set FY25).

TRANCHE PLAN AND GATES

SECTION 1 — MULTI-YEAR SCHEDULE

5-year horizon · 4 tranches · workstream-level visibility.



Gate criteria:

G1 — Foundations stable, T2 budget unlocked · G2 — Pilot delivered, T3 funding released
G3 — Scaled rollout proven, T4 commitment · G4 — Programme close, BAU transfer complete

Each gate is a board-level go/no-go decision. No tranche commits until prior delivers.

SECTION 2 — WORKSTREAMS

WORKSTREAM	LEAD	FTE PEAK	PRIMARY TRANCHE
Architecture & design	_____	_____ FTE	T1 + T2
Build & integration	_____	_____ FTE	T2 + T3
Data & migration	_____	_____ FTE	T2 + T3
Change & training	_____	_____ FTE	T3
QA & assurance	_____	_____ FTE	all
Programme office	_____	_____ FTE	all

Workstream lead has hire authority within budget; FTE peak by tranche reviewed quarterly.

DEPENDENCIES, CRITICAL PATH, MILESTONES

SECTION 3 — DEPENDENCIES

Internal and external dependencies that gate delivery.

DEPENDENCY	TYPE	OWNER	REQUIRED BY
Network refresh complete	Internal	_____	_____
Vendor contract execution	External	_____	_____
Regulator approval	External	_____	_____
Workforce ramp	Internal	_____	_____
Data migration window	Internal	_____	_____

Each dependency reviewed weekly · breach triggers escalation to Programme Director within 24 hours.

SECTION 4 — CRITICAL PATH AND MILESTONES

Path that determines minimum delivery time. Slippage on any node delays the programme.

M1. _____
M2. _____
M3. _____
M4. _____
M5. _____
M6. _____


Float / buffer: % slack against schedule, by workstream, reported monthly

Re-baselining: Material variance triggers programme board review and possible re-plan

Critical path published in Programme Board pack monthly; updated when material variance occurs.

TRANCHE PLAN AND GATES

MULTI-YEAR SCHEDULE — JUL 2026 to JUN 2031



Gate criteria — agreed with ACMA, Board, ExCo:

G1 — Standalone 5G core operating in 2 metros · Spectrum auction won · ACMA milestone met
G2 — 200 sites live, NPS impact measured, vendor SLAs achieved · T3 funding board-approved
G3 — 4G decommission plan ratified · Spectrum reuse confirmed · 2,400 sites operational
G4 — All sites in BAU · 4G core retired · benefits realised · programme team disbanded

Each gate is a board-level go/no-go. T2 budget contingent on G1; T3/T4 contingent on respective predecessors.

WORKSTREAMS — 8 STREAMS, ~340 PEOPLE PEAK

WORKSTREAM	LEAD	FTE PEAK	PRIMARY TRANCHE
Architecture & design	L. Chen (Chief Network Architect)	42 FTE	T1 + T2
Core build (Ericsson)	M. Patel (Head of Core)	88 FTE	T2
Network deployment	D. Walsh (RF Programme)	125 FTE	T3
OSS / BSS integration	J. Singh (Head OSS)	36 FTE	T2 + T3
Cyber & security	A. Hassan (Network CISO)	22 FTE	all
Customer migration	S. Lee (Customer Ops)	18 FTE	T3 + T4
QA / Test / NFR	P. Tran (Senior QA Director)	28 FTE	all
Programme office	R. Mehta (PD)	14 FTE	all

DEPENDENCIES, CRITICAL PATH, MILESTONES

DEPENDENCIES — KEY GATING ITEMS

DEPENDENCY	TYPE	OWNER	REQ BY
Spectrum auction (3.5GHz)	External	ACMA / Govt Affairs	Q4 FY26
Ericsson MSA execution	External	CFO / Procurement	Q3 FY26
Tower co. site agreements	External	Property / Legal	Q4 FY27
Engineering hire ramp (180)	Internal	CHRO / Talent	Q2 FY27
Data centre fit-out	Internal	CIO Infra	Q1 FY27
OSS/BSS data migration window	Internal	CTO / Data	Q3 FY28
CISC compliance assurance	External	CISO / Govt Aff.	Pre-G1 + ongoing

External dependencies tracked weekly · breach escalates to Programme Director within 24 hours.

CRITICAL PATH AND KEY MILESTONES

M1. Q3 FY26 — Ericsson MSA executed; spectrum auction submitted

M2. Q4 FY26 — Spectrum allocation confirmed; T1 architecture frozen; Sydney + Melbourne core lab live

M3. Q2 FY27 — Engineering ramp at 90%; Sydney metro 5G core operational (alpha service)

M4. Q4 FY27 — G1 gate · 2 metros operating; ACMA progress milestone met; T2 funded

M5. Q3 FY28 — 200 sites in production; vendor SLAs achieved; OSS/BSS migration complete

M6. Q2 FY29 — G2 gate · NPS uplift measurable; T3 board-approved

M7. Q4 FY30 — G3 gate · 2,400 sites operational; 4G decommission plan executed

M8. Q4 FY31 — G4 close · BAU transfer complete; programme disbanded; benefits validated

Float / buffer: Currently 12 weeks float in T2 critical path; reported monthly on Programme Board pack

Re-baselining: Variance >6 weeks triggers Programme Board review and possible re-plan; ACMA notified at threshold

Critical path reviewed monthly with Programme Board; spectrum/CISC compliance items remain principal risks.

QUALITY LAYERS AND STRATEGY

SECTION 1 — QUALITY PYRAMID (8 LAYERS)

Each layer has owner, automation level, and evidence captured.

- **L8 · BUSINESS ACCEPTANCE** — Sponsor / Business Owner sign-off · 100% manual
- **L7 · OPERATIONAL READINESS** — Production readiness review · 80% checklist-driven
- **L6 · INDEPENDENT ASSURANCE** — External auditor / regulator · Cyclical
- **L5 · NON-FUNCTIONAL TEST** — Performance, security, DR, accessibility · 75% automated
- **L4 · END-TO-END FUNCTIONAL** — Cross-system journeys · 80% automated
- **L3 · INTEGRATION TEST** — Service-to-service, contract test · 95% automated
- **L2 · COMPONENT TEST** — Per service/module · 100% automated
- **L1 · UNIT TEST** — Code-level, in pipeline · 100% automated

Pyramid principle: more tests at lower layers, fewer at higher. Inverted pyramid is anti-pattern.

SECTION 2 — TEST STRATEGY BY DOMAIN

DOMAIN	PRIMARY LAYER FOCUS	COVERAGE TARGET	OWNER
Customer journey	L4 + L8	100% P1 scenarios	_____
Regulatory / compliance	L4 + L6	100% obligations	_____
Performance / scale	L5	All NFRs evidenced	_____
Security	L5 + L6	OWASP top 10 + pen	_____
Disaster recovery	L5 + L7	RTO/RPO proven	_____
Operational	L7	Run-book validated	_____

Each domain has dedicated test lead reporting to QA Director.

INDEPENDENT ASSURANCE AND EVIDENCE

SECTION 3 — INDEPENDENT ASSURANCE LAYERS

Reviews independent of build team. Required for board-level sign-off.

REVIEW TYPE	REVIEWER	FREQUENCY	REPORTS TO
Architecture review	Independent ARB	Per release	CTO
Security audit	External pen-test	Half-yearly	CISO
Code quality audit	External auditor	Annual	CTO
Programme assurance	Independent reviewer	Quarterly	Sponsor / Board
Internal audit	Internal Audit	Risk-based	Audit Committee
Regulatory inspection	Regulator	As req	CRO / Board

Findings tracked centrally with SLA for closure; aged findings reported to Audit Committee.

SECTION 4 — EVIDENCE AND SIGN-OFF

Per release evidence pack

Test results · NFR results · scan results · ARB minutes · sign-offs · audit findings

Storage Immutable archive · 7-year retention (or per regulatory requirement)

Sign-off matrix

RELEASE TYPE	SIGNATURES REQUIRED
Minor (point release)	QA Lead, Service Owner
Major (feature release)	QA Lead, Architect, CISO, Service Owner, BO
Tranche / programme	All above + Sponsor + Independent reviewer + Board

No release without complete evidence pack

Pack auto-assembled from CI/CD, audit logs, ARB outputs · reviewed by Release Manager pre-deploy.

QUALITY LAYERS AND STRATEGY

QUALITY PYRAMID — 8 LAYERS, ALL ACTIVE



Pyramid health: ~12,800 unit tests, ~2,400 component, ~840 integration, ~1,470 E2E. Healthy ratio.

TEST STRATEGY BY DOMAIN

DOMAIN	PRIMARY LAYERS	COVERAGE TARGET	OWNER
Customer onboarding	L4 + L8	100% P1 (180 scen.)	D. Lin (Test Lead)
Lending decisioning	L4 + L6	100% rules (310 cases)	M. Park (Cred Risk)
APRA / AUSTRAC reg	L4 + L6	100% obligations	P. Walsh (Compliance)
Performance / scale	L5	5,000 TPS sustained	A. Hassan (Perf Eng)
Security (CPS 234)	L5 + L6	OWASP + APRA pen	CISO Team
Disaster recovery	L5 + L7	RTO 30m / RPO 5m	Operations
Operational readiness	L7	Run-book validated	Ops Director

7 named domain test leads. APRA CPS 234 obligations cross-cut all 7 — explicit traceability matrix maintained.

INDEPENDENT ASSURANCE AND EVIDENCE

INDEPENDENT ASSURANCE LAYERS — APRA-ALIGNED

REVIEW TYPE	REVIEWER	FREQUENCY	REPORTS TO
Architecture review	Independent ARB	Per release	CTO
Penetration test	CREST-cert vendor	Half-yearly	CISO + Audit Cmte
CPS 234 audit	Big-4 firm	Annual	CISO + Board
Code quality review	External engineering	Annual	CTO
Programme assurance	Independent reviewer	Quarterly	Sponsor / Board
Internal audit	Internal Audit	Risk-based	Audit Committee
APRA inspection	APRA	As required	CRO / Board

Findings tracked in central register · SLA: high 30d, med 90d, low 180d · aged findings to Audit Cmte monthly

EVIDENCE AND SIGN-OFF

Per release evidence pack contains:

Test results (auto from pipeline) · NFR proof · OWASP scan · pen-test summary · ARB minutes · sign-offs

Storage Immutable archive (S3 Object Lock) · 7-year retention per APRA prudential standards

Sign-off matrix

RELEASE TYPE	SIGNATURES REQUIRED
Hotfix / patch	QA Lead, Service Owner
Minor (point release)	QA Lead, Architect, Service Owner
Major (feature release)	QA Lead, Architect, CISO, Service Owner, Business Owner
Tranche / programme	All above + Sponsor + Independent reviewer + APRA notified

Release pipeline gated · evidence pack auto-assembled · Release Manager (weekly rotation) verifies completeness pre-deploy.

CHANGE IMPACT AND WORKFORCE PLAN

SECTION 1 — CHANGE IMPACT HEATMAP

Each affected role / unit rated on impact dimensions: process, system, role, location.

ROLE / GROUP	PROCESS	SYSTEM	ROLE	POPULATION	SUM
Group 1	H/M/L	H/M/L	H/M/L	_____	H/M/L
Group 2	H/M/L	H/M/L	H/M/L	_____	H/M/L
Group 3	H/M/L	H/M/L	H/M/L	_____	H/M/L
Group 4	H/M/L	H/M/L	H/M/L	_____	H/M/L
Group 5	H/M/L	H/M/L	H/M/L	_____	H/M/L

Typical Gold scope: 8–25 affected groups identified. Detailed register in supporting paper.

High-impact groups receive dedicated change leads.

SECTION 2 — WORKFORCE TRANSITION

Roles changing, created, retired. Reskilling pathway. Union / FWC engagement.

CATEGORY	FTE	PATHWAY	OWNER
Roles retired	_____	Reskill / redeploy / severance	CHRO
Roles changed	_____	In-role training, certification	CHRO + line
Roles created	_____	Internal mobility + external hire	CHRO
Locations affected	_____	Site-specific transition plan	Property + HR

Union / FWC engagement Consultation periods met · agreements documented · grievance process active

FWC = Fair Work Commission. Consultation periods are legal obligations, not options.

LIFECYCLE, ADOPTION, RESISTANCE

SECTION 3 — CHANGE LIFECYCLE

Five-phase model with deliverables and exit criteria per phase.



Per phase exit criteria:

Prepare → Sponsor coalition signed; impact heatmap complete
Plan → Training, comms, network plans approved by Sponsor
Deliver → Champions trained; first wave delivered with feedback closed
Embed → Adoption ≥ 80% target; resistance hot-spots remediated
Sustain → Programme team disbanded; BAU owns change network
Phase exit gates reviewed at Programme Board.

SECTION 4 — ADOPTION AND RESISTANCE MANAGEMENT

Adoption metrics (tracked weekly, reported monthly)

Active users · feature usage · self-service rate · ticket volume by category
Confidence pulse (4-question survey) · NPS for the change · stay-rate

Resistance hot-spot protocol

Identified by adoption metrics or pulse survey · escalated to Change Lead within 48 hours
Diagnostic conversation with affected group · root cause categorised · intervention designed
Outcome reported back to group · closed-loop tracking until adoption returns to target

Champions network

~1 champion per 25 affected staff · trained, recognised, given dedicated time (2hr / week)

Sponsor cadence

Visible Sponsor presence at all-hands; resistance hot-spots escalated to Sponsor for direct engagement

CHANGE IMPACT AND WORKFORCE PLAN

CHANGE IMPACT HEATMAP — 11 GROUPS, ~14,200 STAFF

ROLE / GROUP	PROCESS	SYSTEM	ROLE	POPULATION	SUM
Doctors (consultants + reg.)	H	H	M	~3,200	H
Nurses (RN + EN)	H	H	H	~6,200	H
Allied health	M	H	M	~1,400	M
Admin / clerical	H	H	H	~1,800	H
Pharmacy	M	H	L	~280	M
Pathology / Imaging	L	M	L	~620	L
ED / Critical Care	H	H	M	~720	H

5 of 11 groups rated High overall: Doctors, Nurses, Admin, Pharmacy (system H), ED — each gets a dedicated change lead.

Critical risk: Nurses (~6,200) is the largest high-impact group; failure here = patient safety event.

WORKFORCE TRANSITION

CATEGORY	FTE	PATHWAY	OWNER
Health Information clerks	~140 retired	Reskill to digital health roles · 18-month pathway	CHRO
Bedside nurses (workflow)	~6,200 changed	Refresh + EMR competency · 12-week module	CNIO
Junior doctors (charting)	~1,200 changed	Embedded training in clinical rotations	CMIO
Clinical informatics	~85 created	Internal mobility from nursing/pharmacy + 14 external	CHRO + CMIO
Locations affected	8 hospitals	Site-specific transition plans (per CMIO and DON)	DONs

ANMF / AMA / HSU engagement Quarterly consultations active since Mar 2026 · MOU on training entitlement signed

ANMF = Aust Nursing & Midwifery Federation. Consultation period 60 days minimum per state award. Severance not currently anticipated for any group.

LIFECYCLE, ADOPTION, RESISTANCE

CHANGE LIFECYCLE — CURRENT POSITION

PREPARE	PLAN	DELIVER	EMBED	SUSTAIN
11 groups mapped Coalition signed Q1	Comms + training approved Mar'26	CURRENT Pilot site live	Q3 FY27	FY29 onwards

Phase exit gates — current status:

- ✓ **Prepare** · Sponsor coalition (CEO, CMO, CNO, CMIO, CNIO) signed, 14 March 2026
- ✓ **Plan** · Training, comms, network plans approved by ExCo, 8 May 2026
- ⚡ **Deliver** · 142 champions trained · pilot site (Royal Hospital) live 19 Sep 2026
- ○ **Embed** · Adoption ≥ 80% target · gate review Q3 FY27 (post-rollout +90 days)
- ○ **Sustain** · Programme team disband · BAU owns network · FY29

Phase reviewed at Programme Board · Clinical Reference Group has formal veto on workflow changes mid-phase.

ADOPTION AND RESISTANCE — PILOT SITE METRICS

Adoption (week 6 post-go-live)

Active users 94% (target 90%) · core flow daily usage 81% (target 75%)
Self-service rate 67% (target 70% by W12) · ticket volume below forecast
Confidence pulse 3.8/5 (target ≥ 4.0 by W12) — improving weekly

Resistance hot-spots active

HS-1 ED nurses (after-hours): workflow gaps in trauma pathway · CNIO + ED Director engaged 8 Oct

HS-2 Geriatric ward consultants: documentation slowness · 1:1 coaching scheduled · CMIO sponsor

Champions network

142 champions trained (1 per ~100 staff at pilot · plan ramps to 1 per ~50 at full rollout)

Sponsor visibility

CEO at all-hands monthly · CMO walkround pilot site weekly · CNO direct line for nurse escalations

Hot-spot protocol triggered automatically by adoption metric below target · escalation to Change Director within 48h.

SERVICE MODEL AND SLAs

SECTION 1 — SERVICE DEFINITION

Each service in scope: ownership, dependencies, business criticality.

SERVICE	OWNER	CRITICALITY	RTO / RPO	SUPPORT
Service 1	_____	Tier ___	__/__min	24×7
Service 2	_____	Tier ___	__/__min	24×7
Service 3	_____	Tier ___	__/__min	Business hrs
Service 4	_____	Tier ___	__/__min	Business hrs
Service 5	_____	Tier ___	__/__min	Business hrs

Tier 1 = mission-critical · Tier 2 = important · Tier 3 = supporting. Drives RTO/RPO commitments.

SECTION 2 — SLAs / SLOs

Service-level objectives, error budgets, escalation thresholds.

METRIC	TARGET	ERROR BUDGET	ESCALATION
Availability	__.__%	__ min/month	>50% spent → freeze
Latency p99	__ ms	__% breach OK	Sustained breach → page
Error rate	__%	__% sustained	Spike → on-call
MTTR (incident)	__ min	P1 cap	Beyond → exec brief
Change failure rate	<__%	Per quarter	Trend → review CAB

Error budget exhaustion = release freeze

Forces ops focus over feature delivery; reset monthly. Standard SRE pattern.

RUN-BOOK AND INCIDENT RESPONSE

SECTION 3 — RUN-BOOK CONTENTS

Procedures Operations executes. Maintained alongside the system.

Daily operations

Health checks · log review · backup verification · capacity check

Routine procedures

User provisioning · access changes · scheduled jobs · reporting cycles

Change procedures

Standard changes · normal changes · emergency changes · rollback

Incident response

By incident class · escalation tree · communication scripts · post-mortem template

Disaster recovery

Failover procedure · data restoration · service prioritisation

SECTION 4 — INCIDENT MANAGEMENT

CLASS	DESCRIPTION	RESPONSE	REPORT TO
SEV-1	Service down, data loss, security	Page · Bridge open	CEO + Board
SEV-2	Major degradation, T1 impact	Page on-call · 30m	CIO + Sponsor
SEV-3	Limited impact, workaround	Standard ticket	Service Owner
SEV-4	Cosmetic / informational	Backlog	Service Owner

Post-mortem

All SEV-1 / SEV-2 within 5 business days · blameless · published to engineering org

External notification

Customers / regulator notified within window per SLA / regulatory obligation

Lessons-learned register tracked monthly; recurring patterns drive retros and process change.

SERVICE MODEL AND SLAs

SERVICE DEFINITION — 7 SERVICES, 22 SITES

SERVICE	OWNER	CRIT.	RTO/RPO	SUPPORT
WMS Core	D. Park (Ops Director)	T1	15 / 5 min	24×7
RF gun fleet (2,400)	M. Allen (Tech Ops)	T1	30 / 1 min	24×7
TMS Integration	P. Kumar (Integration Lead)	T1	15 / 5 min	24×7
ERP Stock Reconciliation	L. Tran (Finance Systems)	T2	2h / 1h	Bus. hrs
Returns & Disposal	S. Wood (Returns Mgr)	T2	4h / 1h	Bus. hrs
Reporting & Analytics	A. Suresh (BI Lead)	T3	1d / 1d	Bus. hrs
Self-service portal	J. Reeves (Customer Ops)	T3	8h / 4h	Bus. hrs

Service catalogue published in Confluence · BAU service owners signed Sept 2026 · DR test schedule: T1 every 6mo, T2 every 12mo

SLAs / SLOs — TIER 1 SERVICES (WMS CORE, RF GUNS, TMS)

METRIC	TARGET	ERROR BUDGET	ESCALATION
Availability	99.95%	22 min/month	>50% spent → freeze
Latency p99 (pick scan → response)	~~wait~~ —	— shifted —	— see below —
Latency p99 RF transactions	≤ 220 ms	2% breach OK	Sustained → page on-call
Error rate (5xx)	< 0.1%	0.5% sustained 15m	Spike → on-call
MTTR (P1 incidents)	≤ 30 min	3 P1 / quarter cap	>30m → exec brief
Change failure rate	< 5%	Per quarter	Trend → CAB review

Error budget exhaustion → release freeze + retro

SRE practice · forces ops focus over feature shipping when reliability erodes · resets monthly with executive review.

RUN-BOOK AND INCIDENT RESPONSE

RUN-BOOK CONTENTS — 87 PROCEDURES, ALL VALIDATED

Daily operations (12 procedures)
Health checks · log review · backup verification · capacity check · peak-day prep

Routine procedures (24 procedures)
User provisioning · access changes · scheduled jobs · reporting cycles · stocktake

Change procedures (18 procedures)
Standard, normal, emergency · CAB process · rollback runbook · canary deploy

Incident response (22 procedures)
By incident class · escalation tree · scripts · post-mortem template (blameless)

Disaster recovery (11 procedures)
Failover (validated 14 Jul 2026, RTO 12m actual) · data restore · service prioritisation

All 87 procedures pressure-tested in DR drill 14 Jul 2026 · 9 procedures revised post-drill · re-test passed 28 Jul.

INCIDENT MANAGEMENT — POST-LAUNCH 90 DAYS

CLASS	DESCRIPTION	Q3 COUNT	MEDIAN MTTR
SEV-1	Service down, T1 blocked	2 (cap 3)	22 min ✓
SEV-2	Major degradation	8	1h 14 min
SEV-3	Limited impact, workaround	37	4h 38 min
SEV-4	Cosmetic / informational	82	backlog

Post-mortem outcomes
10/10 SEV-1/2 published in 5 days · 4 systemic patterns identified · 2 architecture changes booked

Customer notification
SEV-1 status page within 5 min · email customers within 30 min · regulator within obligation window

Patterns retro held monthly · service architecture team owns systemic remediation · Audit Committee briefed on aged SEV-1/2.

BENEFITS REALISATION

SECTION 1 — BENEFITS REGISTER (FROM STRATEGIC BUSINESS CASE)

BENEFIT	CATEGORY	BASELINE	TARGET	OWNER	REVIEW
B-01	_____	_____	_____	_____	_____
B-02	_____	_____	_____	_____	_____
B-03	_____	_____	_____	_____	_____
B-04	_____	_____	_____	_____	_____
B-05	_____	_____	_____	_____	_____

Each benefit reconciles back to a Strategic Business Case line item · Owner is named director or higher · No "phantom benefits".


Categories used at Gold scale:

Cost savings · Revenue uplift · Risk reduction · Capacity created · Compliance assurance · Customer experience · Workforce capability

Each category has its own measurement methodology to avoid double-counting across benefits.

SECTION 2 — REALISATION PROFILE AND CASH RECONCILIATION

Annual benefit profile · year-on-year reconciliation to actual financials.



Reconciliation: Annual benefits compared to financial actuals (CFO Office certifies)

Variance > 15% triggers re-baselining of remaining profile · sponsor accountable for assumption integrity.

PROGRAMME RISK MANAGEMENT

SECTION 3 — RISK HEATMAP (RESIDUAL, POST-MITIGATION)

Likelihood × Impact · each risk owned at executive level.

	LOW	MEDIUM	HIGH	EXTREME
EXTREME				
HIGH		5	3	
MED	2			2
LOW				

Number of risks per cell

Top-right risks reported to Board monthly.

Risks plotted post-mitigation. Pre-mitigation view in supporting risk register.

SECTION 4 — TOP RISKS WITH OWNERS

R1. _____

Owner: _____ · Likelihood: ____ · Impact: ____ · Mitigation: _____

R2. _____

Owner: _____ · Likelihood: ____ · Impact: ____ · Mitigation: _____

R3. _____

Owner: _____ · Likelihood: ____ · Impact: ____ · Mitigation: _____

R4. _____

Owner: _____ · Likelihood: ____ · Impact: ____ · Mitigation: _____

Closure discipline

Risk closes only with executive owner sign-off; "accepted" risks documented in register

Independent challenge

Internal Audit reviews top 10 risks quarterly; reports to Audit Committee

BENEFITS REALISATION

BENEFITS REGISTER — RECONCILED TO STRATEGIC BC ($420M NPV)

BENEFIT	CATEGORY	BASELINE	FY+5 TARGET	OWNER	REVIEW
B-01 Demand-response capacity	Capacity	35 MW	380 MW	COO	Q · 60mo
B-02 AER non-compliance avoided	Risk	$420M exp.	$0 (compliant)	CRO	Q · 60mo
B-03 Maintenance cost reduction	Cost	$220M/yr	$162M/yr	CFO + Ops	M · 60mo
B-04 Network efficiency revenue	Revenue	$0	$95M/yr	Retail Director	M · 60mo
B-05 Outage minutes per customer	CX	142 SAIDI	95 SAIDI	COO	M · 60mo
B-06 DER orchestration revenue	Revenue	$0	$48M/yr	Retail Director	Q · 60mo


All 6 reconcile to Strategic Business Case · CFO Office signs annual reconciliation. Cat: Capacity / Risk / Cost / Revenue / CX

No phantom benefits: Each benefit measurable in production data; no hand-waving allowed.

SAIDI = System Average Interruption Duration Index (industry standard outage metric, AER reportable).

REALISATION PROFILE — ACTUAL vs PLAN

Cumulative benefit realisation against original profile · CFO-certified annually



Reconciliation FY+3: Cumulative $148M realised vs $137M planned (+8%) — CFO Office certified Q3 FY29

PROGRAMME RISK MANAGEMENT

RISK HEATMAP — RESIDUAL (POST-MITIGATION) · 23 RISKS TOTAL

	LOW	MEDIUM	HIGH	EXTREME
EXTREME			1	
HIGH		5	2	2
MED	3	3	2	1
LOW	4			

Reds:
Top-right risks (red zone) reported to Board monthly

3 risks current red: cyber, customer adoption, workforce capability

Plotted post-mitigation. Pre-mitigation view in supporting risk register · 23 risks under formal management.

TOP 4 RISKS — EXECUTIVE-OWNED, BOARD-VISIBLE

R1. Cyber attack on grid telemetry — High likelihood, extreme impact
Owner: CISO · Mitigation: defence-in-depth, ASD-aligned, $48M budget · IRAP assessed half-yearly

R2. Customer DER adoption below 60% — Med likelihood, high impact
Owner: Retail Director · Mitigation: tariff incentives + Y2 pilot · cap T3 spend if < 50% by then

R3. Workforce capability gap (DER orchestration) — High, high
Owner: CHRO · Mitigation: 18mo reskilling pathway · 87 contractors backfill · TAFE partnership

R4. AER pathway changes mid-flight — Med, high · Owner: CRO
Mitigation: quarterly AER engagement · contracts permit pivot at gates · scenarios modelled

Closure discipline: Risk closes only with executive owner sign-off · 4 risks closed FY+3 (independent review)

Independent challenge: Internal Audit reviews top 10 quarterly · Audit Committee receives report · 2 findings open

All risks reconcile to Strategic Business Case risk profile · risk-adjusted NPV remains positive at $340M.